

# ISO/IEC 16023:2000-05 (E)

## Information technology - International symbology specification - MaxiCode

---

<b>Contents</b>		<b>Page</b>
Introduction .....		1
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative References .....</b>	<b>1</b>
<b>3</b>	<b>Definitions and Mathematical Symbols .....</b>	<b>1</b>
3.1	Definitions .....	1
3.1.1	Codeword .....	1
3.1.2	Extended Channel Interpretation (ECI) .....	1
3.1.3	Mode Indicator .....	1
3.1.4	Module .....	2
3.2	Mathematical Symbols and Operations .....	2
<b>4</b>	<b>Requirements .....</b>	<b>2</b>
4.1	Symbology Characteristics .....	2
4.1.1	Basic Characteristics .....	2
4.1.2	Summary of Additional Features .....	3
4.2	Symbol Description .....	4
4.2.1	Symbol Structure .....	4
4.2.2	Symbol Character and Module Sequence .....	5
4.3	General Encodation Procedures .....	6
4.4	Character Assignments .....	7
4.4.1	Codeword Representation .....	7
4.4.2	Default Character Interpretation .....	7
4.4.3	Code Sets .....	7
4.4.4	Symbology Control Characters .....	8
4.5	User Considerations for Encoding Data in a MaxiCode Symbol .....	9
4.5.1	User Selection of Error Correction Level .....	9
4.5.2	User Selection of Mode .....	9
4.5.3	User Selection of Extended Channel Interpretation .....	10
4.5.4	User Selection of Structured Append .....	10
4.5.5	User Assessment of Encodation Capacity .....	10
4.6	Extended Channel Interpretation .....	10
4.6.1	ECI and Modes 2 and 3 .....	10
4.6.2	Encodation Modes and ECIs .....	10
4.6.3	Encoding ECIs in MaxiCode .....	11
4.6.4	ECIs and Structured Append .....	11
4.6.5	Post-Decode Protocol .....	11
4.7	Message Structure .....	11
4.7.1	Primary Message .....	11
4.7.2	Secondary Message .....	11
4.7.3	Structuring the Data .....	12
4.8	Modes .....	12
4.8.1	Mode 0: Obsolete .....	12
4.8.2	Mode 1: Obsolete .....	12
4.8.3	Modes 2 and 3: Structured Carrier Message .....	12
4.8.4	Mode 4: Standard Symbol .....	13
4.8.5	Mode 5: Full EEC .....	13
4.8.6	Mode 6: Reader Programming .....	13
4.8.7	Mode Indicators .....	13
4.9	Structured Append .....	13

4.9.1	Basic Principles .....	13
4.9.2	Structured Append and Modes 2 and 3 .....	13
4.9.3	Structured Append in Modes 4 to 6 .....	14
4.9.4	Buffered and Unbuffered Operation .....	14
4.10	Error Detection and Correction .....	14
4.10.1	Enhanced Error Correction (EEC) in the Primary Message .....	14
4.10.2	Error Correction in the Secondary Message .....	14
4.10.3	Generating the Error Correction Codewords .....	14
4.10.4	Error Correction Capacity .....	15
4.11	Dimensions .....	15
4.11.1	Symbol Dimensions .....	15
4.11.2	Hexagonal Module Dimensions .....	15
4.11.3	Dark Hexagon Dimensions and Tolerances .....	16
4.11.4	Finder Pattern Dimensions .....	16
4.11.5	Quiet Zones .....	17
4.11.6	Overall Symbol Size .....	17
4.11.7	Practical Printing Guidance .....	17
4.12	User Guidelines .....	17
4.12.1	Human Readable Interpretation .....	17
4.12.2	Autodiscrimination Capability .....	17
4.13	Symbol Quality .....	17
4.13.1	Obtaining the Test Image .....	17
4.13.2	Symbol Quality Parameters .....	17
4.13.3	Overall Symbol Grade .....	19
4.13.4	Process Control Measurements .....	19
4.14	Reference Decode Algorithm .....	19
4.15	Transmitted Data .....	22
4.15.1	Basic Interpretation .....	22
4.15.2	Protocol for Extended Channel Interpretation .....	22
4.15.3	Symbology Identifier .....	22
4.15.4	Transmitted Data Example .....	23
Annexe A (Normative) .....		24
MaxiCode Basic Character Encodation: Default Character Set .....		24
Annexe B (Normative) .....		26
Mode 2 and Mode 3: Structured Carrier Message .....		26
B.1	The Structure of the Primary Message .....	26
B.2	Modes 2 and 3 Messages Beginning with "[>RS01GS" .....	27
B.2.1	Encoding .....	27
B.2.2	Decoding .....	27
B.3	Modes 2 and 3 Messages Not Beginning with "[>RS01GS" .....	28
B.3.1	Encoding .....	28
B.3.2	Decoding .....	28
B.4	Modes 2 and 3 and Structured Append .....	28
B.4.1	Encoding Considerations .....	28
B.4.2	Decoding Considerations .....	28
Annexe C (Normative) .....		29
2D	Matrix Bar Code Print Quality - Guideline .....	29
C.1	Obtaining the Test Image .....	29
C.2	Assessing Symbol Parameters .....	29
C.2.1	Decode .....	29
C.2.2	Symbol Contrast .....	30
C.2.3	"Print" Growth .....	30
C.2.4	Grid Nonuniformity .....	30
C.2.5	Unused Error Correction .....	31

<b>C.3</b>	<b>Overall Symbol Grade</b> .....	<b>31</b>
	<b>Annexe D (Normative)</b> .....	<b>31</b>
	<b>Error Correction Algorithm</b> .....	<b>31</b>
	<b>Annexe E (Normative)</b> .....	<b>32</b>
	<b>Symbology Identifiers</b> .....	<b>32</b>
	<b>Annexe F (Informative)</b> .....	<b>32</b>
	<b>Use of Numeric Shift, Shift , Latch, and Lock-In Characters</b> .....	<b>32</b>
<b>F.1</b>	<b>Numeric Shift</b> .....	<b>32</b>
<b>F.2</b>	<b>Switching from Code Set A to Code Set B</b> .....	<b>33</b>
<b>F.3</b>	<b>Switching from Code Set B to Code Set A</b> .....	<b>33</b>
<b>F.4</b>	<b>Using Lock-In to Latch to Code Sets C, D or E</b> .....	<b>33</b>
<b>F.5</b>	<b>Illustrative Example</b> .....	<b>33</b>
	<b>Annexe G (Informative)</b> .....	<b>34</b>
	<b>User Assessment of Encodation Capacity</b> .....	<b>34</b>
	<b>Annexe H (Informative)</b> .....	<b>35</b>
<b>A</b>	<b>MaxiCode Encoding Example</b> .....	<b>35</b>
	<b>Annexe J (Informative)</b> .....	<b>38</b>
	<b>Practical Printing Considerations</b> .....	<b>38</b>
<b>J.1</b>	<b>12 dots per Millimeter</b> .....	<b>38</b>
<b>J.2</b>	<b>8 dots per Millimeter</b> .....	<b>39</b>
<b>J.3</b>	<b>Generic Rules for Other Pixel Sizes</b> .....	<b>40</b>
<b>J.4</b>	<b>Determining the Hexagon Font for a Given Dot Pitch</b> .....	<b>40</b>
	<b>Annexe K (Informative)</b> .....	<b>41</b>
	<b>AutodiscriminationCompatibility</b> .....	<b>41</b>
	<b>Annexe L (Informative)</b> .....	<b>42</b>
	<b>Useful Process Control Techniques</b> .....	<b>42</b>
<b>L.1</b>	<b>Symbol Contrast</b> .....	<b>42</b>
<b>L.2</b>	<b>Symbol Size</b> .....	<b>42</b>
<b>L.2.1</b>	<b>Checking Print Growth</b> .....	<b>42</b>
<b>L.2.2</b>	<b>Checking Finder Position and Orientation Patterns</b> .....	<b>42</b>
<b>L.2.3</b>	<b>Checking Overall Symbol Size</b> .....	<b>42</b>
<b>L.3</b>	<b>Symbol Distortion</b> .....	<b>43</b>
<b>L.4</b>	<b>Print Growth and Defects</b> .....	<b>43</b>