

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
3.1	Basics
3.2	Abstract package model
3.3	Physical package model
3.4	Digital signature and thumbnail
3.5	Implementations
3.6	Core properties
4	Conformance
5	Overview
6	Abstract package model
6.1	General
6.2	Parts
6.2.1	General
6.2.2	Part names
6.2.2.1	General
6.2.2.2	Syntax
6.2.2.3	Part name equivalence and integrity in an abstract package
6.2.3	Media types
6.2.4	Growth hint
6.2.5	XML usage
6.3	Part addressing
6.3.1	General
6.3.2	Pack scheme
6.3.3	Resolving a pack IRI to a resource
6.3.4	Composing a pack IRI
6.3.5	Equivalence
6.4	Resolving relative references
6.4.1	General
6.4.2	Base IRIs
6.4.3	Examples
6.4.3.1	General
6.4.3.2	Leading slash: "/b/bar.xml"
6.4.3.3	No leading slash: "bar.xml"
6.4.3.4	Dot segment: "./bar.xml"
6.4.3.5	Dot segment: "../bar.xml"
6.5	Relationships
6.5.1	General
6.5.2	Relationships part
6.5.2.1	Relationships part
6.5.2.2	Package Relationships part
6.5.2.3	Part Relationships part
6.5.3	Relationship markup

- 6.5.3.1 General
- 6.5.3.2 Support for versioning and extensibility
- 6.5.3.3 Relationships element
- 6.5.3.4 Relationship element
- 6.5.4 Examples
- 6.5.4.1 Relationships part associated with the entire package
- 6.5.4.2 Relationships part associated with a part
- 6.5.4.3 Relationships parts related to digital signature markup
- 6.5.4.4 Relationships targeting external resources
- 6.5.4.5 Multiple relationships that have the same target

## 7 Physical package model

- 7.1 General
- 7.2 Physical mapping guidelines
- 7.2.1 Using features of physical formats
- 7.2.2 Mapped components
- 7.2.3 Mapping media types to parts
- 7.2.3.1 General
- 7.2.3.2 Media Types stream markup
- 7.2.3.2.1 General
- 7.2.3.2.2 Support for versioning and extensibility
- 7.2.3.2.3 Types element
- 7.2.3.2.4 Default element
- 7.2.3.2.5 Override element
- 7.2.3.3 Media Types stream markup example
- 7.2.3.4 Setting a part media type in the Media Types stream
- 7.2.3.5 Determining a part media type from the Media Types stream
- 7.2.4 Interleaving
- 7.2.5 Mapping part names to physical package item names
- 7.2.5.1 General
- 7.2.5.2 Logical item names
- 7.2.5.3 Mapping part names to logical item names
- 7.2.5.4 Mapping logical item names and physical package item names
- 7.2.5.5 Mapping logical item names to part names
- 7.3 Mapping to a ZIP file
- 7.3.1 General
- 7.3.2 Mapping part data
- 7.3.3 ZIP item names
- 7.3.4 Mapping logical item names to ZIP item names
- 7.3.5 Mapping ZIP item names to logical item names
- 7.3.6 ZIP package limitations
- 7.3.7 Mapping the Media Types stream
- 7.3.8 Mapping the growth hint

## 8 Core properties

- 8.1 General
- 8.2 Core Properties part
- 8.3 Core properties markup
- 8.3.1 General
- 8.3.2 Support for versioning and extensibility
- 8.3.3 coreProperties element
- 8.3.4 Core property elements
- 8.3.4.1 General
- 8.3.4.2 Core property elements as defined by ISO 15836-1
- 8.3.4.3 Core property elements as defined by ISO 15836-2
- 8.3.4.4 Core property elements defined in this document
- 8.3.4.4.1 category element
- 8.3.4.4.2 contentStatus element
- 8.3.4.4.3 keywords element
- 8.3.4.4.4 value element
- 8.3.4.4.5 lastModifiedBy element
- 8.3.4.4.6 lastPrinted element
- 8.3.4.4.7 revision element
- 8.3.4.4.8 version element

9        **Thumbnails**

10      **Digital signatures**

- 10.1     General
- 10.2     Overview of OPC-specific restrictions and extensions to “XML-Signature Syntax and Processing”
- 10.3     Choosing content to sign
- 10.4     Digital signature parts
  - 10.4.1     General
  - 10.4.2     Digital Signature Origin part
  - 10.4.3     Digital Signature XML Signature part
  - 10.4.4     Digital Signature Certificate part
- 10.5     Digital signature markup
  - 10.5.1     General
  - 10.5.2     Support for versioning and extensibility
  - 10.5.3     Signature element
  - 10.5.4     SignedInfo element
  - 10.5.5     CanonicalizationMethod element
  - 10.5.6     SignatureMethod element
  - 10.5.7     Reference element
    - 10.5.7.1     General
    - 10.5.7.2     Reference element as a child of a SignedInfo element
    - 10.5.7.3     Reference element as a child of a Manifest element
  - 10.5.8     Transform element
    - 10.5.8.1     General
    - 10.5.8.2     Transform element representing a Relationships transform
  - 10.5.9     RelationshipReference element
  - 10.5.10     RelationshipsGroupReference element
  - 10.5.11     DigestMethod element
  - 10.5.12     Object element
    - 10.5.12.1     General
    - 10.5.12.2     OPC-specific Object element
    - 10.5.12.3     Application-defined Object element
  - 10.5.13     Manifest element
  - 10.5.14     SignatureProperty element
  - 10.5.15     SignatureTime element
  - 10.5.16     Format element
  - 10.5.17     Value element
  - 10.5.18     XPath element
- 10.6     Relationships transform algorithm
- 10.7     Digital signature example
- 10.8     Generating signatures
- 10.9     Validating signatures

**Annex A (informative) Preprocessing for generating relative references**

**Annex B (normative) Constraints and clarifications on the use of ZIP features**

- B.1     General
- B.2     Archive file header consistency
- B.3     Data descriptor signature
- B.4     Requirements on package implementers

**Annex C (normative) Schemas - W3C XML**

- C.1     General
- C.2     Media Types stream
- C.3     Core Properties part
- C.4     Digital signature XML signature markup
- C.5     Relationships part

**Annex D (informative) Schemas - RELAX NG**

- D.1     General
- D.2     Media Types stream
- D.3     Core Properties part

- D.4      Digital signature XML signature markup
- D.5      Relationships part
- D.6      Additional resources
- D.6.1    XML
- D.6.2    XML digital signature core

**Annex E (normative) Standard namespaces and media types**

**Annex F (informative) Physical package model design considerations**

- F.1      General
- F.2      Access styles
- F.2.1    General
- F.2.2    Direct access consumption
- F.2.3    Streaming consumption
- F.2.4    Streaming creation
- F.2.5    Simultaneous creation and consumption
- F.3      Layout styles
- F.3.1    General
- F.3.2    Simple ordering
- F.3.3    Interleaved ordering
- F.4      Communication styles
- F.4.1    General
- F.4.2    Sequential delivery
- F.4.3    Random access

**Annex G (informative) Differences between ISO/IEC 29500-2 and ECMA-376:2006**

- G.1      General
- G.2      XML elements
- G.3      XML attributes
- G.4      XML enumeration values
- G.5      XML simple types
- G.6      Part names

**Annex H (informative) Package example**

- H.1      General
- H.2      Abstract package
- H.3      Physical package

**Page count: 65**