

ISO/IEC/IEEE 8802-1AX:2021-09 (E)

Telecommunications and exchange between information technology systems - Requirements for local and metropolitan area networks - Part 1AX: Link aggregation

Contents	Page
1. Overview.....	18
1.1 Scope.....	18
1.2 Purpose.....	18
1.3 State diagram conventions	19
2. Normative references	20
3. Definitions	21
4. Acronyms and abbreviations	24
5. Conformance.....	25
5.1 Requirements terminology.....	25
5.2 Protocol implementation conformance statement.....	25
5.3 Link Aggregation.....	25
5.3.2 Link Aggregation options	26
5.4 Distributed Resilient Network Interconnect (DRNI).....	26
5.4.2 DRNI options.....	27
6. Link Aggregation	28
6.1 Overview.....	28
6.1.1 Goals and objectives	28
6.1.2 Positioning of Link Aggregation within the IEEE 802 architecture.....	29
6.1.3 Protocol Parser/Multiplexer	29
6.1.3.1 Protocol Parser state diagram	30
6.2 Link Aggregation operation.....	31
6.2.1 Principles of Link Aggregation.....	33
6.2.2 Service interfaces.....	34
6.2.3 Frame Collector	34
6.2.3.1 Frame Collector state diagram	35
6.2.4 Frame Distributor.....	36
6.2.4.1 Frame Distributor state diagram	36
6.2.5 Marker Generator/Receiver (optional).....	37
6.2.6 Marker Responder.....	38
6.2.7 Aggregator Parser/Multiplexer	38
6.2.7.1 Aggregator Parser/Multiplexer state diagrams	38
6.2.8 Aggregator	42
6.2.9 LACP Parser/Multiplexer	43
6.2.10 Addressing	43
6.2.10.1 Source address (SA).....	43
6.2.10.2 Destination address (DA).....	43
6.3 Link Aggregation Control.....	44
6.3.1 Characteristics of Link Aggregation Control.....	45
6.3.2 System identification	46
6.3.3 Aggregator identification.....	46
6.3.4 Port identification	46
6.3.5 Capability identification	47
6.3.6 Link Aggregation Group identification	48

	6.3.6.1	Construction of the Link Aggregation Group Identifier	48
	6.3.6.2	Representation of the Link Aggregation Group Identifier.....	48
	6.3.7	Selecting a Link Aggregation Group	49
	6.3.8	Agreeing on a Link Aggregation Group	49
	6.3.9	Attaching a link to an Aggregator.....	50
	6.3.10	Signaling readiness to transfer user data.....	50
	6.3.11	Enabling the Frame Collector and Frame Distributor	50
	6.3.12	MAC_Operational status	51
	6.3.13	Monitoring the membership of a Link Aggregation Group.....	51
	6.3.14	Detaching a link from an Aggregator	51
	6.3.15	Configuration and administrative control of Link Aggregation	52
	6.3.16	Link Aggregation Control state information	52
6.4		Link Aggregation Control Protocol	52
	6.4.1	LACP design elements.....	52
	6.4.2	LACPDU structure and encoding	53
	6.4.2.1	Transmission and representation of octets	53
	6.4.2.2	Encapsulation of LACPDU in frames	53
	6.4.2.3	LACPDU structure	54
	6.4.2.4	Version 2 TLVs	57
	6.4.3	LACP state machine overview	59
	6.4.4	Constants.....	60
	6.4.5	Variables associated with each Aggregator	61
	6.4.6	Variables associated with each Aggregation Port.....	63
	6.4.7	Variables used for managing the operation of the state machines.....	68
	6.4.8	Functions.....	69
	6.4.9	Timers	72
	6.4.10	Messages.....	72
	6.4.11	LACP Receive machine.....	72
	6.4.12	Selection Logic	74
	6.4.12.1	Selection Logic—Requirements	75
	6.4.12.2	Selection Logic—Recommended default operation	77
	6.4.13	Mux machine	78
	6.4.14	LACP Transmit machine	81
6.5		Marker protocol	82
	6.5.1	Introduction.....	82
	6.5.2	Sequence of operations	83
	6.5.3	Marker and Marker Response PDU structure and encoding	83
	6.5.3.1	Transmission and representation of octets	83
	6.5.3.2	Encapsulation of Marker and Marker Response PDU in frames.....	83
	6.5.3.3	Marker and Marker Response PDU structure	84
	6.5.4	Protocol definition	85
	6.5.4.1	Operation of the marker protocol.....	85
	6.5.4.2	Marker Responder state diagram	86
6.6		Conversation-Sensitive Collection and Distribution	87
	6.6.1	Port Algorithms and Port Conversation IDs	89
	6.6.2	Link numbers and link selection.....	89
	6.6.3	Conversation-sensitive LACP.....	90
	6.6.3.1	Per-Aggregator variables	91
	6.6.3.2	Variables associated with each Aggregation Port.....	94
	6.6.3.3	Variables used for managing the operation of the state diagrams	95
	6.6.3.4	Functions.....	96
	6.6.3.5	Update Mask machine	100
6.7		Configuration capabilities and restrictions	102
	6.7.1	Use of system and port priorities	102

6.7.2	Dynamic allocation of operational Keys	103
6.7.3	Link Aggregation on shared-medium links	103
6.7.4	Selection Logic variants.....	104
6.7.4.1	Reduced reconfiguration.....	104
6.7.4.2	Limited Aggregator availability.....	104
6.7.5	LACP configuration for dual-homed Systems.....	104
7.	Management.....	106
7.1	Overview.....	106
7.1.1	Systems management overview.....	106
7.1.2	Management model.....	107
7.2	Managed objects	107
7.2.1	Introduction.....	107
7.2.2	Overview of managed objects.....	108
7.2.2.1	Text description of managed objects	108
7.2.3	Containment.....	108
7.2.4	Naming.....	109
7.2.5	Capabilities	109
7.3	Management for Link Aggregation	114
7.3.1	Aggregator managed object class	114
7.3.1.1	Aggregator attributes	115
7.3.1.2	Aggregator Notifications	125
7.3.2	Aggregation Port managed object class.....	125
7.3.2.1	Aggregation Port Attributes.....	125
7.3.2.2	Aggregation Port Extension Attributes.....	132
7.3.3	Aggregation Port Statistics managed object class	133
7.3.3.1	Aggregation Port Statistics attributes	133
7.3.4	Aggregation Port Debug Information managed object class	134
7.3.4.1	Aggregation Port Debug Information attributes	135
7.4	Management for Distributed Resilient Network Interconnect.....	137
7.4.1	DRNI Managed Object Class	137
7.4.1.1	DRNI Attributes.....	137
8.	Distribution algorithms	148
8.1	Distribution algorithm identification	148
8.2	Per-Service Frame Distribution	149
8.2.1	Distribution based on C-VLAN Identifier (C-VID)	149
8.2.2	Distribution based on S-VLAN Identifier (S-VID).....	150
8.2.3	Distribution based on Backbone Service Instance Identifier (I-SID).....	150
8.2.4	Distribution based on Traffic Engineering Service Instance Identifier (TE-SID).....	150
8.2.5	Distribution based on Flow Hash.....	150
9.	Distributed Resilient Network Interconnect	151
9.1	Goals	151
9.2	Distributed Relay operation	152
9.3	Intra-Relay Connection.....	154
9.4	Using DRNI	155
9.4.1	DRNI connectivity.....	155
9.4.2	DRNI fault recovery	157
9.4.3	DRNI configuration	158

9.5	DRNI Gateway	159
9.5.1	DRCP Parser/Multiplexer	160
9.5.2	DRNI Gateway Relay	160
	9.5.2.1 Service interfaces	160
	9.5.2.2 variables	161
	9.5.2.3 Functions	162
	9.5.2.4 Messages	162
	9.5.2.5 DR_Gateway Collector/Distributor	162
	9.5.2.6 DR_Aggregator Parser/Multiplexer	163
	9.5.2.7 DR_IRP Parser/Multiplexer	164
9.5.3	DRNI Gateway Control	165
	9.5.3.1 DRNI Gateway and DRNI Identification	165
	9.5.3.2 Forming the DRNI	166
	9.5.3.3 Partner Selection and Forming a LAG	166
	9.5.3.4 Port Algorithm and Aggregator Port Selection	166
	9.5.3.5 Gateway Algorithm and DRNI Gateway Port selection	167
9.6	Distributed Relay Control Protocol	168
9.6.1	DRCPDU transmission, addressing, and protocol identification	169
	9.6.1.1 Destination MAC Address	169
	9.6.1.2 Source MAC Address	170
	9.6.1.3 Priority	170
	9.6.1.4 Protocol Identification	170
	9.6.1.5 Encapsulation of DRCPDUs in frames	170
9.6.2	DRCPDU structure and encoding	170
	9.6.2.1 Transmission and representation of octets	170
	9.6.2.2 DRCP TLV structure	171
	9.6.2.3 DRCPDU structure	172
	9.6.2.4 Aggregator State TLV	174
	9.6.2.5 Gateway State TLV	176
	9.6.2.6 Gateway Preference TLV	176
	9.6.2.7 Organization-Specific TLV	177
9.6.3	DRCP state machine overview	178
9.6.4	Constants	179
9.6.5	Variables associated with the DRNI Gateway	179
9.6.6	Variables used for managing the operation of the state machines	185
9.6.7	Functions	187
9.6.8	Timers	194
9.6.9	Messages	194
9.6.10	DRCP Receive machine	195
9.6.11	Distributed Relay machine	197
9.6.12	DRNI Gateway and Aggregator machine	198
9.6.13	DRCP Transmit machine	199
Annex A (normative) Protocol implementation conformance statement (PICS) proforma		200
A.1	Introduction	200
A.1.1	Abbreviations and special symbols	200
A.1.2	Instructions for completing the PICS proforma	201
A.1.3	Additional information	201
A.1.4	Exceptional information	201
A.1.5	Conditional items	202
A.1.6	Identification	202
	A.1.6.1 Implementation identification	202
	A.1.6.2 Protocol summary	202

A.2	PICS proforma for Clause 6.....	203
A.2.1	Major capabilities/options	203
A.2.3	Protocol Parser/Multiplexer support	204
A.2.4	Frame Collector	204
A.2.5	Frame Distributor	204
A.2.2	LLDP Port connectivity	204
A.2.7	Aggregator Parser/Multiplexer.....	205
A.2.8	LACP Parser/Multiplexer.....	205
A.2.6	Marker protocol.....	205
A.2.10	Aggregator identification	206
A.2.11	Port identification.....	206
A.2.12	Capability identification.....	206
A.2.9	System identification.....	206
A.2.14	Detaching a link from an Aggregator.....	207
A.2.15	LACPDU structure.....	207
A.2.16	Receive machine	207
A.2.13	Link Aggregation Group identification.....	207
A.2.18	Mux machine.....	208
A.2.17	Selection Logic.....	208
A.2.20	Marker protocol.....	209
A.2.19	Transmit machine.....	209
A.2.21	Management	210
A.2.23	Conversation-sensitive frame collection and distribution.....	211
A.2.22	Per-Service Frame Distribution.....	211
A.2.25	Link Aggregation on shared-medium links.....	212
A.2.24	Configuration capabilities and restrictions.....	212
A.2.27	DRCPDU structure.....	213
A.2.26	Distributed Resilient Network Interconnect.....	213
Annex B (informative)	Collection and distribution algorithms.....	214
B.1	Introduction.....	214
B.2	Port selection.....	215
B.3	Dynamic reallocation of conversations to different Aggregation Ports	215
B.4	Topology considerations in the choice of distribution algorithm.....	216
Annex C (informative)	LACP standby link selection and dynamic Key management.....	218
C.1	Introduction.....	218
C.2	Goals	218
C.3	Standby link selection.....	219
C.4	Dynamic Key management.....	219
C.5	A dynamic Key management algorithm	219
C.6	Example 1	221
C.7	Example 2	221
Annex D (normative)	SMIPv2 MIB definitions for Link Aggregation	223
D.1	Introduction.....	223
D.2	SNMP Management Framework	223
D.3	Security considerations.....	223
D.4	Structure of the MIB module	224
D.4.1	Relationship to the managed objects defined in Clause 7	225
D.4.2	MIB Subtrees.....	232
D.4.2.1	The dot3adAgg Subtree.....	232
D.4.2.2	The dot3adAggPort Subtree.....	232

D.4.2.3	The dot3adAggNotifications Subtree.....	232
D.4.2.4	The dot3adDrni Subtree	232
D.5	Relationship to other MIBs.....	233
D.5.1	Relationship to the Interfaces MIB	233
D.5.2	Layering model	233
D.5.3	ifStackTable	234
D.5.4	ifRcvAddressTable.....	234
D.6	Definitions for Link Aggregation MIB.....	234
Annex E (informative)	DRNI on Bridges.....	325
E.1	DRNI on VLAN Bridges	325
E.2	DRNI on Provider Bridges and Provider Edge Bridges	326
E.3	DRNI on Backbone Edge Bridges	327
Annex F (normative)	Link Aggregation and Link Layer Discovery Protocol.....	328
F.1	Positioning Link Layer Discovery Protocol (LLDP) relative to Link Aggregation	328
F.1.1	LLDP Parser/Multiplexer	328
F.2	Link Aggregation TLV	328
F.2.1	aggregation status.....	329
F.2.2	aggregated Port ID	329
F.2.3	Link Aggregation TLV usage rules.....	329
F.2.4	Use of other TLVs on an Aggregator or Aggregation Link.....	330
Annex G (informative)	Bibliography	331

Figures

Figure 6-1	Architectural positioning of Link Aggregation sublayer	29
Figure 6-2	Protocol Parser state diagram.....	31
Figure 6-3	Link Aggregation sublayer block diagram.....	32
Figure 6-4	Frame Collector state diagram	36
Figure 6-5	Frame Distributor state diagram	37
Figure 6-6	Aggregator Parser state diagram	41
Figure 6-7	Aggregator Multiplexer state diagram	42
Figure 6-8	LACPDU structure.....	54
Figure 6-9	Bit encoding of the Actor_State and Partner_State fields.....	55
Figure 6-10	Port Algorithm TLV.....	57
Figure 6-11	Port Conversation Link Digest TLV	58
Figure 6-12	Port Conversation Service Digest TLV	58
Figure 6-13	LACP state machine overview.....	59
Figure 6-14	LACP Receive state diagram	73
Figure 6-15	Selection of Aggregators.....	78
Figure 6-16	Mux state diagram.....	79
Figure 6-17	LACP Transmit state diagram.....	81
Figure 6-18	Marker protocol time sequence diagram.....	83
Figure 6-19	Marker PDU and Marker Response PDU structure	84
Figure 6-20	Marker Responder state diagram	86
Figure 6-21	Conversation-Sensitive Collection and Distribution overview.....	88
Figure 6-22	Distribution algorithm information flow.....	91
Figure 6-23	Update Mask state diagram.....	101
Figure 6-24	Dual-homed System examples.....	105
Figure 7-1	Link aggregation entity relationship diagram	109
Figure 8-1	Distribution algorithm identifiers.....	148
Figure 9-1	A DRNI	153
Figure 9-2	Transmission and reception via the IRC	154
Figure 9-3	DRNI with dedicated IRC Link	155
Figure 9-4	DRNI with dedicated IRC LAG.....	155
Figure 9-5	DRNI end station attach	156
Figure 9-6	DRNI network attach	156
Figure 9-7	DRNI Gateway block diagram.....	159
Figure 9-8	DR_Gateway state machine	163
Figure 9-9	DR_Aggregator state machine	164
Figure 9-10	DR_IRP state machine	165
Figure 9-11	Basic TLV format	171
Figure 9-12	DRCPDU structure	172
Figure 9-13	Bit encoding of the Home_IRP_State and Neighbor_IRP_State fields	173
Figure 9-14	Aggregator State TLV.....	174
Figure 9-15	Bit encoding of the Aggregator_CSCD_State fields	175
Figure 9-16	Gateway State TLV.....	176
Figure 9-17	Gateway Preference TLV.....	176
Figure 9-18	Organization-Specific TLV.....	177
Figure 9-19	DRCP state machine overview	178
Figure 9-20	DRCP Receive machine state diagram	195
Figure 9-21	Distributed Relay machine state diagram	197
Figure 9-22	DRNI Gateway and Aggregator machine state diagram.....	198
Figure 9-23	DRCP Transmit state diagram	199
Figure B-1	Link aggregation topology examples.....	217
Figure C-1	Example 1	221

Figure C-2	Example 2a.....	222
Figure C-3	Example 2b	222
Figure E-1	DRNI on VLAN Bridges	325
Figure E-2	DRNI on Provider Edge Bridges	326
Figure E-3	DRNI on Backbone Edge Bridges	327
Figure F-1	Link Aggregation TLV format.....	328

Tables

Table 6-1	Link Aggregation protocol destination addresses.....	44
Table 6-2	Example Partner parameters	49
Table 6-3	Slow Protocols EtherType Assignment	53
Table 6-4	Type field values of Version 2 TLVs	57
Table 7-1	Link Aggregation capabilities.....	110
Table 8-1	IEEE per-service distribution algorithms	149
Table 9-1	Distributed Relay Control Protocol destination addresses	169
Table 9-2	DRNI EtherType Assignment.....	170
Table 9-3	DRNI Protocol subtypes	170
Table 9-4	Type field values of DRCP TLVs.....	171
Table F.1	Link aggregation capability/status	329