ISO/IEC 30118-6:2021-10 (E)

Information technology - Open Connectivity Foundation (OCF) Specification - Part 6: Resource to AllJoyn interface mapping specification

Contents

Page

Foreword ... vi
Introduction ... vii
1 Scope ... 1
2 Normative references ... 1
3 Terms and definitions ... 2
4 Document conventions and organization ... 2
4.1 Conventions ... 2
4.2 Notation ... 3
5 Theory of operation ... 3
5.1 Interworking approach ... 3
5.2 Mapping syntax ... 4
5.2.1 Introduction ... 4
5.2.2 General ... 4
5.2.3 Value assignment ... 4
5.2.4 Property naming ... 4
5.2.5 Arrays ... 4
5.2.6 Default mapping ... 4
5.2.7 Conditional mapping ... 4
5.2.8 Loops ... 5
5.2.9 Method invocation ... 5
6 AllJoyn translation ... 5
6.1 Operational scenarios ... 5
6.2 Requirements specific to an AllJoyn bridging function ... 5
6.2.1 Introduction ... 5
6.2.2 Use of introspection ... 5
6.2.3 Stability and loss of data ... 6
6.2.4 Exposing AllJoyn producer devices to OCF clients ... 6
6.2.5 Exposing OCF resources to AllJoyn consumer applications ... 14
6.2.6 Security ... 21
6.3 On-the-fly translation from d-bus and OCF payloads ... 21
6.3.1 Introduction ... 21
6.3.2 Translation without aid of introspection ... 21
6.3.3 Translation with aid of introspection ... 27
7 Device type mapping ... 32
7.1 AllJoyn device types to OCF device types ... 32
7.2 OCF device types with no AllJoyn equivalent ... 32
8 Resource to interface equivalence ... 33
8.1 Introduction ... 33
8.2 Environment.CurrentAirQuality mapping ... 34
8.3 Environment.CurrentAirQualityLevel mapping ... 35
8.4 Operation.ClimateControlMode mapping ... 35
8.5 Operation.FanSpeedLevel mapping ... 35
8.6 Operation.HeatingZone mapping ... 35

8.7 Operation.OnOffStatus, Operation.OnControl, and Operation.OffControl mapping 35
8.8 Operation.OvenCyclePhase 35
9 Detailed mapping APIs 35
9.1 Introduction 35
9.2 Current air quality 36
9.2.1 Derived model 36
9.2.2 Property definition 36
9.2.3 Derived model definition 37
9.3 Current air quality level 38
9.3.1 Derived model 38
9.3.2 Property definition 38
9.3.3 Derived model definition 39
9.4 Current humidity 40
9.4.1 Derived model 40
9.4.2 Property definition 40
9.4.3 Derived model definition 41
9.5 Current temperature 41
9.5.1 Derived model 41
9.5.2 Property definition 41
9.5.3 Derived model definition 42
9.6 Target humidity 43
9.6.1 Derived model 43
9.6.2 Property definition 43
9.6.3 Derived model definition 44
9.7 Target temperature 45
9.7.1 Derived model 45
9.7.2 Property definition 45
9.7.3 Derived model definition 46
9.8 Audio volume 47
9.8.1 Derived model 47
9.8.2 Property definition 47
9.8.3 Derived model definition 48
9.9 Climate control mode 49
9.9.1 Derived model 49
9.9.2 Property definition 49
9.9.3 Derived model definition 49
9.10 Closed status 50
9.10.1 Derived model 50
9.10.2 Property definition 50
9.10.3 Derived model definition 51
9.11 Cycle control 51
9.11.1 Derived model 51
9.11.2 Property definition 51
9.11.3 Derived model definition 52
9.12 Fan speed level 53
9.12.1 Derived model 53
9.12.2 Property definition 53

9.12.3 Derived model definition 54
9.13 Heating zone 55
9.13.1 Derived model 55
9.13.2 Property definition 55
9.13.3 Derived model definition 55
9.14 HVAC fan mode 56
9.14.1 Derived model 56
9.14.2 Property definition 56
9.14.3 Derived model definition 57
9.15 On/Off control 58
9.15.1 Derived model 58
9.15.2 Property definition 58
9.15.3 Derived model definition 59
9.16 On off mapping 59
9.16.1 Derived model 59
9.16.2 Property definition 59
9.16.3 Derived model definition 60
9.17 Oven cycle phase 60
9.17.1 Derived model 60
9.17.2 Property definition 60
9.17.3 Derived model definition 61
10 Resource type definitions 62
10.1 List of resource types 62
10.2 AllJoynObject 62
10.2.1 Introduction 62
10.2.2 Example URI 62
10.2.3 Resource type 62
10.2.4 OpenAPI 2.0 definition 62
10.2.5 Property definition 66
10.2.6 CRUDN behaviour 67
10.3 SecureMode 67
10.3.1 Introduction 67
10.3.2 Example URI 67
10.3.3 Resource type 67
10.3.4 OpenAPI 2.0 definition 67
10.3.5 Property definition 69
10.3.6 CRUDN behaviour 69