ISO/IEC 15444-2:2021-11 (E)

Information technology - JPEG 2000 image coding system - Part 2: Extensions

CONTENTS *Page*

1 Scope 1

2 Normative references 1
- 2.1 Identical Recommendations | International Standards 1
- 2.2 Paired Recommendations | International Standards 1
- 2.3 Additional references 2

3 Definitions 2

4 Abbreviations 4

5 Conventions 4

6 General description 4
- 6.1 Extensions specified by this Recommendation | International Standard 5
- 6.2 Relation between extensions 6

Annex A – Compressed data syntax, extension 8
- A.1 Extended capabilities 8
- A.2 Extensions to Rec. ITU-T T.800 | ISO/IEC 15444-1 marker segment parameters 8
- A.3 Extended marker segments 14

Annex B – Variable DC offset, extension 34
- B.1 Variable DC offset flow 34
- B.2 Inverse DC offset 34
- B.3 Forward DC offset (informative) 34

Annex C – Variable scalar quantization, extension 36
- C.1 Variable scalar quantization 36
- C.2 Variable scalar dequantization for irreversible filters 36
- C.3 Variable scalar quantization for irreversible filters (informative) 36

Annex D – Trellis coded quantization extensions 38
- D.1 Introduction to TCQ 38
- D.2 Sequence definition 39
- D.3 Forward TCQ quantization (informative) 40
- D.4 Inverse quantization (normative) 41
- D.5 Lagrangian rate allocation (informative) 44

Annex E – Visual masking, extensions 49
- E.1 Introduction to visual masking (informative) 49
- E.2 Point-wise extended non-linearity (informative) 49
- E.3 Decoding with visual masking 51
- E.4 Encoding with visual masking (informative) 52
- E.5 Setting parameters (informative) 52
- E.6 Compatibility with other technologies (informative) 52

Annex F – Arbitrary decomposition of tile-components, extensions 53
- F.1 Wavelet sub-bands 53
- F.2 Equation, text and decomposition updates 54
- F.3 Inverse discrete wavelet transformation for general decompositions 63
- F.4 Forward discrete wavelet transformation for general decompositions (informative) 70

Annex G – Whole-sample symmetric transformation of images, extensions 77
- G.1 Wavelet transformation parameters, definitions and normalizations 77
- G.2 Whole-sample symmetric (WS) wavelet transformations reconstruction 77
- G.3 Whole-sample symmetric (WS) wavelet transformation decomposition (informative) 80
- G.4 Examples of WS wavelet transformations (informative) 82

Annex H – Transformation of images using arbitrary wavelet transformations 85
- H.1 Wavelet transformation parameters and normalizations 85
- H.2 Arbitrary (ARB) wavelet transformation reconstruction procedures 86
- H.3 Arbitrary (ARB) wavelet transformation decomposition procedures (informative) 91
- H.4 Examples of ARB wavelet transformations (informative) 94

Page

Annex I – Single sample overlap discrete wavelet transform, extensions 98
I.1 Introduction to single sample overlapping 98
I.2 The code-block anchor points (CBAP) extension 98
I.3 The SSO extension 101
I.4 The TSSO extension 109
I.5 Combining the SSO and TSSO extensions (informative) 111
Annex J – Multiple component transformations, extension 112
J.1 Introduction to multiple component transformation concepts 112
J.2 Overview of inverse processing 112
J.3 Transformations 118
Annex K – Non-linear transformation 128
K.1 Signalling the use of the non-linear transformations 128
K.2 Non-linear transformation specifications 129
Annex L – Region of interest coding and extraction, extensions 133
L.1 Decoding of ROI 133
L.2 Description of the Scaling based method 133
L.3 Region of interest mask generation 134
L.4 Remarks on region of interest coding 138
Annex M – JPX extended file format syntax 139
M.1 File format scope 139
M.2 Introduction to JPX 139
M.3 Greyscale/Colour/Palette/multi-component specification architecture 142
M.4 Fragmenting the codestream between one or more files 143
M.5 Combining multiple codestreams 145
M.6 Using reader requirements masks to determine how a file can be used 149
M.7 Extensions to the JPX file format 156
M.8 Differences from the JP2 binary definition 157
M.9 Conformance 157
M.10 Key to graphical descriptions (informative) 161
M.11 Defined boxes 161
M.12 Dealing with unknown boxes 210
M.13 Using the JPX file format in conjunction with other multi-media standards (informative) 211
M.14 Decomposing an XML document into multiple boxes 211
Annex N – JPX file format extended metadata definition and syntax 213
N.1 Introduction to extended metadata 213
N.2 Additional references for extended metadata 213
N.3 Scope of metadata definitions 213
N.4 Metadata syntax 214
N.5 Defined boxes 215
N.6 Metadata definitions 217
N.7 Fundamental type and element definitions 246
N.8 JPX extended metadata document type definition 264
N.9 JPX extended metadata XML Schema 275
Annex O – Examples and guidelines, extensions 293
O.1 Arbitrary decomposition examples 293
O.2 Odd Tile Low Pass First (OTLPF) convention 314
O.3 Multiple component collection example 315
O.4 Background to enhancement of quantization 325
O.5 Wrapping JPEG XR (Rec. ITU-T T.832 | ISO/IEC 29199-2) Codestreams by the JPX file format 326
O.6 Representing floating point numbers within JPEG 2000 328
O.7 Working with ROI Description boxes 329

Page

Annex P – Block coder extensions 331
P.1 Selective arithmetic coding bypass (lazy mode) 331
P.2 Enhancement of selective arithmetic coding bypass (fast mode) 331
Bibliography 333

List of Tables

Table A.1 – Syntax support for extensions 8
Table A.2 – Capability Rsiz parameter, extended 9
Table A.3 – Start of tile-part parameter values, extended 9
Table A.4 – Number of tile-parts, TNsot, parameter value, extended 9
Table A.5 – Coding style parameter values for the Scod parameter 10
Table A.6 – Coding style parameter values of the SGcod parameter 10
Table A.7 – Coding style parameter values of the SPcod and SPcoc parameters, extended 11
Table A.8 – Multiple component transformation for the SGcod parameters 11
Table A.9 – Decomposition for the SPcod and SPcoc parameters, extended 11
Table A.10 – Transformation for the SPcod and SPcoc parameters, extended 11
Table A.11 – SSO parameters, extended 12
Table A.11bis – SXcod parameter 12
Table A.12 – Quantization default values for the Sqcd, Sqcc, Sqpd, and Sqpc parameters, extended 13
Table A.13 – Quantization values (irreversible transformation only), extended 13
Table A.14 – SPqcd, SPqcc, SPqpd, and SPqpc parameters (irreversible transformation only), extended 13
Table A.15 – SPqcd, SPqcc, SPqpd, and SPqpc parameters (irreversible transformation only), extended 14
Table A.16 – Region-of-interest parameter values for the Srgn parameter 14
Table A.17 – Component index parameter value for the Crgn parameter 14
Table A.18 – Region-of-interest values from SPrgn parameter (Srgn = 1 or Srgn = 2) 14
Table A.19 – List of markers and marker segments 15
Table A.20 – Variable DC offset parameter values 16
Table A.21 – Variable DC offset parameter values for the Sdco parameter 16
Table A.22 – Visual masking parameter values 17
Table A.23 – Component parameter value for the Cvms parameter 17
Table A.24 – Visual masking for the Svms parameters 17
Table A.25 – Downsampling factor styles parameter values 18
Table A.26 – Arbitrary decomposition styles parameter values 19
Table A.27 – Arbitrary transformation parameter values 20
Table A.28 – Arbitrary transformation values for the Satk parameter 21
Table A.29 –Component bit depth definition parameter values 22
Table A.30 – Component bit depth definition values for the Ncbd parameter 22
Table A.31 – Component bit depth definition values for the $BDcbd^i$ parameter 22
Table A.32 – Multiple component transformation definition parameter values 23
Table A.33 – Multiple component transformation definition values for the Imct parameter 23
Table A.34 – Multiple component collection parameter values 25
Table A.35 – Multiple component collection values for the $Xmcc^i$ parameter 25
Table A.36 – Multiple component collection values for the $Nmcc^i$ parameter 25
Table A.37 – Multiple component collection values for the $Mmcc^i$ parameter 25

Page

Table A.38 – Multiple component collection values for the $Tmcc^i$ parameter (array-based) 26
Table A.39 – Multiple component collection values for the $Tmcc^i$ parameter (wavelet-based) 26
Table A.40 – Multiple component intermediate collection parameter values 27
Table A.41 – Non-linearity transformation parameter values 28
Table A.42 – Non-linearity transformation parameter values for the Cnlt parameter 28
Table A.43 – Decoded image component bit depth parameter values for the BDnlt parameter 28
Table A.44 – Non-linearity transformation parameter values of the Tnlt parameter 28
Table A.45 – Non-linearity transformation parameter values of the STnlt parameter (Tnlt = 1) 29
Table A.46 – Non-linearity transformation parameter values of the STnlt parameter (Tnlt = 2) 29
Table A.47 – Quantization default, precinct parameter values 30
Table A.48 – Quantization precinct component parameter values 32
Table A.49 – $Ccap^2$ syntax and semantics 32
Table A.50 – Precinct length, tile-part header parameter values 33
Table A.51 – Srlt values and semantics 33
Table A.52 – Semantics of $Jrlt^i$ values when Srlt is in the range $[0, 2^{31} – 1]$ 33
Table D.1 – Parent LUTs for $k > 0$ in the trellis of Figure D.3 41
Table D.2 – Description of functional blocks in Figure D.4 41
Table D.3 – Description of functional blocks in Figure D.5 42
Table D.4 – Look-up table for $A(s)$ 43
Table D.5 – Look-up table for $S(s,q_k)$ 43
Table D.6 – Description of functional blocks for Figure D.6 44
Table D.7 – Sub-band statistics required for LRA 45
Table D.8 – ρ_b parameters for TCQ 45
Table D.9 – Δ_b parameters for TCQ 45
Table D.10 – ρ_b parameters for SQ 46
Table D.11 – Δ_b parameters for SQ 46
Table D.12 – Description of functional blocks in Figure D.7 48
Table F.1 – Updates to contexts for significance propagation and cleanup coding passes 55
Table F.2 – Quantities for sub-band info calculation 59
Table F.3 – $S(a_b)$ and $J(a_b)$ as a function of $d_S(i)$ 63
Table F.4 – $S(a_b)$ and $J(a_b)$ as a function of $d_R(i)$ 63
Table F.5 – Characteristics for sample wavelet decomposition in Figure F.14 64
Table G.1 – Parameters for wavelet transformations 77
Table G.2 – Parameters of the 5-3 reversible wavelet transformation 82
Table G.3 – Parameters of the 13-7 reversible wavelet transformation 83
Table G.4 – Parameters of the 5-3 irreversible wavelet transformation 83
Table G.5 – Parameters of the irreversible 7-5 wavelet transformation 84
Table G.6 – Parameters of the irreversible 9-7 wavelet transformation 84
Table H.1 – Additional parameters for arbitrary wavelet transformations 85
Table H.2 – Minimum left extension length 89
Table H.3 – Minimum right extension length 89
Table H.4 – Parameters of the reversible Haar 2-2 wavelet transformation 95
Table H.5 – Parameters of the reversible 2-6 wavelet transformation 95

Page
Table H.6 – Parameters of the reversible 2-10 wavelet transformation 95
Table H.7 – Parameters of the irreversible 6-10 wavelet transformation 96
Table H.8 – Parameters of the irreversible 10-18 wavelet transformation 96
Table M.1 – Example expression 151
Table M.2 – Expanded expression 151
Table M.3 – Example factored expression 151
Table M.4 – Example of a Reader Requirements expressions for Equations M-6 and M-7 153
Table M.5 – Example of a Reader Requirements box for Equations M-6 and M-7 153
Table M.6 – Reader Requirements table for Equations M-10 and M-11 154
Table M.7 – Reader Requirements box data for Equations M-10 and M-11 154
Table M.8 – Reader Requirements box data for Equations M-16 and M-17 155
Table M.9 – Example Reader Requirements box to test 155
Table M.11 – Items which can be extended through Recommendations | International Standards 156
Table M.12 – Items which can be extended by registration 157
Table M.13 – Boxes defined within this Recommendation | International Standard 163
Table M.14 – Legal values of the SF^i field 165
Table M.15 – Format of the contents of the Reader Requirements box 167
Table M.16 – Format of the contents of the Data Reference box 168
Table M.17 – Format of the contents of the Fragment List box 169
Table M.18 – Format of the contents of the Cross-Reference box 170
Table M.19 – Legal C values 171
Table M.20 – BPC and BPC^i parameters 172
Table M.21 – Format of the contents of the Image Header box 172
Table M.22 – Legal METH values 176
Table M.23 – Legal APPROX values 177
Table M.24 – Format of the contents of the Colour Specification box 177
Table M.24bis – Nominal maximum sample values 177
Table M.25 – Additional legal EnumCS values 178
Table M.26 – Format of the contents of the METHDAT field for the Enumerated method 179
Table M.27 – Format of the contents of the METHDAT field for the Any ICC method 180
Table M.28 – Format of the contents of the METHDAT field for the Vendor Colour method 180
Table M.28bis – Format of the METHDAT field for the Parameterized method 181
Table M.29 – Standard illuminant values for CIELab 182
Table M.30 – Format of the contents of the EP field for CIELab (EnumCS = 14) 183
Table M.30bis – Default Offset Values and Encoding of Offsets for the CIEJab Colourspace 184
Table M.31 – Format of the contents of the EP field for CIEJab (EnumCS = 19) 184
Table M.32 – Colours indicated by the $Asoc^i$ field 185
Table M.33 – Otyp field values 186
Table M.34 – Format of the contents of the Opacity box 186
Table M.35 – Format of the contents of the Codestream Registration box 188
Table M.35bis 189
Table M.35ter – Common floating point formats (informative) 189
Table M.36 – Format of the contents of the Composition box 190
Table M.37 – Format of the contents of the Composition Options box 191
Table M.38 – Ityp field values 191

Page
Table M.39 – Format of the contents of the Instruction Set box 192
Table M.40 – Format of the contents of the $INST^i$ parameter in the Instruction Set box 194
Table M.41 – Format of the contents of the Association box 196
Table M.42 – AN^i field values 196
Table M.43 – Format of the contents of the Number List box 196
Table M.44 – Legal Filter types 197
Table M.45 – Format of the contents of the Binary Filter box 198
Table M.46 – Format of the contents of the Graphics Technology Standard Output box 199
Table M.47 – Legal R^i values 199
Table M.48 – Allowed $Rtyp^i$ values 200
Table M.49 – Format of the contents of the ROI Description box 200
Table M.49bis – Interpreting the 2 bit D field of $Rtyp^i$ for quadrilateral refinements 201
Table M.50 – Legal Styp values 202
Table M.51 – Legal Ptyp values 203
Table M.52 – Format of the contents of the Digital Signature box 203
Table N.1 – Format of the contents of the Image Creation box 215
Table N.2 – Format of the contents of the Content Description box 216
Table N.3 – Format of the contents of the History box 216
Table N.4 – Format of the contents of the Intellectual Property Rights box 217
Table N.5 – Format of the contents of the Image Identifier box 217
Table N.6 – Image Source values 218
Table N.7 – Scene type values 218
Table N.8 – Sensor technology values 220
Table N.9 – Exposure program values 224
Table N.10 – Metering mode values 225
Table N.11 – Scene illuminant values 225
Table N.12 – Back light values 225
Table N.13 – Auto focus values 226
Table N.14 – Name description values 241
Table N.15 – Date description values 242
Table N.16 – Additional name description values 245
Table N.17 – Address component type values 249
Table N.18 – Address type values 250
Table N.19 – Phone number type values 250
Table N.20 – Name component type values 253
Table N.21 – Latitude reference values 258
Table N.22 – Latitude values 258
Table N.23 – Longitude reference values 258
Table N.24 – Longitude values 258
Table N.25 – GPS Status values 259
Table N.26 – GPS Measure mode values 259
Table N.27 – GPS Speed reference unit values 259
Table N.28 – Direction reference values 259
Table N.29 – GPS Destination distance reference unit values 260

Page
Table O.1 – Sub-band labels for Figure O.15. 298
Table O.2 – Mapping between ROT and SPATIAL_XFRM_SUBORDINATE 328
Table P.1 – Selective arithmetic coding bypass (default); (the same as Table D.9 of ITU-T T.800 | ISO/IEC 15444-1) 331
Table P.2 – Example of two bit planes (fast mode) 332

List of Figures

Figure 6-1 – Decoder block diagram 7
Figure A.1bis – Coding style default syntax 10
Figure A.1 – Variable DC offset syntax 15
Figure A.2 – Visual masking syntax 16
Figure A.3 – Downsampling factor styles syntax 17
Figure A.4 – Arbitrary decomposition styles syntax 18
Figure A.5 – Arbitrary transformation default syntax 19
Figure A.6 – Component bit depth definition syntax 21
Figure A.7 – Multiple component transformation definition syntax 22
Figure A.8 – Multiple component collection syntax 24
Figure A.9 – Multiple component transform ordering syntax 26
Figure A.10 – Non-linearity point transformation syntax 27
Figure A.11 – Quantization default, precinct syntax 29
Figure A.12 – Quantization precinct component syntax 31
Figure A.13 – Precinct length, tile-part header syntax 32
Figure B.1 – Placement of the DC offset with multiple component transformation 34
Figure B.2 – Placement of the DC offset without multiple component transformation 34
Figure D.1 – Scalar quantizers used for TCQ 38
Figure D.2 – Union quantizers for TCQ 39
Figure D.3 – Trellis showing node indices 39
Figure D.4 – Forward TCQ processing 40
Figure D.5 – Full inverse processing for TCQ indices 42
Figure D.6 – Approximate dequantization of TCQ indices 44
Figure D.7 – Lagrangian rate allocation 47
Figure E.1 – System diagram for point-wise extended masking extension 49
Figure E.2 – Non-uniform quantization for self-contrast masking 50
Figure E.3 – Causal neighbourhood 51
Figure F.1 – Possible splits of sub-bands 54
Figure F.2 – Parameters for the GET_HOR_DEPTH and GET_VER_DEPTH procedures 55
Figure F.3 – The GET_HOR_DEPTH and GET_VER_DEPTH procedures 56
Figure F.4 – Parameters for the SET_SUBBAND_INFO procedure 57
Figure F.5 – The SET_SUBBAND_INFO procedure 57
Figure F.6 – Parameters for the RECUR_INFO procedure 58
Figure F.7 – The RECUR_INFO procedure 58
Figure F.8 – Parameters for the INIT_θ procedure 59
Figure F.9 – Procedure for setting maximum number of sub-levels, θ(*lev*) 60
Figure F.10 – Parameters for the INIT_S_R procedure 60
Figure F.11 – Upper level procedure for defining $S(a_b)$ and $R(lev)$ 61

Page
Figure F.12 – Parameters for the LEV_S procedure 62
Figure F.13 – Procedure for defining $S(a_b)$ 62
Figure F.14 – Sample wavelet decomposition with labelled sub-bands 63
Figure F.15 – Parameters for the MOD_IDWT procedure 64
Figure F.16 – The MOD_IDWT procedure 65
Figure F.17 – Parameters for the MOD_2D_SR procedure 65
Figure F.18 – The MOD_2D_SR procedure 66
Figure F.19 – Parameters for the MOD_2D_INTERLEAVE procedure 66
Figure F.20 – The MOD_2D_INTERLEAVE procedure 67
Figure F.21 – Parameters for the 2D_HV_INTERLEAVE procedure 67
Figure F.22 – The 2D_HV_INTERLEAVE procedure 68
Figure F.23 – Parameters for the 2D_H_INTERLEAVE procedure 69
Figure F.24 – The 2D_H_INTERLEAVE procedure 69
Figure F.25 – Parameters for the 2D_V_INTERLEAVE procedure 70
Figure F.26 – The 2D_V_INTERLEAVE procedure 70
Figure F.27 – Parameters for the MOD_FDWT procedure 70
Figure F.28 – The MOD_FDWT procedure 71
Figure F.29 – Parameters for the MOD_2D_SD procedure 71
Figure F.30 – The MOD_2D_SD procedure 72
Figure F.31 – Parameters for the MOD_2D_DEINTERLEAVE procedure 72
Figure F.32 – The MOD_2D_DEINTERLEAVE procedure 73
Figure F.33 – Parameters for the 2D_HV_DEINTERLEAVE procedure 73
Figure F.34 – The 2D_HV_DEINTERLEAVE procedure 74
Figure F.35 – Parameters for the 2D_H_DEINTERLEAVE procedure 75
Figure F.36 – The 2D_H_DEINTERLEAVE procedure 75
Figure F.37 – Parameters for the 2D_V_DEINTERLEAVE procedure 75
Figure F.38 – The 2D_V_DEINTERLEAVE procedure 76
Figure G.1 – Parameters of the 1D_SR_WS procedures 78
Figure G.2 – The 1D_SR_WS procedure 79
Figure G.3 – Parameters of the 1D_FILTR_WS procedure 79
Figure G.4 – Parameters of the 1D_FILTR_WS procedure 80
Figure G.5 – Parameters of the 1D_SD_WS procedure 80
Figure G.6 – The 1D_SD_WS procedure 81
Figure G.7 – Parameters of the 1D_FILTD_WS procedure 81
Figure G.8 – Parameters of the 1D_FILTD_WS procedure 82
Figure H.1 – Parameters of the extended 1D_SR_ARB procedure 86
Figure H.2 – Extended procedure 1D_SR_ARB 87
Figure H.3 – Parameters of the 1D_SCALER procedure 87
Figure H.4 – Parameters of the 1D_STEPR procedure 88
Figure H.5 – Procedure 1D_STEPR 88
Figure H.6 – Parameters of the 1D_EXT_WS procedure 89
Figure H.7 – Parameters of the 1D_EXT_CON procedure 89
Figure H.8 – Parameters of the 1D_UPDATER_REV procedure 90
Figure H.9 – Parameters of the 1D_UPDATER_IRR procedure 90
Figure H.10 – Parameters of the extended 1D_SD_ARB procedure 91

Page
Figure H.11 – Extended procedure 1D_SD_ARB 92
Figure H.12 – Parameters of the 1D_STEPD procedure 92
Figure H.13 – Procedure 1D_STEPD 93
Figure H.14 – Parameters of the 1D_UPDATED_REV procedure 93
Figure H.15 – Parameters of the 1D_UPDATED_IRR procedure 94
Figure H.16 – Parameters of the 1D_SCALED procedure 94
Figure H.17 – Lifting implementation for forward half-sample symmetric wavelet transformations 97
Figure I.1 – Precincts of one reduced resolution (modified Figure B.8 of Rec. ITU-T T.800 (2019/06) | ISO/IEC 15444-1:2019) 98
Figure I.2 – Codeblocks and precincts in sub-band *b* from four different tiles 100
Figure I.3 – The IDWT_SSO Procedure 102
Figure I.4 – The 2D_SR_SSO procedure 103
Figure I.5 – Parameters of the 1D_FILTR_SSO procedure 103
Figure I.6 – The FDWT_SSO procedure 105
Figure I.7 – The 2D_SD_SSO procedure 106
Figure I.8 – Parameters of the 1D_FILTD_SSO procedure 107
Figure I.9 – Position of SSO blocks 108
Figure I.10 – Tiling of the reference grid diagram 110
Figure J.1 – Inverse multiple component transformation processing 113
Figure J.2 – Procedure MCO_TRANSFORM 114
Figure J.3 – A single multiple component collection transformation (MCC_TRANS) stage 115
Figure J.4 – Procedure MCC_TRANS 116
Figure J.5 – A single component collection transformation (CC_TRANS) stage 117
Figure J.6 – Procedure CC_TRANS 117
Figure J.7 – SERM implementation of reversible decorrelation transformation 121
Figure J.8 – SERM implementation of forward reversible decorrelation transformation 122
Figure J.9 – Irreversible dependency transformation 123
Figure J.10 – Forward irreversible dependency transformation 124
Figure J.11 – Reversible dependency transformation 125
Figure J.12 – Forward reversible dependency transformation 126
Figure K.1 – Non-linear transformation application during decoding 128
Figure K.2 – Example gamma-type forward non-linear transformation 130
Figure L.1 – Rectangular mask on the reference grid 135
Figure L.2 – Elliptic mask on the reference grid 135
Figure M.1 – Example fragmented JPX file where all fragments are in the same file 144
Figure M.2 – Example fragmented JPX file where some fragments are stored in other files or resources 145
Figure M.3 – Example combination of two codestreams into a single compositing layer 146
Figure M.4 – Example of the box description figures 161
Figure M.5 – Example of the superbox description figures 161
Figure M.6 – Boxes defined within a JPX file 162
Figure M.7 – Organization of the contents of the Reader Requirements box 165
Figure M.8 – Organization of the contents of a Data Reference box 168
Figure M.9 – Organization of the contents of a Fragment Table box 168
Figure M.10 – Organization of the contents of a Fragment List box 169
Figure M.11 – Organization of the contents of a Fragment table box 170

Page
Figure M.12 – Organization of the contents of an Image Header box 171
Figure M.13 – Organization of the contents of a Codestream Header box 173
Figure M.14 – Organization of the contents of a Compositing Layer Header box 174
Figure M.15 – Organization of the contents of a Colour Group box 175
Figure M.16 – Organization of the contents of a Colour Specification box 176
Figure M.17 – Organization of the contents of the METHDAT field for the Enumerated method 178
Figure M.18 – Organization of the contents of the METHDAT field for the Any ICC method 180
Figure M.19 – Organization of the contents of the METHDAT field for the Vendor Colour method 180
Figure M.19bis – Organization of the METHDAT field for the Parameterized method 181
Figure M.20 – Organization of the contents of the EP field for the CIELab (EnumCS = 14) 181
Figure M.21 – Organization of the contents of the EP field for the CIEJab (EnumCS = 19) 183
Figure M.22 – Organization of the contents of an Opacity box 185
Figure M.23 – Organization of the contents of a Codestream Registration box 187
Figure M.23bis – Layout of the Pixel Format Box 188
Figure M.24 – Organization of the contents of a Composition box 190
Figure M.25 – Organization of the contents of a Composition Options box 191
Figure M.26 – Organization of the contents of an Instruction Set box 191
Figure M.27 – Organization of the contents of an INST field within an Instruction Set box 192
Figure M.28 – Example of ROI specific metadata associated with one or more images 195
Figure M.29 – Example of Multiple XML documents associated with one or more images 195
Figure M.30 – Example of a Labelled XML document 195
Figure M.31 – Example of a labelled image 195
Figure M.32 – Organization of the contents of an Association box 196
Figure M.33 – Organization of the contents of a Number List box 196
Figure M.34 – Organization of the contents of a Label box 197
Figure M.35 – Organization of the contents of a Binary Filter box 197
Figure M.36 – Organization of the contents of the Desired Reproductions box 198
Figure M.37 – Organization of the contents of the Graphics Technology Standard Output box 198
Figure M.38 – Organization of the contents of the ROI Description box 199
Figure M.39 – Organization of the contents of a Digital Signature box 202
Figure M.40 – Organization of the contents of a MPEG-7 Binary box 204
Figure N.1 – Organization of the contents of Image Creation box 215
Figure N.2 – Organization of the contents of Content Description box 216
Figure N.3 – Organization of the contents of History box 216
Figure N.4 – Organization of the contents of Intellectual Property Rights box 216
Figure N.5 – Organization of the contents of Image Identifier box 217
Figure N.6 – Schema of the Image Creation metadata 217
Figure N.7 – Schema of the General Creation Information metadata 218
Figure N.8 – Schema of the Camera Capture metadata 219
Figure N.9 – Schema of the Device Characterization metadata 220
Figure N.10 – Schema of the Spatial Frequency Response metadata 221
Figure N.11 – Schema of the Colour Filter Array Pattern metadata 222
Figure N.12 – Schema of the Opto-electronic Conversion Function metadata 222
Figure N.13 – Schema of the Camera Capture Settings metadata 223
Figure N.14 – Schema of the Scanner Capture metadata 226

Page
Figure N.15 – Schema of the Scanner Settings metadata 227
Figure N.16 – Schema of the Software Creation metadata 227
Figure N.17 – Schema of the Captured Item metadata 227
Figure N.18 – Schema of the Reflection Print metadata 228
Figure N.19 – Schema of the Film metadata 229
Figure N.20 – Schema of the Content Description metadata 229
Figure N.21 – Schema of the Person Description metadata 230
Figure N.22 – Schema of the Thing Description metadata 231
Figure N.23 – Schema of the Organization Description metadata 231
Figure N.24 – Schema of the Event Description metadata 232
Figure N.25 – Schema of the Participant metadata 233
Figure N.26 – Schema of the Event Relationship metadata 233
Figure N.27 – Schema of the Audio metadata 234
Figure N.28 – Schema of the Property metadata 234
Figure N.29 – Schema of the Dictionary Definition metadata 235
Figure N.30 – Schema of the History metadata 235
Figure N.31 – Schema of the Processing Summary metadata 236
Figure N.32 – Schema of the Image Processing Hints metadata 237
Figure N.33 – Schema of the Previous metadata 238
Figure N.34 – Schema of the Image Reference metadata 238
Figure N.35 – Schema of the Intellectual Property Rights metadata 239
Figure N.36 – Schema of the IPR Names metadata 240
Figure N.37 – Schema of the IPR Description metadata 241
Figure N.38 – Schema of the IPR Dates metadata 242
Figure N.39 – Schema of the IPR Exploitation metadata 243
Figure N.40 – Schema of the IPR Management Systems metadata 243
Figure N.41 – Schema of the IPR Identification metadata 244
Figure N.42 – Schema of the IPR Identifier metadata 244
Figure N.43 – Schema of the License Plate metadata 244
Figure N.44 – Schema of the IPR Contact Point metadata 245
Figure N.45 – Schema of the Image Identifier metadata 246
Figure N.46 – Schema of the non-negative double type 246
Figure N.47 – Schema of the rational type 246
Figure N.48 – Schema of the string including language attribute type 246
Figure N.49 – Schema of the degree type 247
Figure N.50 – Schema of the half degree type 247
Figure N.51 – Schema of the double size type 247
Figure N.52 – Schema of the integer size type 247
Figure N.53 – Schema of the DateTime type 248
Figure N.54 – Schema of the Address type 249
Figure N.55 – Schema of the Phone number type 250
Figure N.56 – Schema of the Email address type 251
Figure N.57 – Schema of the Web address type 251
Figure N.58 – Schema of the Person type 252
Figure N.59 – Schema of the Organization type 253

Page

Figure N.60 – Schema of the Location type 254
Figure N.61 – Schema of the Coordinate location element 255
Figure N.62 – Schema of the Raw GPS Information element 256
Figure N.63 – Schema of the Raw GPS Information element *(continued)* 257
Figure N.64 – Schema of the Raw GPS Information element *(concluded)* 258
Figure N.65 – Schema of the Direction type 260
Figure N.66 – Schema of the Position type 261
Figure N.67 – Schema of the Point type 262
Figure N.68 – Schema of the Rect type 262
Figure N.69 – Schema of the Region type 263
Figure N.70 – Schema of the Product Details type 263
Figure N.71 – Schema of the Language attribute 264
Figure N.72 – Schema of the Timestamp attribute 264
Figure N.73 – Schema of the Comment element 264
Figure O.1 – Sample wavelet decomposition: N_L = 3; I_R = 3; $d_R()$ = 123; I_θ = 2, $d_\theta()$ = 31; I_S = 9, $d_S()$ = 320300203 293
Figure O.2 – Sample wavelet decomposition: N_L = 3; I_R = 3; $d_R()$ = 123; I_θ = 2, $d_\theta()$ = 31; I_S = 9, $d_S()$ = 320300203 293
Figure O.3 – Sample wavelet decomposition: N_L = 3; I_R = 3; $d_R()$ = 123; I_θ = 2, $d_\theta()$ = 31; I_S = 9, $d_S()$ = 320300203 294
Figure O.4 – Sample wavelet decomposition: N_L = 3; I_R = 3; $d_R()$ = 123; I_θ = 2, $d_\theta()$ = 31; I_S = 9, $d_S()$ = 320300203 294
Figure O.5 – Sample wavelet decomposition: N_L = 3; I_R = 3; $d_R()$ = 123; I_θ = 2, $d_\theta()$ = 31; I_S = 9, $d_S()$ = 320300203 294
Figure O.6 – Sample wavelet decomposition: N_L = 3; I_R = 3; $d_R()$ = 123; I_θ = 2, $d_\theta()$ = 31; I_S = 9, $d_S()$ = 320300203 294
Figure O.7 – Sample wavelet decomposition: N_L = 3; I_R = 3; $d_R()$ = 123; I_θ = 2, $d_\theta()$ = 31; I_S = 9, $d_S()$ = 320300203 295
Figure O.8 – Sample wavelet decomposition: N_L = 3; I_R = 3; $d_R()$ = 123; I_θ = 2, $d_\theta()$ = 31; I_S = 9, $d_S()$ = 320300203 295
Figure O.9 – Sample wavelet decomposition: N_L = 3; I_R = 3; $d_R()$ = 123; I_θ = 2, $d_\theta()$ = 31; I_S = 9, $d_S()$ = 320300203 295
Figure O.10 – Sample wavelet decomposition: N_L = 3; I_R = 3; $d_R()$ = 123; I_θ = 2, $d_\theta()$ = 31; I_S = 9, $d_S()$ = 320300203 295
Figure O.11 – Sample wavelet decomposition: N_L = 3; I_R = 3; $d_R()$ = 123; I_θ = 2, $d_\theta()$ = 31; I_S = 9, $d_S()$ = 320300203 296
Figure O.12 – Sample wavelet decomposition: N_L = 3; I_R = 3; $d_R()$ = 123; I_θ = 2, $d_\theta()$ = 31; I_S = 9, $d_S()$ = 320300203 296
Figure O.13 – Sample wavelet decomposition: N_L = 3; I_R = 3; $d_R()$ = 123; I_θ = 2, $d_\theta()$ = 31; I_S = 9, $d_S()$ = 320300203 296
Figure O.14 – Sample wavelet decomposition: N_L = 3; I_R = 3; $d_R()$ = 123; I_θ = 2, $d_\theta()$ = 31; I_S = 9, $d_S()$ = 320300203 297
Figure O.15 – FBI decomposition: N_L = 5; I_R = 0; $d_R()$ = 0 (since I_R = 0, I_R and $d_R()$ get reset in Figure F.11 to I_R = 5 and $d_R()$ = 11111); I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 297

Page

Figure O.16 – FBI decomposition: N_L = 5; I_R = 5 and $d_R()$ = 11111; I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 299

Figure O.17 – FBI decomposition: N_L = 5; I_R = 5 and $d_R()$ = 11111; I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 300

Figure O.18 – FBI decomposition: N_L = 5; I_R = 5 and $d_R()$ = 11111; I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 301

Figure O.19 – FBI decomposition: N_L = 5; I_R = 5 and $d_R()$ = 11111; I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 302

Figure O.20 – FBI decomposition: N_L = 5; I_R = 5 and $d_R()$ = 11111; I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 303

Figure O.21 – FBI decomposition: N_L = 5; I_R = 5 and $d_R()$ = 11111; I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 304

Figure O.22 – FBI decomposition: N_L = 5; I_R = 5 and $d_R()$ = 11111; I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 305

Figure O.23 – FBI decomposition: N_L = 5; I_R = 5 and $d_R()$ = 11111; I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 306

Figure O.24 – FBI decomposition: N_L = 5; I_R = 5 and $d_R()$ = 11111; I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 307

Figure O.25 – FBI decomposition: N_L = 5; I_R = 5 and $d_R()$ = 11111; I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 308

Figure O.26 – FBI decomposition: N_L = 5; I_R = 5 and $d_R()$ = 11111; I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 309

Figure O.27 – FBI decomposition: N_L = 5; I_R = 5 and $d_R()$ = 11111; I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 310

Figure O.28 – FBI decomposition: N_L = 5; I_R = 5 and $d_R()$ = 11111; I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 311

Figure O.29 – FBI decomposition: N_L = 5; I_R = 5 and $d_R()$ = 11111; I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 312

Figure O.30 – FBI decomposition: N_L = 5; I_R = 5 and $d_R()$ = 11111; I_θ = 4, $d_\theta()$ = 2321; I_S = 17, $d_S()$ = 11101111111111111 313

Figure O.31 – SPACL decomposition: N_L = 4; I_θ = 2, $d_\theta()$ = 21; I_R = 0, I_S = 0 314

Figure O.32 – Component collection example 316

Figure O.33 – Original image components 316

Figure O.34 – Encoder multiple component transform decisions 317

Figure O.35 – Decorrelation transformation array (MCC_0 component collection 0 parameters) 318

Figure O.36 – Dependency transformation (MCC_0 component collection 1 parameters) 318

Figure O.37 – Passing through intermediate components (MCC_0 component collection 2 parameters) 318

Figure O.38 – Component collections in MCC_0, transformation processing stage 0 319

Figure O.39 – Decorrelation transformation array (MCC_1 component collection 0 parameters) 319

Figure O.40 – MCC_1 component collection 1 (7 components passed through) 320

Figure O.41 – Component collections in MCC_1, transformation processing stage 1 320

Figure O.42 – MCO marker segment for inverse multiple component transformation 320