

ISO/IEC 15962:2022-01 (E)

Information technology - Radio frequency identification (RFID) for item management - Data protocol: data encoding rules and logical memory functions

| Contents | | Page |
|-------------------|--|-------------|
| Foreword..... | | ix |
| Introduction..... | | x |
| 1 | Scope..... | 1 |
| 2 | Normative references..... | 1 |
| 3 | Terms and definitions and abbreviated terms..... | 1 |
| | 3.1 Terms and definitions..... | 1 |
| | 3.2 Abbreviated terms..... | 2 |
| 4 | Conformance..... | 2 |
| | 4.1 Conformance with the air interface..... | 2 |
| | 4.2 Conformance with the application interface..... | 2 |
| | 4.2.1 Encoders and the application interface..... | 2 |
| | 4.2.2 Decoders and the application interface..... | 3 |
| | 4.2.3 Comprehensive encoder/decoder devices and the application interface..... | 3 |
| | 4.3 Conformance with the Access-Method..... | 3 |
| | 4.3.1 Encoders and the Access-Method..... | 3 |
| | 4.3.2 Decoders and the Access-Method..... | 3 |
| | 4.3.3 Comprehensive encoder/decoder devices and the Access-Method..... | 3 |
| 5 | Protocol model..... | 3 |
| | 5.1 Overview..... | 3 |
| | 5.2 Layered protocol..... | 4 |
| | 5.2.1 Layers..... | 4 |
| | 5.2.2 Application layer as defined in the ISO/IEC 15961 series..... | 4 |
| | 5.2.3 Application interface as defined in ISO/IEC 15961-1..... | 5 |
| | 5.2.4 Data Protocol processing..... | 5 |
| | 5.2.5 Data Protocol interface..... | 5 |
| | 5.3 Flexible implementation configurations..... | 6 |
| | 5.4 Functional processes — Interrogator implementation..... | 6 |
| | 5.4.1 Logical functions and interfaces..... | 6 |
| | 5.4.2 Functional processes — Application interface..... | 7 |
| | 5.4.3 Functional processes — Interrogator..... | 7 |
| | 5.4.4 RFID tag..... | 8 |
| | 5.5 ISO/IEC 15962 and the Data Processor..... | 9 |
| 6 | Data and presentation conventions..... | 9 |
| | 6.1 Data types in ISO/IEC 15961-1 commands and responses..... | 9 |
| | 6.2 Extensible bit vector (EBV)..... | 9 |
| | 6.3 Object Identifier presentation in the application interface..... | 10 |
| | 6.3.1 Object identifier structure to ISO/IEC 8824-1..... | 10 |
| | 6.3.2 Presenting the Object-Identifier in accordance with ISO/IEC 8824-1..... | 11 |
| | 6.3.3 Presenting the Object-Identifier as a Uniform Resource Name (URN)..... | 11 |
| | 6.4 The Object..... | 11 |
| | 6.5 8-bit byte..... | 11 |
| | 6.6 N-bit encoding..... | 11 |
| 7 | Data Processor — High level processing..... | 11 |

| | | |
|----------|--|-----------|
| 8 | Data Processor and the application interface | 12 |
| 8.1 | Application commands — Overview | 12 |
| 8.2 | Application commands and responses — Write | 14 |
| 8.2.1 | Configure-AFI | 14 |
| 8.2.2 | Configure-DSFID | 15 |
| 8.2.3 | Write-Objects | 15 |
| 8.2.4 | Write-Objects-Segmented-Memory-Tag | 19 |
| 8.2.5 | Write-EPC-UII | 22 |
| 8.2.6 | Write-Password-Segmented-Memory-Tag | 23 |
| 8.2.7 | Write-Segments-6TypeD-Tag | 24 |
| 8.2.8 | Write-Monomorphic-UII | 27 |
| 8.2.9 | Configure-Extended-DSFID | 30 |
| 8.2.10 | Configure-Multiple-Records-Header | 31 |
| 8.3 | Application commands and responses — Read | 33 |
| 8.3.1 | Read-Object-Identifiers | 33 |
| 8.3.2 | Read-Logical-Memory-Map | 34 |
| 8.3.3 | Read-Objects | 35 |
| 8.3.4 | Inventory-ISO-UIImemory | 36 |
| 8.3.5 | Inventory-EPC-UIImemory | 37 |
| 8.3.6 | Read-Words-Segmented-Memory-Tag | 38 |
| 8.3.7 | Read-Segments-6TypeD-Tag | 39 |
| 8.3.8 | Read-Multiple-Records | 40 |
| 8.4 | Application commands and responses — Other | 44 |
| 8.4.1 | Inventory-Tags | 44 |
| 8.4.2 | Delete-Object | 44 |
| 8.4.3 | Modify-Object | 46 |
| 8.4.4 | Erase-Memory | 48 |
| 8.4.5 | Get-App-based-System-Info | 49 |
| 8.4.6 | Kill-Segmented-Memory-Tag | 49 |
| 8.4.7 | Delete-Packed-Object | 50 |
| 8.4.8 | Modify-Packed-Object-Structure | 51 |
| 8.4.9 | Delete-Multiple-Record | 52 |
| 8.5 | Air interface support for application commands | 53 |
| 9 | Data Processor and the air interface | 53 |
| 9.1 | Use | 53 |
| 9.2 | Air interface services | 53 |
| 9.3 | Defining the system information | 54 |
| 9.3.1 | System information elements | 54 |
| 9.3.2 | Singulation-Id | 54 |
| 9.3.3 | Physical block size | 55 |
| 9.3.4 | Number of blocks | 55 |
| 9.3.5 | AFI | 55 |
| 9.3.6 | DSFID | 55 |
| 9.3.7 | Encoding the Extended-Data-Format | 56 |
| 9.3.8 | Other extensions using the Extended Syntax indicator bit | 56 |
| 9.3.9 | Extended Syntax flag byte 1 | 56 |
| 9.3.10 | Memory length indicator bits | 56 |
| 9.3.11 | Procedure for length encoding | 58 |
| 9.3.12 | Data CRC indicators | 58 |
| 9.3.13 | Data CRC | 58 |
| 9.3.14 | Extended Syntax flag byte 2 | 58 |
| 9.3.15 | Simple Sensor indicator | 59 |
| 9.3.16 | Battery Assist indicator | 59 |
| 9.3.17 | Full-Function Sensor indicator | 59 |
| 9.3.18 | DSFID and Extended Syntax | 59 |
| 9.4 | Configuring the Logical Memory | 63 |

| | | |
|-----------|---|-----------|
| 10 | Command/Response Unit — Processing of command and response arguments | 63 |
| 10.1 | Function | 63 |
| 10.2 | Process arguments | 64 |
| 10.2.1 | Access-Password | 64 |
| 10.2.2 | Additional-App-bits | 64 |
| 10.2.3 | AFI | 64 |
| 10.2.4 | AFI-Lock | 64 |
| 10.2.5 | Append-To-Existing-Multiple-Record | 65 |
| 10.2.6 | Application-Defined-Record-Capacity | 65 |
| 10.2.7 | Avoid-Duplicate | 65 |
| 10.2.8 | Check-Duplicate | 65 |
| 10.2.9 | Compact-Parameter | 66 |
| 10.2.10 | | |
| | Data-Length-Of-Record | 66 |
| 10.2.11 | | |
| | DSFID | 67 |
| 10.2.12 | | |
| | DSFID-Lock | 67 |
| 10.2.13 | | |
| | Directory-Length-EBV8-Indicator | 67 |
| 10.2.14 | | |
| | Encoded-Memory-Capacity | 67 |
| 10.2.15 | | |
| | EPC-Code | 67 |
| 10.2.16 | | |
| | Hierarchical-Identifier-Arc | 67 |
| 10.2.17 | | |
| | Identifier-Of-My-Parent | 68 |
| 10.2.18 | | |
| | Identify-Method and Number-Of-Tags | 68 |
| 10.2.19 | | |
| | Instance-Of-Arc | 68 |
| 10.2.20 | | |
| | Item-Related-DSFID | 69 |
| 10.2.21 | | |
| | Item-Related-Segment-Map | 69 |
| 10.2.22 | | |
| | Kill-Password | 69 |
| 10.2.23 | | |
| | Length-Of-Mask | 69 |
| 10.2.24 | | |
| | Lock-Directory-Entry | 69 |
| 10.2.25 | | |
| | Lock-Multiple-Records-Header | 69 |
| 10.2.26 | | |
| | Lock-Record-Preamble | 69 |
| 10.2.27 | | |
| | Lock-UII-Segment-Arguments | 70 |
| 10.2.28 | | |
| | Max-App-Length | 70 |
| 10.2.29 | | |
| | Memory-Bank | 70 |
| 10.2.30 | | |
| | Memory-Bank-Lock | 70 |
| 10.2.31 | | |
| | Memory-Segment | 70 |
| 10.2.32 | | |
| | Memory-Type | 70 |

| | | |
|--------------|--|----|
| 10.2.33..... | Multiple-Records-Directory-Length..... | 70 |
| 10.2.34..... | Multiple-Records-Features-Indicator..... | 71 |
| 10.2.35..... | NSI-bits..... | 71 |
| 10.2.36..... | Number-In-Data-Element-List..... | 71 |
| 10.2.37..... | Number-Of-Records..... | 71 |
| 10.2.38..... | Object-Lock..... | 71 |
| 10.2.39..... | Packed-Object-Directory-Type..... | 71 |
| 10.2.40..... | Password..... | 72 |
| 10.2.41..... | Password-Type..... | 72 |
| 10.2.42..... | Pointer..... | 72 |
| 10.2.43..... | Pointer-To-Multiple-Records-Directory..... | 72 |
| 10.2.44..... | Read-Record-Type..... | 73 |
| 10.2.45..... | Read-Type..... | 73 |
| 10.2.46..... | Record-Memory-Capacity..... | 73 |
| 10.2.47..... | Record-Type-Arc..... | 74 |
| 10.2.48..... | Record-Type-Classification..... | 74 |
| 10.2.49..... | Sector-Identifier..... | 74 |
| 10.2.50..... | Segment-Read-Type..... | 74 |
| 10.2.51..... | Simple-Sensor-Data-Block..... | 75 |
| 10.2.52..... | Start-Address-Of-Record..... | 75 |
| 10.2.53..... | Tag-Data-Profile-ID-Table..... | 75 |
| 10.2.54..... | Tag-Mask..... | 75 |
| 10.2.55..... | TID-Segment-Map..... | 75 |
| 10.2.56..... | UII-DSFID..... | 75 |
| 10.2.57..... | UII-Segment-Map..... | 75 |
| 10.2.58..... | Update-Multiple-Records-Directory..... | 75 |
| 10.2.59..... | Word-Count..... | 76 |
| 10.2.60..... | Word-Pointer..... | 76 |

| | | |
|-----------|---|------------|
| 10.3 | Completion-Codes..... | 76 |
| 10.4 | Execution-Codes..... | 79 |
| 11 | Access-Method..... | 80 |
| 11.1 | Methods..... | 80 |
| 11.2 | No-Directory structure..... | 81 |
| 11.2.1 | Structure..... | 81 |
| 11.2.2 | Restrictions to air interfaces..... | 82 |
| 11.2.3 | The dataset..... | 82 |
| 11.2.4 | Encoding rules..... | 82 |
| 11.3 | Directory structure..... | 83 |
| 11.3.1 | Structure..... | 83 |
| 11.3.2 | Restrictions to air interfaces..... | 83 |
| 11.3.3 | Directory structure for Data-Format = "3 ...287"..... | 84 |
| 11.3.4 | Directory structure for Data-Format = 2..... | 84 |
| 11.3.5 | Encoding the address of the dataset..... | 84 |
| 11.3.6 | Encoding example..... | 84 |
| 11.4 | Packed-Objects structure..... | 84 |
| 11.5 | Tag Data Profile..... | 85 |
| 11.5.1 | Use..... | 85 |
| 11.5.2 | Restrictions to air interfaces..... | 86 |
| 11.5.3 | Defining the Tag-Data-Profile..... | 86 |
| 11.5.4 | Encoding Rules..... | 86 |
| 11.6 | Multiple-Records..... | 86 |
| 11.6.1 | Structure..... | 86 |
| 11.6.2 | Categories of multiple records..... | 87 |
| 11.6.3 | Object-Identifier structure..... | 89 |
| 11.6.4 | Sector identifier..... | 91 |
| 11.6.5 | Restrictions to air interfaces..... | 91 |
| 11.6.6 | Encoding rules..... | 91 |
| 12 | ISO/IEC 15434 direct encoding and transmission method using Access-Method 0 and Data-Format 3..... | 91 |
| 12.1 | Use..... | 91 |
| 12.2 | General rules for ISO/IEC 15434 direct encoding..... | 92 |
| 12.3 | Specific support for ISO 17364, ISO 17365, ISO 17366 and ISO 17367..... | 92 |
| 13 | Monomorphic-UII encoding..... | 92 |
| 13.1 | Use..... | 92 |
| 13.2 | 6-bit encoding..... | 93 |
| 13.3 | 7-bit encoding..... | 93 |
| 13.4 | URN Code 40 encoding..... | 94 |
| 13.5 | 8859-1 octet encoding..... | 94 |
| 13.6 | Application-defined 8-bit coding..... | 94 |
| | Annex A (informative) Air interface support for application commands..... | 95 |
| | Annex B (normative) Pro forma description for the Tag Driver..... | 101 |
| | Annex C (normative) ISO/IEC 18000 Series Tag Driver Descriptions..... | 103 |
| | Annex D (normative) Encoding rules for No-Directory Access-Method..... | 115 |
| | Annex E (normative) Basic data compaction schemes..... | 128 |
| | Annex F (normative) ISO/IEC 646 characters supported by the compaction schemes..... | 133 |
| | Annex G (informative) Encoding example for No-Directory structure..... | 137 |
| | Annex H (informative) Encoding example for a directory structure..... | 140 |
| | Annex I (normative) Packed-Objects structure..... | 143 |
| | Annex J (normative) Packed Objects ID tables..... | 165 |

| | |
|--|------------|
| Annex K (normative) Packed Objects Encoding tables | 175 |
| Annex L (informative) Encoding example for Packed Objects | 180 |
| Annex M (informative) Decoding Packed Objects | 184 |
| Annex N (normative) Tag Data Profile encoding | 188 |
| Annex O (normative) Tag Data Profile ID tables | 193 |
| Annex P (informative) Encoding example for Tag Data Profile | 197 |
| Annex Q (normative) Basic encoding rules for Multiple-Records Access-Method | 201 |
| Annex R (normative) Multiple-Records encoding rules for hierarchical records | 218 |
| Annex S (informative) Encoding example for the Multiple-Records Access-Method | 225 |
| Annex T (normative) ISO/IEC 15434 direct encoding and transmission | 237 |
| Annex U (informative) ISO/IEC 15434 direct DI encoding and transmission for ISO 17364, ISO 17365, ISO 17366 and ISO 17367 | 243 |
| Annex V (normative) URN Code 40 encoding | 248 |
| Bibliography | 251 |