

ISO/IEC 23941:2022-05 (E)

Information technology - Automatic identification and data capture techniques - Rectangular Micro QR Code (rMQR) bar code symbology specification

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Mathematical and logical symbols, abbreviated terms and conventions	3
4.1	Mathematical and logical symbols	3
4.2	Abbreviated terms	3
4.3	Conventions	3
4.3.1	Module positions	3
4.3.2	Byte notation	3
4.3.3	Version references	3
5	Conformance	4
6	rMQR specifications	4
6.1	Basic characteristics	4
6.2	Summary of additional features	5
6.3	Symbol structure	5
6.3.1	General	5
6.3.2	Symbol Versions and sizes	8
6.3.3	Finder pattern	10
6.3.4	Separator	10
6.3.5	Timing pattern	10
6.3.6	Alignment patterns	11
6.3.7	Finder sub pattern	11
6.3.8	Corner finder pattern	12
6.3.9	Encoding region	12
6.3.10	Quiet zone	13
7	Requirements	13
7.1	Encode procedure overview	13
7.2	Data analysis	14
7.3	Modes	15
7.3.1	General	15
7.3.2	Extended channel interpretation (ECI) mode	15
7.3.3	Numeric mode	15
7.3.4	Alphanumeric mode	15
7.3.5	Byte mode	15
7.3.6	Kanji mode	16
7.3.7	Mixing modes	16
7.3.8	FNC1 mode	16
7.4	Data encoding	16
7.4.1	Sequence of data	16
7.4.2	Extended channel interpretation (ECI) mode	18
7.4.3	Numeric mode	20

7.4.4	Alphanumeric mode	21
7.4.5	Byte mode	22
7.4.6	Kanji mode	22
7.4.7	Mixing modes	23
7.4.8	FNC1 modes	24
7.4.9	Terminator	25
7.4.10	Bit stream to codeword conversion	25
7.5	Error correction	28
7.5.1	Error correction capacity	28
7.5.2	Generating the error correction codewords	31
7.6	Constructing the final message codeword sequence	32
7.7	Codeword placement in matrix	33
7.7.1	Symbol character representation	33
7.7.2	Function pattern placement	33
7.7.3	Symbol character placement	33
7.8	Data masking	37
7.8.1	General	37
7.8.2	Data mask patterns	37
7.9	Format information	37
8	Symbol printing and marking	39
8.1	Dimensions	39
8.2	Human-readable interpretation	39
8.3	Marking guidelines	40
9	Symbol quality	40
9.1	Methodology	40
9.2	Symbol quality parameters	40
9.2.1	Fixed pattern damage	40
9.2.2	Scan grade and overall symbol grade	40
9.2.3	Grid non-uniformity	40
9.3	Process control measurements	40
10	Decoding procedure overview	40
11	Reference decode algorithm	41
12	Auto-discrimination capability	52
13	Transmitted data	52
13.1	General principles	52
13.2	Symbology identifier	52
13.3	Extended channel interpretations	52
13.4	FNC1	53
Annex A (normative) Error detection and correction generator polynomials		54
Annex B (normative) Error correction decoding steps		56
Annex C (normative) Format information		58
Annex D (normative) Position of alignment patterns		61
Annex E (normative) Symbology identifier		62
Annex F (normative) rMQR print quality - symbology - specific aspects		63
Annex G (normative) Byte mode character sets		69
Annex H (informative) JIS8 and Shift JIS character sets		70

Annex I (informative) Symbol encoding examples72
Annex J (informative) User guidelines for printing and scanning of rMQR symbols 74
Annex K (informative) Autodiscrimination 76
Annex L (informative) Process control techniques77
Bibliography79