ISO/IEC 17826:2022-05 (E)

Information technology - Cloud Data Management Interface (CDMI) Version 2.0.0

Contents

Page

I CDMI Preamble 1

Clause 1: Scope 3

Clause 2: Normative references 4

Clause 3: Terms, acronyms, and definitions 6

Clause 4: Conventions 11
4.1 Interface format . . . 11
4.2 Typographical conventions . . . 12
4.3 Request and response body requirements . . . 13
4.4 Key Word requirements . . . 14

Clause 5: Overview of Cloud Storage 15
5.1 Overview . . . 15
5.2 Reference model for cloud storage interfaces . . . 18
5.3 Cloud data management interface . . . 19
5.4 Security . . . 23
5.5 Required HTTP support . . . 25
5.6 Time representations . . . 28
5.7 Backwards compatibility . . . 29
5.8 Object references . . . 30

II Basic Cloud Storage 32

Clause 6: Data Object Resource Operations using HTTP 33
6.1 Overview . . . 33
6.2 Create a data object using HTTP . . . 34
6.3 Read a data object using HTTP . . . 36
6.4 Update a data object using HTTP . . . 39
6.5 Delete a data object using HTTP . . . 41

Clause 7: Container Object Resource Operations using HTTP 43
7.1 Overview . . . 43
7.2 Create a container object using HTTP . . . 44
7.3 Read a container object using HTTP . . . 46
7.4 Update a container object using HTTP . . . 47
7.5 Delete a container object using HTTP . . . 48
7.6 Create (POST) a new data object using HTTP . . . 50

III CDMI Core 52

Clause 8: Data Object Resource Operations using CDMI 53
8.1 Overview . . . 53
8.2 Data object details . . . 54
8.3 Create a data object using CDMI . . . 56
8.4 Read a data object using CDMI . . . 67
8.5 Update a data object using CDMI . . . 76
8.6 Delete a data object using CDMI . . . 85

Clause 9: Container Object Resource Operations using CDMI 87
9.1 Overview . . . 87
9.2 Container object details . . . 88
9.3 Create a container object using CDMI . . . 90
9.4 Read a container object using CDMI . . . 97
9.5 Update a container object using CDMI . . . 102

9.6 Delete a container object using CDMI . . . 107
9.7 Create (POST) a new data object using CDMI . . . 109
9.8 Create (POST) a new queue object using CDMI . . . 119

IV CDMI Advanced 125

Clause 10: Domain object resource operations using CDMI 126
10.1 Overview . . . 126
10.2 Domain object details . . . 128
10.3 Domain object summaries . . . 131
10.4 Domain object membership . . . 134
10.5 Create a domain object using CDMI . . . 137
10.6 Read a domain object using CDMI . . . 141
10.7 Update a domain object using CDMI . . . 145
10.8 Delete a domain object using CDMI . . . 149

Clause 11: Queue object resource operations using CDMI 151
11.1 Overview . . . 151
11.2 Queue object details . . . 152
11.3 Create a queue object using CDMI . . . 155
11.4 Read a queue object using CDMI . . . 161
11.5 Update a queue object using CDMI . . . 168
11.6 Delete a queue object using CDMI . . . 172
11.7 Enqueue a new queue object value using CDMI . . . 174
11.8 Delete a queue object value using CDMI . . . 180

Clause 12: Capability object resource operations using CDMI 182
12.1 Overview . . . 182
12.2 Capability object details . . . 183
12.3 Read a capabilities object using CDMI . . . 199

Clause 13: Exported protocols 204
13.1 Overview . . . 204
13.2 Container object export details . . . 205
13.3 NFS exported protocol . . . 208
13.4 SMB exported protocol . . . 210
13.5 iSCSI exported protocol . . . 211
13.6 WebDAV exported protocol . . . 212
13.7 OCCI exported protocol . . . 213

Clause 14: CDMI snapshots 215
14.1 Overview . . . 215
14.2 Creating a snapshot . . . 216
14.3 Deleting a snapshot . . . 217

Clause 15: Serialization/deserialization 218
15.1 Overview . . . 218
15.2 Canonical format . . . 219
15.3 Exporting serialized data . . . 221
15.4 Importing serialized data . . . 222

Clause 16: Metadata 223
16.1 Overview . . . 223
16.2 Support for storage system metadata . . . 224
16.3 Support for data system metadata . . . 226
16.4 Support for provided data system metadata . . . 234
16.5 Support for user metadata . . . 236
16.6 Metadata update operations . . . 237

Clause 17: Access control 238
17.1 Overview . . . 238
17.2 Access control flow . . . 239

Clause 18: Retention and hold management 251
18.1 Overview . . . 251
18.2 Retention management disciplines . . . 252
18.3 CDMI retention . . . 253
18.4 CDMI hold . . . 255
18.5 CDMI auto-deletion . . . 258

18.6 Retention security considerations . . . 259

Clause 19: Scope specification **260**
19.1 Overview . . . 260
19.2 Examples . . . 261
19.3 Query matching expressions . . . 263

Clause 20: Results specification **266**
20.1 Overview . . . 266
20.2 Examples . . . 267

Clause 21: Notification queues **268**
21.1 Overview . . . 268
21.2 Metadata . . . 269

Clause 22: Query queues **273**
22.1 Overview . . . 273
22.2 Extending CDMI query . . . 275

Clause 23: Encrypted objects **276**
23.1 Overview . . . 276
23.2 Encryption operations . . . 277
23.3 Example uses of encrypted objects . . . 280
23.4 KMS integration . . . 281
23.5 CMS format . . . 282
23.6 JOSE format . . . 283
23.7 Signature/digest verification . . . 284
23.8 Error handling . . . 285

Clause 24: Delegated access control **286**
24.1 Overview . . . 286
24.2 Delegated access control (DAC) . . . 288
24.3 Delegated access control message exchange . . . 290
24.4 Client header passthrough . . . 292
24.5 DAC request . . . 293
24.6 Packaged DAC request . . . 295
24.7 DAC response . . . 296
24.8 Packaged DAC response . . . 297
24.9 Error handling . . . 299
24.10Examples . . . 300

Clause 25: Data object versions **311**
25.1 Overview . . . 311
25.2 Traversing version-enabled data objects . . . 313
25.3 Concurrent updates and version-enabled data objects . . . 314
25.4 Capabilities for version-enabled data objects . . . 316
25.5 Updates triggering version creation . . . 317
25.6 Operations on version-enabled data objects . . . 318
25.7 Operations on data object versions . . . 319
25.8 Query of data object versions . . . 320
25.9 Version-enabled data object serialization . . . 321

V CDMI Annexes **323**

Clause 26: Extensions **324**
26.1 Overview . . . 324
26.2 Summary metadata for bandwidth . . . 325
26.3 Expiring access control entries (ACEs) . . . 327
26.4 Group storage system metadata . . . 328
26.5 Header-based metadata . . . 329
26.6 Immediate query . . . 337

VI References **340**

Bibliography **341**

List of Figures

Fig. 1: Existing data storage interface standards . . . 16
Fig. 2: Storage interfaces for object storage client data . . . 16
Fig. 3: Cloud storage reference model . . . 18
Fig. 4: CDMI object model . . . 20
Fig. 5: Object transitions between named and ID-only . . . 21
Fig. 6: CDMI URI Components . . . 26

Fig. 7: Hierarchy of domains . . . 126

Fig. 8: Hierarchy of capabilities . . . 183

Fig. 9: CDMI and OCCI in an integrated cloud computing environment . . . 213

Fig. 10: Snapshot container structure . . . 215

Fig. 11: Access control flow . . . 239

Fig. 12: Object retention . . . 253
Fig. 13: Object hold . . . 255
Fig. 14: Object hold on object with retention . . . 255
Fig. 15: Object with multiple holds . . . 256

Fig. 16: Encrypted object state transistions . . . 277

Fig. 17: Non-delegated (ACL-based) access control data flow . . . 286
Fig. 18: Delegated access control data flow example for non-encrypted object . . . 290
Fig. 19: Delegated access control data flow example for encrypted object . . . 291

Fig. 20: Updates to a non-version-enabled data object . . . 311
Fig. 21: Updates to a version-enabled data object . . . 312
Fig. 22: Linkages between a version-enabled data object and data object versions . . . 313
Fig. 23: Overlapping concurrent updates . . . 314
Fig. 24: Linkages for overlapping updates . . . 314
Fig. 25: Nested concurrent updates . . . 315
Fig. 26: Linkages for nested updates . . . 315
Fig. 27: Version to `capabilityURI` relationships . . . 316

List of Tables

Table 1: Overview of this document . . . 2

Table 2: Interface format . . . 11
Table 3: Key word requirements . . . 14

Table 4: Types of resources in the CDMI object model . . . 20
Table 5: Creation/consumption of storage system metadata . . . 21
Table 6: Object ID format . . . 22
Table 7: Relative URIs resolved against root URIs . . . 27

Table 8: Capabilities - Create a CDMI data object using HTTP . . . 34
Table 9: Request headers - Create a CDMI data object using HTTP . . . 34
Table 10: HTTP status codes - Create a data object using HTTP . . . 35
Table 11: Capabilities - Read a CDMI data object using HTTP . . . 36
Table 12: Request header - Read a CDMI data object using HTTP . . . 36
Table 13: Response headers - Read a CDMI Data Object using HTTP . . . 37
Table 14: HTTP status codes - Read a CDMI data object using HTTP . . . 37
Table 15: Capabilities - Update a CDMI data object using HTTP . . . 39
Table 16: Request headers - Update a CDMI data object using HTTP . . . 39
Table 17: Response header - Update a CDMI data object using HTTP . . . 40
Table 18: HTTP status codes - Update a CDMI data object using HTTP . . . 40
Table 19: Capabilities - Delete a CDMI data object using HTTP . . . 41
Table 20: HTTP status codes - Delete a CDMI data object using HTTP . . . 41

Table 21: Capabilities - Create a CDMI container object using HTTP . . . 44
Table 22: HTTP status codes - Create a container object using HTTP . . . 44
Table 23: Capabilities - Delete a CDMI container object using HTTP . . . 48
Table 24: HTTP status codes - Delete a CDMI container object using HTTP . . . 49
Table 25: Capabilities - Create a CDMI data object using HTTP POST . . . 50
Table 26: Request header - Create a new data object using HTTP . . . 50
Table 27: Response header - Create a new data object using HTTP . . . 51
Table 28: HTTP status codes - Create a new data object using HTTP . . . 51

Table 29: Capabilities - Create a CDMI data object using CDMI . . . 57
Table 30: Request headers - Create a CDMI data object using CDMI . . . 57
Table 31: Request message body - Create a data object using CDMI . . . 58
Table 32: Response headers - Create a data object using CDMI . . . 61
Table 33: Response message body - Create a data object using CDMI . . . 61
Table 34: HTTP status codes - Create a data object using CDMI . . . 62
Table 35: Capabilities - Read a CDMI data object using CDMI . . . 67
Table 36: Request headers - Read a CDMI data object using CDMI . . . 67
Table 37: Response headers - Read a CDMI data object using CDMI . . . 68
Table 38: Response message body - Read a CDMI data object using CDMI . . . 68
Table 39: HTTP status codes - Read a CDMI data object using CDMI . . . 70
Table 40: Capabilities - Update a CDMI data object using CDMI . . . 76
Table 41: Request headers - Update a CDMI data object using CDMI . . . 77
Table 42: Request message body - Update a CDMI data object using CDMI . . . 77
Table 43: Response header - Update a CDMI data object using CDMI . . . 80
Table 44: HTTP status codes - Update a CDMI data object using CDMI . . . 80
Table 45: Capabilities - Delete a CDMI data object using CDMI . . . 85
Table 46: HTTP status codes - Delete a CDMI data object using CDMI . . . 85

Table 47: Container metadata . . . 89
Table 48: Capabilities - Create a CDMI container object using CDMI . . . 91
Table 49: Request headers - Create a container object using CDMI . . . 91
Table 50: Request message body - Create a container object using CDMI . . . 91
Table 51: Response headers - Create a container object using CDMI . . . 93
Table 52: Response message body - Create a container object using CDMI . . . 93

Table 53: HTTP status codes - Create a CDMI container object using CDMI . . . 94
Table 54: Capabilities - Read a CDMI Container Object using CDMI . . . 97
Table 55: Request headers - Read a container object using CDMI . . . 97
Table 56: Response headers - Read a container object using CDMI . . . 98
Table 57: Response message body - Read a container object using CDMI . . . 98
Table 58: HTTP status codes - Read a container object using CDMI . . . 99
Table 59: Capabilities - Update a CDMI container object using CDMI . . . 103
Table 60: Request headers - Update a container object using CDMI . . . 103
Table 61: Request message body - Update a container object using CDMI . . . 103
Table 62: Response header - Update a container object using CDMI . . . 105
Table 63: HTTP status codes - Update a container object using CDMI . . . 105
Table 64: Capabilities - Delete a CDMI container object using CDMI . . . 107
Table 65: HTTP status codes - Delete a container object using CDMI . . . 108
Table 66: Capabilities - Create a CDMI data object using CDMI . . . 110
Table 67: Request headers - Create a new data object Using CDMI . . . 111
Table 68: Request message body - Create a new data object Using CDMI . . . 111
Table 69: Response headers - Create a new data object using CDMI . . . 115
Table 70: Response message body - Create a new data object using CDMI . . . 115
Table 71: HTTP status codes - Create a new data object using CDMI . . . 116
Table 72: Capabilities - Create a CDMI Queue object using CDMI . . . 120
Table 73: Request headers - Create a new queue object using CDMI . . . 120
Table 74: Request message body - Create a new queue object using CDMI . . . 121
Table 75: Response headers - Create a new queue object using CDMI . . . 122
Table 76: Response message body - Create a new queue object using CDMI . . . 122
Table 77: HTTP status codes - Create a new queue object using CDMI . . . 123

Table 78: Required metadata for a domain object . . . 129
Table 79: Contents of domain summary objects . . . 132
Table 80: Required settings for domain member user objects . . . 134
Table 81: Required settings for domain member delegation objects . . . 135
Table 82: Capabilities - Create a CDMI domain object using CDMI . . . 137
Table 83: Request headers - Create a domain object using CDMI . . . 137
Table 84: Request message body - Create a domain object using CDMI . . . 138
Table 85: Response headers - Create a domain object using CDMI . . . 139
Table 86: Response message body - Create a domain object using CDMI . . . 139
Table 87: HTTP status codes - Create a domain object using CDMI . . . 140
Table 88: Capabilities - Read a CDMI domain object using CDMI . . . 141
Table 89: Request headers - Read a domain object using CDMI . . . 141
Table 90: Response headers - Read a domain object using CDMI . . . 142
Table 91: Response message body - Read a domain object using CDMI . . . 142
Table 92: HTTP status codes - Read a domain object using CDMI . . . 143
Table 93: Capabilities - Update a CDMI domain object using CDMI . . . 145
Table 94: Request headers - Update a domain object using CDMI . . . 145
Table 95: Request message body - Update a domain object using CDMI . . . 146
Table 96: Response header - Update a domain object using CDMI . . . 147
Table 97: HTTP status codes - Update a domain object using CDMI . . . 147
Table 98: Capabilities - Delete a CDMI domain object using CDMI . . . 149
Table 99: HTTP status codes - Delete a domain object using CDMI . . . 150

Table 100: Capabilities - Create a CDMI queue object using CDMI . . . 155
Table 101: Request headers - Create a queue object Using CDMI . . . 156
Table 102: Request message body - Create a queue object using CDMI . . . 156
Table 103: Response headers - Create a queue object Using CDMI . . . 158
Table 104: Response message body - Create a queue object using CDMI . . . 158
Table 105: HTTP status codes - Create a queue object using CDMI . . . 159
Table 106: Capabilities - Read a CDMI queue object using CDMI . . . 161
Table 107: Request headers - Read a queue object using CDMI . . . 162
Table 108: Response headers - Read a queue object using CDMI . . . 162
Table 109: Response message body - Read a queue object using CDMI . . . 162
Table 110: HTTP status codes - Read a queue object using CDMI . . . 165
Table 111: Capabilities - Update a queue object using CDMI . . . 168
Table 112: Request headers - Update a queue object Using CDMI . . . 168
Table 113: Request message body - Update a queue object Using CDMI . . . 168
Table 114: Response header - Update a queue object Using CDMI . . . 170
Table 115: HTTP status codes - Update a queue object using CDMI . . . 170
Table 116: Capabilities - Delete a queue object using CDMI . . . 172
Table 117: HTTP status codes - Delete a queue object Using CDMI . . . 173
Table 118: Capabilities - Enqueue a new queue object value using CDMI . . . 174
Table 119: Request headers - Enqueue a new queue object value using CDMI . . . 174
Table 120: Request message body - Enqueue a new queue object value using CDMI . . . 175

Table 121: HTTP status codes - Enqueue a new queue object value Using CDMI . . . 177
Table 122: Capabilities - Delete a queue object value using CDMI . . . 180
Table 123: HTTP status codes - Delete a queue object value using CDMI . . . 181

Table 124: System-wide capabilities . . . 185
Table 125: Capabilities for storage system metadata . . . 189
Table 126: Capabilities for data system metadata . . . 190
Table 127: Capabilities for data objects . . . 193
Table 128: Capabilities for container objects . . . 194
Table 129: Capabilities for domain objects . . . 196
Table 130: Capabilities for queue objects . . . 198
Table 131: Capabilities - Read a capabilities object using CDMI . . . 199
Table 132: Request headers - Read a capabilities object using CDMI . . . 199
Table 133: Response headers - Read a capabilities object Using CDMI . . . 200
Table 134: Response message body - Read a capabilities object using CDMI . . . 200
Table 135: HTTP status codes - Read a capabilities object using CDMI . . . 201

Table 136: Elements of the NFS protocol export structure . . . 208
Table 137: Elements of the SMB protocol export structure . . . 210
Table 138: Elements of the iSCSI protocol export structure . . . 211
Table 139: Elements of the WebDAV protocol export structure . . . 212

Table 140: Serialization import behaviour . . . 222

Table 141: Storage system metadata . . . 224
Table 142: Data system metadata . . . 226
Table 143: Provided values of data system metadata . . . 234

Table 144: ACE types . . . 241
Table 145: Who identifiers . . . 241
Table 146: ACE flags . . . 241
Table 147: ACE masks bits . . . 243
Table 148: ACE bit mask/string . . . 249

Table 149: Query matching expressions . . . 263

Table 150: Required metadata for a notification queue . . . 269
Table 151: Notification status metadata . . . 272

Table 152: Required metadata for a query queue . . . 273
Table 153: Query status metadata . . . 274

Table 154: Access modes for DAC . . . 288
Table 155: DAC request . . . 293
Table 156: Packaged DAC request . . . 295
Table 157: DAC response . . . 296
Table 158: Packaged DAC response . . . 297

Table 159: Version-enabled data object metadata items . . . 313

Table 161: Response headers - Inspect a data object using HTTP . . . 330
Table 162: HTTP status codes - Inspect a data object using HTTP . . . 331
Table 163: Request headers - Create a container object using HTTP . . . 333
Table 164: Response Headers - Inspect a container object using HTTP . . . 334
Table 165: HTTP status codes - Inspect a container object using HTTP . . . 334
Table 167: Required metadata for a query queue . . . 338