Information technology - Dynamic adaptive streaming over HTTP (DASH) - Part 1: Media presentation description and segment formats

Contents

Page

Foreword ... vii
Introduction ... viii
1 Scope ... 1
2 Normative references ... 1
3 Terms, definitions, symbols and abbreviated terms ... 2
3.1 Terms and definitions ... 2
3.2 Symbols and abbreviated terms ... 7
3.3 Conventions ... 9
4 Overview ... 10
4.1 System description ... 10
4.2 DASH Client model ... 11
4.3 DASH data model overview ... 12
4.4 Protocols ... 15
4.5 Media stream and Representation properties ... 16
4.5.1 Switching and Random Access Support ... 16
4.5.2 Media stream access points ... 16
4.5.3 Non-overlapping Segments and Subsegments ... 17
4.5.4 Conforming Segment track ... 18
4.6 Brands ... 18
4.7 Schemes ... 19
5 Media Presentation ... 22
5.1 General ... 22
5.2 Media Presentation Description ... 22
5.2.1 General ... 22
5.2.2 Schema ... 23
5.2.3 Elements and Attributes added in revisions and amendments ... 24
5.3 Hierarchical data model ... 26
5.3.1 General ... 26
5.3.2 Period ... 33
5.3.3 Adaptation Sets ... 39
5.3.4 Media content component ... 50
5.3.5 Representation ... 51
5.3.6 Sub-Representation ... 62
5.3.7 Common attributes and elements ... 63
5.3.8 Subsets ... 70
5.3.9 Segments and Segment information ... 71
5.3.10 Label and Group Label ... 93
5.3.11 Preselection ... 95
5.3.12 Initialization Set, Group and Presentation ... 99
5.3.13 Resynchronization ... 103
5.4 Media Presentation Description updates ... 106
5.4.1 General ... 106
5.4.2 MPD Reset ... 108
5.5 MPD assembly ... 108
5.5.1 General ... 108
5.5.2 Syntax and semantics ... 108
5.5.3 Processing ... 109
5.6 Base URL Processing ... 110

5.6.1 Overview 110
5.6.2 Semantics 111
5.6.3 XML syntax 112
5.6.4 Reference resolution 112
5.6.5 Alternative base URLs 113
5.7 Program information 113
5.7.1 Overview 113
5.7.2 Semantics 113
5.7.3 XML syntax 114
5.8 Descriptors 114
5.8.1 General 114
5.8.2 Semantics of generic descriptor 115
5.8.3 XML syntax of generic descriptor 115
5.8.4 Specific descriptors 116
5.8.5 Specific scheme definitions 122
5.9 DASH metrics descriptor 133
5.9.1 Overview 133
5.9.2 Semantics 133
5.9.3 XML syntax 134
5.9.4 Metric reporting 135
5.10 Events 135
5.10.1 Overview 135
5.10.2 MPD Events 135
5.10.3 Inband Event Signalling 139
5.10.4 DASH-specific events 142
5.11 MPD Chaining 146
5.11.1 General 146
5.11.2 Regular Chaining 146
5.11.3 Fallback Chaining 147
5.12 Producer Reference Time 148
5.12.1 General 148
5.12.2 Semantics 148
5.12.3 XML Syntax 150
5.13 Leap seconds 150
5.13.1 Overview 150
5.13.2 Semantics 151
5.13.3 XML-Syntax 151
5.13.4 Leap second information updates 152
5.14 Content Popularity Rate 152
5.14.1 General 152
5.14.2 Semantics 153
5.14.3 XML syntax 154
5.15 MPD patch framework 155
5.15.1 Overview 155
5.15.2 MPD Patch Location 155
5.15.3 MPD patch document 156
5.15.4 Processing Model 158
5.15.5 Recommended Client Operation 159

6 Segment formats 159
6.1 General 159
6.2 Segment types 160
6.2.1 General 160
6.2.2 Initialization Segment 160
6.2.3 Media Segment 160

6.2.4 Index Segment 162
6.2.5 Bitstream Switching Segment 162
6.2.6 Missing Content Segment 162
6.3 Segment formats for ISO base media file format 162
6.3.1 General 162
6.3.2 Preliminaries: Refinements of generic concepts 163
6.3.2.5 Resynchronization Point 163
6.3.3 Initialization Segment format 164
6.3.4 Media Segment types 164
6.3.5 Self-Initializing Media Segment formats 166
6.4 Segment formats for MPEG-2 transport streams 166
6.4.1 General 166
6.4.2 Preliminaries: Refinements of generic concepts 167
6.4.3 Initialization Segment types and formats 168
6.4.4 Media Segment types and formats 169
6.4.5 Bitstream Switching Segment 169
6.4.6 Index Segment 170
6.4.7 Boxes used with MPEG-2 TS Index Segments 172

7 Combined semantics of MPD and Segment formats 172
7.1 Overview 172
7.2 General 173
7.2.1 Media Presentation timeline 173
7.2.2 Segment Index 174
7.2.3 Segment alignment 174
7.2.4 Subsegment alignment 174
7.3 Media Presentation based on the ISO base media file format 174
7.3.1 General 174
7.3.2 Media presentation timeline 175
7.3.3 Authoring Rules for specific MPD attributes 175
7.3.4 Sub-Representations 176
7.3.5 Segment Timeline without Segment Index 176
7.4 Media Presentation based on MPEG-2 TS 176
7.4.1 General 176
7.4.2 Media presentation timeline 177
7.4.3 Authoring rules for specific MPD attributes 177
7.4.4 Sub-Representations 178

8 Profiles 178
8.1 Definition 178
8.2 Full profile 180
8.2.1 General 180
8.2.2 Media Presentation Description constraints 180
8.2.3 Segment format constraints 180
8.3 ISO Base media file format On Demand profile 180
8.3.1 General 180
8.3.2 Media Presentation Description constraints 181
8.3.3 Segment format constraints 182
8.4 ISO Base media file format live profile 182
8.4.1 General 182
8.4.2 Media Presentation Description constraints 182
8.4.3 Segment format constraints 183
8.5 ISO Base media file format main profile 183
8.5.1 General 183
8.5.2 Media Presentation Description constraints 184

8.5.3 Segment format constraints 184
8.6 MPEG-2 TS main profile 185
8.6.1 General 185
8.6.2 Media Presentation Description constraints 185
8.6.3 Segment format constraints 185
8.6.4 Comments and recommendations 185
8.7 MPEG-2 TS simple profile 186
8.7.1 General 186
8.7.2 Media Presentation Description constraints 186
8.7.3 Segment format constraints 186
8.7.4 Recommendations 187
8.8 ISO Base media file format extended live profile 187
8.8.1 General 187
8.8.2 Media Presentation Description constraints 187
8.8.3 Segment format constraints 188
8.8.4 Inband Events 188
8.9 ISO Base media file format extended On Demand profile 188
8.9.1 General 188
8.9.2 Media Presentation Description constraints 189
8.9.3 Segment format constraints 190
8.10 ISO Base media file format common profile 190
8.10.1 General 190
8.10.2 Media Presentation Description constraints 190
8.10.3 Segment format constraints 191
8.11 ISO Base media file format broadcast TV profile 191
8.11.1 General 191
8.11.2 Media Presentation Description constraints 191
8.11.3 Segment format constraints 193
8.11.4 MPD Updates and Inband Event Streams 193
8.12 DASH profile for CMAF content 194
8.12.1 General 194
8.12.2 CMAF content model for DASH profile definition 194
8.12.3 CMAF to DASH Mapping Principles 197
8.12.4 DASH profiles for CMAF content - Common constraints 200
8.12.5 DASH CMAF Core Profile 208
8.12.6 DASH CMAF Extended Profile 208
8.12.7 Conformance Checking Considerations 208
Annex A (informative) Example DASH Client behaviour 210
Annex B (normative) MPD schema 234
Annex C (normative) MIME type registration for MPD and other resources 235
Annex D (normative) DASH Metrics 242
Annex E (normative) Byte range requests with regular HTTP GET methods 251
Annex F (informative) Guidelines for extending DASH with other delivery formats 254
Annex G (informative) MPD Examples and MPD Usage 256
Annex H (normative) Spatial Relationship Description 284
Annex I (normative) Flexible Insertion of URL Parameters 293
Annex J (informative) Open GOP resolution change 307
Annex K (normative) DASH Service Description 308
Bibliography 319