

ISO/IEC 15444-9:2023-05 (E)

Information technology - JPEG 2000 image coding system - Part 9: Interactivity tools, APIs and protocols

Contents		Page
1	Scope	1
2	Normative references.....	1
3	Definitions	2
3.1	JPEG 2000 definitions.....	2
3.2	HTTP definitions.....	2
3.3	JPIP definitions	2
3.4	Symbols.....	4
4	Abbreviations	6
5	Conventions.....	6
5.1	ABNF rules	6
5.2	File format ABNF rules.....	7
5.3	Key to graphical descriptions of boxes (informative)	7
6	General description.....	8
6.1	JPIP protocol.....	8
6.2	Purpose.....	9
7	Conformance	10
Annex A	– The JPP-stream and JPT-stream media types.....	11
A.1	Introduction	11
A.2	Message header structure	12
A.3	Data-bins	14
A.4	Conventions for parsing and delivery of JPP-streams and JPT-streams	22
A.5	Conventions for JPP-stream or JPT-stream interoperability (informative).....	22
Annex B	– Sessions, channels, cache model and model-sets	23
B.1	Requests within a session vs. stateless requests	23
B.2	Channels and sessions	23
B.3	Cache model management	24
B.4	Interrogation and manipulation of model-sets.....	24
Annex C	– Client request.....	25
C.1	Request syntax	25
C.2	Target identification fields	26
C.3	Fields for working with sessions and channels	28
C.4	View-window request fields.....	29
C.5	Metadata request fields.....	42
C.6	Data limiting request fields	48
C.7	Server control request fields.....	48
C.8	Cache management request fields	52
C.9	Upload request parameters	57
C.10	Client capability and preference request fields.....	57
Annex D	– Server response signalling.....	65
D.1	Reply syntax.....	65
D.2	JPIP response headers	67
D.3	Response data.....	72

Annex E – Uploading images to the server	73
E.1 Introduction	73
E.2 Upload request	73
E.3 Server response	73
E.4 Merging data on the server	74
Annex F – Using JPIP over HTTP	76
F.1 Introduction	76
F.2 Requests	76
F.3 Session establishment	77
F.4 Responses	77
F.5 Additional HTTP features	78
F.6 HTTP and length request field (informative)	79
Annex G – Using JPIP with HTTP requests and TCP returns	80
G.1 Introduction	80
G.2 Client requests	80
G.3 Session establishment	80
G.4 Server responses	81
G.5 TCP and length request field (informative)	81
Annex H – Using JPIP with alternate transports	82
H.1 Introduction	82
H.2 Reliable requests with unreliable data	82
H.3 Unreliable requests with unreliable data	83
H.4 Request and response syntax	83
H.5 Session establishment	84
Annex I – Indexing JPEG 2000 files for JPIP	85
I.1 Introduction (informative)	85
I.2 Identifying the use of JPIP index boxes in the JPEG 2000 file format compatibility list	86
I.3 Defined boxes	86
I.4 Association of codestream indexes with codestreams	94
I.5 Placement restrictions (informative)	94
Annex J – Profiles and variants for interoperability and testing	95
J.1 Introduction	95
J.2 Definition of variants	95
J.3 Definition of profiles	96
J.4 Testing methodology	98
Annex K – Using JPIP with HTTP requests and UDP returns	103
K.1 Introduction	103
K.2 Client requests	103
K.3 Response data delivery and channel establishment	103
K.4 Server responses	104
K.5 Framing of response data into chunks	104
K.6 Client acknowledgement of server responses	105
K.7 UDP and Maximum Response Length Field (informative)	106
K.8 Implementation strategies for acknowledged communication (informative)	106
K.9 Implementation strategies for unacknowledged communication (informative)	106
Annex L – Registration of extensions	108
Annex M – Application examples	109
M.1 Introduction	109
M.2 Use of JPIP with codestreams in other file formats	109
M.3 Tile-part implementation techniques	109
M.4 Precinct-based implementation techniques	110
M.5 JPIP protocol transcripts	111
M.6 Using JPIP with HTML	114

Annex N – JPIP ABNF collection	115
N.1 JPIP Request ABNF	115
N.2 JPIP Response BNF	122
Annex O – Media type specifications and registrations.....	126
O.1 General	126
O.2 JPP-stream.....	126
O.3 JPT-stream	127
Bibliography	128

Figures

	<i>Page</i>
Figure 1 – Example of the box description figures	8
Figure 2 – Example of the superbox description figures	8
Figure 3 – JPIP protocol overview	8
Figure 4 – JPIP protocol stack	9
Figure A.1 – Examples of a JPEG 2000 file, JPIP data-bins and JPIP-stream relationships (after G.J. Colyer and R.A. Clark, IEEE Trans. Consumer Electronics, 49 (2003), pp. 850–854).....	11
Figure A.2 – VBAS structure	12
Figure A.3 – Bin-ID VBAS structure	12
Figure A.4 – Example precinct data-bin	15
Figure A.5 – Metadata-bin example colour scheme	16
Figure A.6 – A sample JP2 file.....	17
Figure A.7 – A sample JP2 file divided into three metadata-bins.....	17
Figure A.8 – A superbox with a referenced metadata-bin	18
Figure A.9 – An invalid division of the file into metadata-bins	18
Figure A.10 – Example of the use of stream equivalents	19
Figure A.11 – Placeholder box structure	20
Figure C.1 –Desired region within an image	30
Figure C.2 – Desired region with respect to the subsampled reference grid.....	30
Figure C.3 – Colourspace specification box selection procedure	61
Figure G.1 – Response data structure on http-tcp connection	81
Figure I.1 – Part of an example JPEG 2000 file containing JPIP index boxes	86
Figure I.2 – Organization of the contents of a Codestream Index box	87
Figure I.3 – Organization of the contents of a Codestream Finder box	88
Figure I.4 – Organization of the contents of a Manifest box	88
Figure I.5 – Organization of the contents of a Fragment Array Index box	89
Figure I.6 – Organization of the contents of a Header Index Table box.....	90
Figure I.7 – Organization of the contents of a Tile-part Index Table box	91
Figure I.8 – Organization of the contents of a Tile Header Index Table box	91
Figure I.9 – Organization of the contents of a Precinct Packet Index Table box.....	91
Figure I.10 – Organization of the contents of a Packet Header Index Table box	92
Figure I.11 – Organization of the contents of a File Index box	92

Figure I.12 – Organization of the contents of a File Finder box	93
Figure I.13 – Organization of the contents of a Proxy box	93
Figure I.14 – Organization of the contents of an Index Finder box	94
Figure K.1 – Response data structure on http-udp connection	104

Tables

	<i>Page</i>
Table A.1 – Bin-ID additional VBAS indication.....	13
Table A.2 – Class identifiers for different data-bin message classes.....	13
Table A.3 – Valid values for the Flags field of a Placeholder box	21
Table C.1 – Round direction options	33
Table C.2 – Metadata request qualifier flags	47
Table C.3 – Alignment boundaries based on bin type	49
Table C.4 – Valid image return types	49
Table C.5 – Cache descriptor option summary.....	55
Table C.6 – Valid capabilities of the <code>processing-capabilities</code> element.....	58
Table C.7 – Valid values of the <code>config-capability</code> parameter.....	58
Table C.8 – View-window handling preferences.....	60
Table C.9 – Colourspace method client preferences.....	60
Table C.10 – Placeholder preferences	62
Table C.11 – Codestream sequencing preferences	63
Table C.12 – Conciseness preferences.....	63
Table D.1 – Valid values of <code>transport-param</code>	67
Table D.2 – Defined reason codes	72
Table D.3 – Additional <code>handled-req-option</code> values for particular request fields	72
Table I.1 – Defined boxes (Informative)	87
Table I.2 – Container type values	88
Table I.3 – Version values	90
Table J.1 – Defining requirements of variants.....	96
Table J.2 – Set of fields included in each profile.....	97
Table K.1 – Interpretation of the "control" field in each data chunk header.....	105
Table M.1 – Example of the use of auxiliary fields in a simple case.....	110
Table M.2 – Example of the use of auxiliary fields in a more complicated case.....	110