

ISO/IEC 15944-10:2023-06 (E)

Information technology - Business operational view - Part 10: IT-enabled coded domains as semantic components in business transactions

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Abbreviated terms	27
5	Fundamental principles governing coded domains	28
5.1	General	28
5.2	Need to be able to use coded domains in support of commitment exchange	30
5.3	Coded domains based on clear, predefined rules, i.e. "rule-based"	31
5.3.1	Requirements of rule-based coded domains as a whole	31
5.3.2	Rule-base for IT enablement of a coded domain	33
5.3.3	Rule-base for structuring a coded domain	33
5.4	Separation of the IT interface from human interface requirements	34
5.5	Specification and representation of coded domains in an IT-platform neutral manner	35
6	Business operational view identification and description of coded domains	36
6.1	Construct of coded domain	36
6.1.1	Identification of coded domains	36
6.1.2	Levels of semantic unambiguity	38
6.1.3	Rule-base of a coded domain	38
6.1.4	Table of ID codes and HIEs	39
6.2	Characteristics of coded domains	39
6.2.1	"for free" or "for a fee" coded domains	39
6.2.2	Exhaustiveness of coded domains	39
6.2.3	Semantic granularity	40
6.2.4	Openness of coded domains	41
7	Rules governing rule-base of coded domains	41
7.1	General	41
7.2	Specification of a boundary of a coded domain and inclusion of its members	43
7.3	Specification of exclusionary rules for a coded domain	44
7.4	Source(s) of rule-base governing a coded domain	44
8	Rules for management of ID codes in coded domains	44
8.1	Overview	44
8.2	Generic rules for the management of a coded domain	45
8.3	Rules governing assignment of ID codes	45
8.4	Rules governing the change management of entries in the coded domain	46
8.4.1	Change management of ID codes	46
8.4.2	Change management of HIEs	47
8.5	Registration of user extensions	47
9	Rules for specifying Human Interface Equivalent (HIE) to an ID Code in a coded domain	47

9.1	Multiple Human Interface Equivalents (HIEs) for an ID code in a coded domain	47
9.2	Standard structure for semantics of a Human Interface Equivalent (HIE)	48
9.3	Rules governing linguistic (written) representations as Human Interface Equivalents (HIEs) of ID codes as required values in coded domains	49
9.4	Individual accessibility of HIEs of coded domains	49
9.5	Rules governing composite semantics	50
10	Coded domains and controlled vocabularies	50
10.1	Purpose	50
10.2	Rules common to controlled vocabularies and coded domains	51
10.3	Rules governing a controlled vocabulary	51
10.4	Rules governing a coded domain	52
11	Rules governing the registration of coded domains as re-usable business objects	53
11.1	Principles of registration	53
11.2	Process of registration	54
11.3	Coded Domain Registration schema	54
12	IT-enablement of coded domains	55
12.1	Purpose	55
12.2	Templates for IT-enabled coded domains -- Attributes for Scoping an Open-edi scenario (OeS)	55
12.2.1	Purpose	55
12.2.2	Template structure and content	55
12.3	Template for Scoping Open-edi scenarios	56
12.4	Specification and consolidated template of attributes of Open-edi scenarios, roles, information bundles (IBs) and semantic components (SCs)	59
Annex A	(normative) Coded domain registration administration attributes	64
Annex B	(normative) Use of IT-enabled coded domains to ensure semantic interoperability in support of the "UN Convention on the Rights of Persons with Disabilities"	68
Annex C	(informative) Concept and definition of "coded domain"	70
Annex D	(informative) Case Study: Example of "e-potato"	75
Annex E	(informative) Case study: Example of a coded domain with two writing systems for Human Interface Equivalents (HIEs) of a set of ID codes - in Russian use of the Cyrillic alphabet and the romanized form	77
Annex F	(informative) Case study: Example of coded domain in Matrix form and XML format as found in Table 2 in ISO/IEC 5218 "Codes representing the human sexes"	78
Annex G	(informative) Determining whether the membership in a coded domain is exhaustive or non-exhaustive	90
Annex H	(informative) Examples of identification of different object classes within a coded domain through the use of semantic qualifiers	95
Annex I	(informative) Exclusions and aspects not currently addressed to the scope	102
Bibliography	104