

# ISO/IEC 23090-2:2023-06 (E)

## Information technology - Coded representation of immersive media - Part 2: Omnidirectional media format

---

Contents	Page
Foreword.....	vii
Introduction.....	viii
<b>1 Scope.....</b>	<b>1</b>
<b>2 Normative references.....</b>	<b>1</b>
<b>3 Terms, definitions, abbreviated terms and symbols.....</b>	<b>3</b>
3.1 Terms and definitions.....	3
3.2 Abbreviated terms.....	11
3.3 Symbols.....	12
3.3.1 Arithmetic operators and mathematical functions.....	12
3.3.2 Order of operation precedence.....	13
3.3.3 Range notation.....	14
3.3.4 Variables.....	14
3.3.5 Processes.....	14
3.3.6 Syntax structures.....	15
3.3.7 Conventions for indicating the number of boxes in tables.....	15
<b>4 Overview.....</b>	<b>15</b>
4.1 Overall architecture.....	15
4.2 Projected omnidirectional video/images.....	18
4.2.1 General.....	18
4.2.2 Stitching, rotation, projection, and region-wise packing.....	18
4.3 Fisheye omnidirectional video/images.....	19
4.4 Mesh omnidirectional video.....	20
4.5 Streaming methods for omnidirectional video.....	20
4.5.1 Overview.....	20
4.5.2 Tile-based streaming with viewport-specific author-driven binding.....	22
4.5.3 Tile-based streaming with free-viewport author-driven binding.....	22
4.5.4 Tile-based streaming with late binding.....	23
4.6 Additional functionalities.....	25
4.7 Conformance and interoperability.....	25
4.7.1 General.....	25
4.7.2 Media profiles.....	26
4.7.3 Presentation profiles.....	28
4.7.4 Toolset brands.....	28
4.7.5 Summary of referenceable code points.....	28
<b>5 Omnidirectional video projection and region-wise packing.....</b>	<b>35</b>
5.1 Coordinate system.....	35
5.2 Omnidirectional projection formats.....	36
5.2.1 General.....	36
5.2.2 Equirectangular projection for one sample location.....	36
5.2.3 Cubemap projection for one sample location.....	37
5.3 Conversion from the local coordinate axes to the global coordinate axes.....	39
5.4 Region-wise packing formats.....	40
5.4.1 General.....	40
5.4.2 Conversion of one sample location for rectangular region-wise packing.....	41
<b>6 Fisheye omnidirectional video.....</b>	<b>42</b>
6.1 General.....	42
6.2 The <code>FisheyeVideoEssentialInfoStruct()</code> syntax structure.....	42
6.2.1 Syntax.....	42

6.2.2	Semantics.....	43
6.3	The <code>FisheyeVideoSupplementalInfoStruct()</code> syntax structure.....	46
6.3.1	Syntax.....	46
6.3.2	Semantics.....	47
<b>7</b>	<b>Omnidirectional media storage and metadata signalling in the ISOBMFF .....</b>	<b>52</b>
7.1	Generic extensions to the ISOBMFF.....	52
7.1.1	Indication of a track not intended to be presented alone.....	52
7.1.2	Clarifications on the stereo video box.....	52
7.1.3	Generic sub-picture track grouping extensions.....	53
7.1.4	Media offset box.....	57
7.2	Generic extensions to ISO/IEC 14496-15.....	58
7.2.1	Containing of <code>SpatialRelationship2DDescriptionBox</code> for HEVC tile base track and HEVC tile tracks.....	58
7.3	OMAF-specific extensions to the ISOBMFF .....	58
7.3.1	Sync samples in timed metadata tracks .....	58
7.4	OMAF-specific extensions to ISO/IEC 14496-15.....	59
7.4.1	Coverage information box in an HEVC tile base track.....	59
7.5	Structures and semantics that are common for video tracks and image items .....	59
7.5.1	Semantics of sample locations within a decoded picture.....	59
7.5.2	Projection format structure.....	62
7.5.3	Region-wise packing structure.....	63
7.5.4	Rotation structure.....	70
7.5.5	Content coverage structure.....	71
7.5.6	Sphere region structure.....	72
7.6	Restricted video schemes for omnidirectional video .....	76
7.6.1	Scheme types.....	76
7.6.2	Projected omnidirectional video box.....	81
7.6.3	Fisheye omnidirectional video box.....	82
7.6.4	Region-wise packing box.....	83
7.6.5	Rotation box.....	83
7.6.6	Coverage information box .....	84
7.6.7	Mesh omnidirectional video box .....	84
7.6.8	Mesh box.....	85
7.7	Timed metadata for sphere regions .....	87
7.7.1	General .....	87
7.7.2	Sample entry.....	88
7.7.3	Sample format.....	89
7.7.4	Initial viewing orientation.....	89
7.7.5	Recommended viewport.....	91
7.7.6	Timed text sphere location metadata.....	94
7.8	Signalling of region-wise quality ranking.....	95
7.8.1	General .....	95
7.8.2	Spherical region-wise quality ranking.....	95
7.8.3	2D region-wise quality ranking.....	97
7.9	Storage of omnidirectional images .....	99
7.9.1	General .....	99
7.9.2	Frame packing item property .....	99
7.9.3	Projection format item property .....	100
7.9.4	Essential fisheye image item property.....	101
7.9.5	Supplemental fisheye image item property.....	102
7.9.6	Region-wise packing item property.....	102
7.9.7	Rotation item property .....	103
7.9.8	Coverage information item property.....	103
7.9.9	Initial viewing orientation item property.....	104
7.10	Storage of timed text for omnidirectional video .....	105
7.10.1	General .....	105
7.10.2	OMAF timed text configuration box .....	105
7.10.3	IMSC1 tracks .....	108
7.10.4	WebVTT tracks .....	108
7.11	ERP region timed metadata.....	109
7.11.1	General .....	109
7.11.2	Sample entry format.....	109
7.11.3	Semantics .....	109
7.11.4	Sample format.....	110

7.11.5	Generating ERP region metadata.....	111
7.12	Storage and signalling of viewpoints for omnidirectional video and images .....	111
7.12.1	Viewpoint information structures.....	111
7.12.2	Viewpoint entity grouping.....	120
7.12.3	Timed metadata for viewpoints .....	122
7.13	Storage of omnidirectional video in sub-picture tracks.....	127
7.13.1	General.....	127
7.13.2	Projected omnidirectional video.....	127
7.13.3	Indication of composition pictures being packed pictures or projected pictures .....	128
7.13.4	Fisheye omnidirectional video.....	128
7.14	Storage and signalling of overlays for omnidirectional video and images.....	129
7.14.1	General.....	129
7.14.2	Overlay structure .....	131
7.14.3	Overlay control structures.....	132
7.14.4	Overlay configuration box.....	143
7.14.5	Overlay item property .....	143
7.14.6	Overlay timed metadata track.....	144
7.14.7	Entity groups.....	145
7.14.8	Overlay alpha auxiliary image.....	148
7.15	Signalling of viewing space information .....	149
7.15.1	General.....	149
7.15.2	Viewing space structure.....	149
7.15.3	Viewing space box .....	152
7.15.4	Viewing space item property .....	152
7.15.5	Time varying immersive viewing space signalling .....	152
7.16	Mapping of rectangular regions to the 3D mesh .....	153
7.16.1	General.....	153
7.16.2	Tile mesh sample grouping .....	153
7.16.3	Rectangular region structure.....	155
7.16.4	Projection of a sample location onto the 3D mesh.....	156
<b>8</b>	<b>Omnidirectional media encapsulation and signalling in DASH .....</b>	<b>157</b>
8.1	Architecture of DASH delivery in OMAF .....	157
8.2	Usage of DASH in OMAF .....	159
8.2.1	General.....	159
8.2.2	Signalling of stereoscopic frame packing.....	159
8.2.3	Carriage of timed metadata.....	159
8.2.4	Associating Adaptation Sets or Representations with each other .....	160
8.3	DASH MPD descriptors for omnidirectional media in the namespace	
	"urn:mpeg:mpegI:omaf:2017" .....	161
8.3.1	XML namespace and schema .....	161
8.3.2	Signalling of projection type information .....	161
8.3.3	Signalling of region-wise packing type.....	162
8.3.4	Signalling of content coverage .....	163
8.3.5	Signalling of spherical region-wise quality ranking .....	166
8.3.6	Signalling of 2D region-wise quality ranking .....	172
8.3.7	Signalling of fisheye omnidirectional video .....	177
8.4	Carriage of images .....	177
8.4.1	General.....	177
8.4.2	Format and constraints for Segments.....	178
8.5	DASH MPD descriptors for omnidirectional media in the namespace	
	"urn:mpeg:mpegI:omaf:2020" .....	178
8.5.1	XML namespace and schema .....	178
8.5.2	Signalling of association.....	178
8.5.3	Signalling of viewpoints.....	180
8.5.4	Signalling of sub-picture composition identifier and its attributes .....	187
8.5.5	Signalling of overlays .....	188
8.5.6	Entity to group descriptor .....	190
8.5.7	Content component attribute for Representation.....	192
8.6	Segment formats.....	192

8.6.1	Initialization Segment for OMAF base track.....	192
8.6.2	Tile Index Segment.....	196
8.6.3	Tile Data Segment.....	197
<b>9</b>	<b>Omnidirectional media encapsulation and signalling in MMT .....</b>	<b>198</b>
9.1	Architecture of MMT delivery in OMAF .....	198
9.2	OMAF signalling in MPEG composition information.....	199
9.3	VR application-specific MMT signalling.....	199
9.3.1	General .....	199
9.3.2	MMT signalling .....	200
<b>10</b>	<b>Media profiles .....</b>	<b>216</b>
10.1	Video profiles.....	216
10.2	Audio profiles .....	250
10.3	Image profiles.....	259
10.4	Timed text profiles .....	266
<b>11</b>	<b>Presentation profiles.....</b>	<b>267</b>
11.1	OMAF viewport-independent baseline presentation profile .....	267
11.1.1	General .....	267
11.1.2	ISO Base Media File Format constraints.....	267
11.2	OMAF viewport-dependent baseline presentation profile .....	268
11.2.1	General .....	268
11.2.2	ISO Base Media File Format constraints.....	268
<b>12</b>	<b>OMAF toolset brands.....</b>	<b>268</b>
12.1	Overlay toolset brand.....	268
12.1.1	Overview.....	268
12.1.2	ISO Base Media File Format constraints.....	268
12.1.3	OMAF player operation.....	269
12.2	Viewpoint toolset brand .....	269
12.2.1	Overview.....	269
12.2.2	ISO Base Media File Format constraints.....	269
12.2.3	OMAF player operation.....	269
12.3	Non-linear storyline toolset brand.....	269
12.3.1	Overview.....	269
12.3.2	ISO Base Media File Format constraints.....	269
12.3.3	OMAF player operation.....	270
	<b>Annex A (normative) OMAF DASH schema .....</b>	<b>271</b>
	<b>Annex B (normative) DASH integration of media profiles .....</b>	<b>275</b>
	<b>Annex C (normative) CMAF integration of media profiles.....</b>	<b>288</b>
	<b>Annex D (informative) Viewport-dependent omnidirectional video processing.....</b>	<b>292</b>
	<b>Annex E (informative) DASH MPD examples .....</b>	<b>335</b>
	<b>Annex F (informative) MMT signalling examples.....</b>	<b>340</b>
	<b>Annex G (normative) Expected behaviour of OMAF player.....</b>	<b>342</b>
	<b>Bibliography .....</b>	<b>352</b>