

# ISO/IEC 15444-2:2023-11 (E)

## Information technology - JPEG 2000 image coding system - Part 2: Extensions

---

| <b>Contents</b> |  | <b>Page</b> |
|-----------------|--|-------------|
| 1               | Scope .....  | 1           |
| 2               | Normative references .....   | 1           |
| 3               | Definitions .....  | 2           |
| 4               | Abbreviations .....  | 4           |
| 5               | Conventions .....  | 4           |
| 6               | General description .....  | 4           |
| 6.1             | Extensions specified by this Recommendation   International Standard .....             | 5           |
| 6.2             | Relation between extensions .....  | 6           |
| Annex A         | Compressed data syntax, extension .....  | 8           |
| A.1             | Extended capabilities .....  | 8           |
| A.2             | Extensions to Rec. ITU-T T.800   ISO/IEC 15444-1 marker segment parameters .....       | 8           |
| A.3             | Extended marker segments .....   | 16          |
| Annex B         | Variable DC offset, extension .....  | 35          |
| B.1             | Variable DC offset flow .....  | 35          |
| B.2             | Inverse DC offset .....  | 35          |
| B.3             | Forward DC offset (informative) .....  | 35          |
| Annex C         | Variable scalar quantization, extension .....  | 37          |
| C.1             | Variable scalar quantization .....   | 37          |
| C.2             | Variable scalar dequantization for irreversible filters .....                          | 37          |
| C.3             | Variable scalar quantization for irreversible filters (informative) .....              | 37          |
| Annex D         | Trellis coded quantization extensions .....  | 39          |
| D.1             | Introduction to TCQ .....  | 39          |
| D.2             | Sequence definition .....  | 40          |
| D.3             | Forward TCQ quantization (informative) .....   | 41          |
| D.4             | Inverse quantization (normative) .....   | 42          |
| D.5             | Lagrangian rate allocation (informative) .....   | 45          |
| Annex E         | Visual masking, extensions .....   | 50          |
| E.1             | Introduction to visual masking (informative) .....                                     | 50          |
| E.2             | Point-wise extended non-linearity (informative) .....                                  | 50          |
| E.3             | Decoding with visual masking .....   | 52          |
| E.4             | Encoding with visual masking (informative) .....                                       | 53          |
| E.5             | Setting parameters (informative) .....   | 53          |
| E.6             | Compatibility with other technologies (informative) .....                              | 53          |
| Annex F         | Arbitrary decomposition of tile-components, extensions .....                           | 54          |
| F.1             | Wavelet sub-bands .....  | 54          |
| F.2             | Equation, text and decomposition updates .....   | 55          |
| F.3             | Inverse discrete wavelet transformation for general decompositions .....               | 64          |
| F.4             | Forward discrete wavelet transformation for general decompositions (informative) ..... | 71          |
| Annex G         | Whole-sample symmetric transformation of images, extensions .....                      | 78          |
| G.1             | Wavelet transformation parameters, definitions and normalizations .....                | 78          |
| G.2             | Whole-sample symmetric (WS) wavelet transformations reconstruction .....               | 78          |
| G.3             | Whole-sample symmetric (WS) wavelet transformation decomposition (informative) .....   | 81          |
| G.4             | Examples of WS wavelet transformations (informative) .....                             | 82          |
| Annex H         | Transformation of images using arbitrary wavelet transformations .....                 | 85          |
| H.1             | Wavelet transformation parameters and normalizations .....                             | 85          |
| H.2             | Arbitrary (ARB) wavelet transformation reconstruction procedures .....                 | 85          |
| H.3             | Arbitrary (ARB) wavelet transformation decomposition procedures (informative) .....    | 91          |
| H.4             | Examples of ARB wavelet transformations (informative) .....                            | 94          |

|  |     |
|--|-----|
| Annex I – Single sample overlap discrete wavelet transform, code-block anchor point and progression order extensions ..... | 98  |
| I.1 Introduction to single sample overlapping .....  | 98  |
| I.2 The code-block anchor points (CBAP) extension .....  | 98  |
| I.3 The SSO extension .....  | 102 |
| I.4 The TSSO extension .....   | 110 |
| I.5 Combining the SSO and TSSO extensions (informative) .....  | 111 |
| Annex J – Multiple component transformations, extension.....   | 112 |
| J.1 Introduction to multiple component transformation concepts.....  | 112 |
| J.2 Overview of inverse processing .....   | 112 |
| J.3 Transformations .....  | 118 |
| Annex K – Non-linear transformation .....  | 128 |
| K.1 Signalling the use of the non-linear transformations.....  | 128 |
| K.2 Non-linear transformation specifications .....   | 129 |
| Annex L – Region of interest coding and extraction, extensions.....  | 133 |
| L.1 Decoding of ROI.....   | 133 |
| L.2 Description of the Scaling based method .....  | 133 |
| L.3 Region of interest mask generation .....   | 134 |
| L.4 Remarks on region of interest coding.....  | 138 |
| Annex M – JPX extended file format syntax.....   | 139 |
| M.1 File format scope.....   | 139 |
| M.2 Introduction to JPX .....  | 139 |
| M.3 Greyscale/Colour/Palette/multi-component specification architecture .....  | 142 |
| M.4 Fragmenting the codestream between one or more files .....   | 143 |
| M.5 Combining multiple codestreams .....   | 145 |
| M.6 Using reader requirements masks to determine how a file can be used .....  | 149 |
| M.7 Extensions to the JPX file format.....   | 156 |
| M.8 Differences from the JP2 binary definition .....   | 157 |
| M.9 Conformance .....  | 157 |
| M.10 Key to graphical descriptions (informative).....  | 161 |
| M.11 Defined boxes .....   | 161 |
| M.12 Dealing with unknown boxes.....   | 210 |
| M.13 Using the JPX file format in conjunction with other multi-media standards (informative) .....                         | 210 |
| M.14 Decomposing an XML document into multiple boxes.....  | 211 |
| Annex N – JPX file format extended metadata definition and syntax .....  | 213 |
| N.1 Introduction to extended metadata .....  | 213 |
| N.2 Additional references for extended metadata .....  | 213 |
| N.3 Scope of metadata definitions .....  | 213 |
| N.4 Metadata syntax .....  | 214 |
| N.5 Defined boxes .....  | 215 |
| N.6 Metadata definitions.....  | 217 |
| N.7 Fundamental type and element definitions.....  | 258 |
| N.8 JPX extended metadata document type definition .....   | 284 |
| N.9 JPX extended metadata XML Schema.....  | 304 |
| Annex O – Examples and guidelines, extensions .....  | 347 |
| O.1 Arbitrary decomposition examples .....   | 347 |
| O.2 Odd Tile Low Pass First (OTLPPF) convention .....  | 368 |
| O.3 Multiple component collection example .....  | 369 |
| O.4 Background to enhancement of quantization .....  | 379 |
| O.5 Wrapping JPEG XR (Rec. ITU-T T.832   ISO/IEC 29199-2) Codestreams by the JPX file format ...                           | 379 |
| O.6 Representing floating point numbers within JPEG 2000 .....   | 382 |
| O.7 Working with ROI Description boxes.....  | 383 |

|  |     |
|--|-----|
| Annex P – Block coder extensions .....                                 | 384 |
| P.1 Selective arithmetic coding bypass (lazy mode) .....               | 384 |
| P.2 Enhancement of selective arithmetic coding bypass (fast mode)..... | 384 |
| Bibliography .....   | 386 |

### List of Tables

|   |    |
|---|----|
| Table A.1 – Syntax support for extensions .....   | 8  |
| Table A.2 – Capability Rsiz parameter, extended .....   | 9  |
| Table A.3 – Start of tile-part parameter values, extended.....  | 9  |
| Table A.4 – Number of tile-parts, TNsot, parameter value, extended .....                                  | 9  |
| Table A.5 – Coding style parameter values for the Scod parameter.....                                     | 10 |
| Table A.6 – Coding style parameter values of the SGcod parameter .....                                    | 11 |
| Table A.7 – Coding style parameter values of the SPcod and SPcoc parameters, extended .....               | 11 |
| Table A.7bis – Progression order for the SGcod and Ppoc parameters .....                                  | 11 |
| Table A.8 – Multiple component transformation for the SGcod parameters .....                              | 11 |
| Table A.9 – Decomposition for the SPcod and SPcoc parameters, extended .....                              | 12 |
| Table A.10 – Transformation for the SPcod and SPcoc parameters, extended.....                             | 12 |
| Table A.11 – SSO parameters, extended .....   | 12 |
| Table A.11bis – SXcod parameter.....  | 12 |
| Table A.11ter – Progression order change, tile parameter values.....                                      | 13 |
| Table A.12 – Quantization default values for the Sqcd, Sqcc, Sqpd, and Sqpc parameters, extended .....    | 14 |
| Table A.13 – Quantization values (irreversible transformation only), extended .....                       | 14 |
| Table A.14 – SPqcd, SPqcc, SPqpd, and SPqpc parameters (irreversible transformation only), extended ..... | 14 |
| Table A.15 – SPqcd, SPqcc, SPqpd, and SPqpc parameters (irreversible transformation only), extended ..... | 15 |
| Table A.16 – Region-of-interest parameter values for the Srgn parameter .....                             | 15 |
| Table A.17 – Component index parameter value for the Crgn parameter .....                                 | 15 |
| Table A.18 – Region-of-interest values from SPRgn parameter (Srgn = 1 or Srgn = 2) .....                  | 15 |
| Table A.19 – List of markers and marker segments .....  | 16 |
| Table A.20 – Variable DC offset parameter values .....  | 17 |
| Table A.21 – Variable DC offset parameter values for the Sdco parameter.....                              | 17 |
| Table A.22 – Visual masking parameter values .....  | 18 |
| Table A.23 – Component parameter value for the Cvms parameter.....  | 18 |
| Table A.24 – Visual masking for the Svms parameters.....  | 18 |
| Table A.25 – Downsampling factor styles parameter values.....   | 19 |
| Table A.26 – Arbitrary decomposition styles parameter values .....  | 20 |
| Table A.27 – Arbitrary transformation parameter values .....  | 21 |
| Table A.28 – Arbitrary transformation values for the Satk parameter.....                                  | 22 |
| Table A.29 –Component bit depth definition parameter values .....   | 23 |
| Table A.30 – Component bit depth definition values for the Ncbd parameter .....                           | 23 |
| Table A.31 – Component bit depth definition values for the BDcbdi parameter.....                          | 23 |
| Table A.32 – Multiple component transformation definition parameter values .....                          | 24 |
| Table A.33 – Multiple component transformation definition values for the Imct parameter .....             | 24 |
| Table A.34 – Multiple component collection parameter values .....   | 26 |
| Table A.35 – Multiple component collection values for the Xmcci parameter .....                           | 26 |

|  |    |
|--|----|
| Table A.36 – Multiple component collection values for the Nmcci parameter .....                    | 26 |
| Table A.37 – Multiple component collection values for the Mmcci parameter.....                     | 27 |
| Table A.38 – Multiple component collection values for the Tmcci parameter (array-based).....       | 27 |
| Table A.39 – Multiple component collection values for the Tmcci parameter (wavelet-based) .....    | 27 |
| Table A.40 – Multiple component intermediate collection parameter values .....                     | 28 |
| Table A.41 – Non-linearity transformation parameter values .....                                   | 29 |
| Table A.42 – Non-linearity transformation parameter values for the Cnlt parameter .....            | 29 |
| Table A.43 – Decoded image component bit depth parameter values for the BDnlt parameter.....       | 29 |
| Table A.44 – Non-linearity transformation parameter values of the Tnlt parameter.....              | 30 |
| Table A.45 – Non-linearity transformation parameter values of the STnlt parameter (Tnlt = 1) ..... | 30 |
| Table A.46 – Non-linearity transformation parameter values of the STnlt parameter (Tnlt = 2) ..... | 30 |
| Table A.47 – Quantization default, precinct parameter values .....                                 | 32 |
| Table A.48 – Quantization precinct component parameter values .....                                | 33 |
| Table A.49 – Ccap2 syntax and semantics .....  | 33 |
| Table A.50 – Precinct length, tile-part header parameter values .....                              | 34 |
| Table A.51 – Srlt values and semantics .....   | 34 |
| Table A.52 – Semantics of JrItI values when Srlt is in the range [0, 231 – 1] .....                | 34 |
| Table D.1 – Parent LUTs for $k > 0$ in the trellis of Figure D.3.....                              | 42 |
| Table D.2 – Description of functional blocks in Figure D.4.....                                    | 42 |
| Table D.3 – Description of functional blocks in Figure D.5.....                                    | 43 |
| Table D.4 – Look-up table for A(s) .....   | 44 |
| Table D.5 – Look-up table for S(s,qk).....   | 44 |
| Table D.6 – Description of functional blocks for Figure D.6.....                                   | 45 |
| Table D.7 – Sub-band statistics required for LRA.....  | 46 |
| Table D.8 – $\rho_b$ parameters for TCQ .....  | 46 |
| Table D.9 – $\Delta_b$ parameters for TCQ .....  | 46 |
| Table D.10 – $\rho_b$ parameters for SQ .....  | 47 |
| Table D.11 – $\Delta_b$ parameters for SQ .....  | 47 |
| Table D.12 – Description of functional blocks in Figure D.7.....                                   | 49 |
| Table F.1 – Updates to contexts for significance propagation and cleanup coding passes.....        | 56 |
| Table F.2 – Quantities for sub-band info calculation.....  | 60 |
| Table F.3 – S(ab) and J(ab) as a function of dS(i) .....   | 64 |
| Table F.4 – S(ab) and J(ab) as a function of dR(i).....  | 64 |
| Table F.5 – Characteristics for sample wavelet decomposition in Figure F.14 .....                  | 65 |
| Table G.1 – Parameters for wavelet transformations.....  | 78 |
| Table G.2 – Parameters of the 5-3 reversible wavelet transformation.....                           | 83 |
| Table G.3 – Parameters of the 13-7 reversible wavelet transformation .....                         | 83 |
| Table G.4 – Parameters of the 5-3 irreversible wavelet transformation .....                        | 84 |
| Table G.5 – Parameters of the irreversible 7-5 wavelet transformation .....                        | 84 |
| Table G.6 – Parameters of the irreversible 9-7 wavelet transformation .....                        | 84 |
| Table H.1 – Additional parameters for arbitrary wavelet transformations .....                      | 85 |
| Table H.2 – Minimum left extension length.....   | 89 |
| Table H.3 – Minimum right extension length.....  | 89 |
| Table H.4 – Parameters of the reversible Haar 2-2 wavelet transformation .....                     | 95 |

|   |     |
|---|-----|
| Table H.5 – Parameters of the reversible 2-6 wavelet transformation.....                        | 95  |
| Table H.6 – Parameters of the reversible 2-10 wavelet transformation.....                       | 95  |
| Table H.7 – Parameters of the irreversible 6-10 wavelet transformation .....                    | 96  |
| Table H.8 – Parameters of the irreversible 10-18 wavelet transformation .....                   | 96  |
| Table M.1bis – Brand Values for JPEG XR Codestreams.....  | 142 |
| Table M.1 – Example expression .....  | 151 |
| Table M.2 – Expanded expression.....  | 151 |
| Table M.3 – Example factored expression .....   | 151 |
| Table M.4 – Example of a Reader Requirements expressions for Equations M-6 and M-7.....         | 153 |
| Table M.5 – Example of a Reader Requirements box for Equations M-6 and M-7 .....                | 153 |
| Table M.6 – Reader Requirements table for Equations M-10 and M-11.....                          | 154 |
| Table M.7 – Reader Requirements box data for Equations M-10 and M-11 .....                      | 154 |
| Table M.8 – Reader Requirements box data for Equations M-16 and M-17.....                       | 155 |
| Table M.9 – Example Reader Requirements box to test.....  | 155 |
| Table M.10 – Table intentionally left blank .....   | 156 |
| Table M.11 – Items which can be extended through Recommendations   International Standards..... | 156 |
| Table M.12 – Items which can be extended by registration .....                                  | 157 |
| Table M.13 – Boxes defined within this Recommendation   International Standard.....             | 163 |
| Table M.14 – Legal values of the SFi field .....  | 165 |
| Table M.15 – Format of the contents of the Reader Requirements box .....                        | 167 |
| Table M.16 – Format of the contents of the Data Reference box .....                             | 168 |
| Table M.17 – Format of the contents of the Fragment List box .....                              | 169 |
| Table M.18 – Format of the contents of the Cross-Reference box .....                            | 170 |
| Table M.19 – Legal C values.....  | 171 |
| Table M.20 – BPC and BPCi parameters .....  | 172 |
| Table M.21 – Format of the contents of the Image Header box .....                               | 172 |
| Table M.22 – Legal METH values .....  | 176 |
| Table M.23 – Legal APPROX values.....   | 177 |
| Table M.24 – Format of the contents of the Colour Specification box.....                        | 177 |
| Table M.24bis – Nominal maximum sample values.....  | 177 |
| Table M.25 – Additional legal EnumCS values .....   | 178 |
| Table M.26 – Format of the contents of the METHDAT field for the Enumerated method .....        | 179 |
| Table M.27 – Format of the contents of the METHDAT field for the Any ICC method .....           | 180 |
| Table M.28 – Format of the contents of the METHDAT field for the Vendor Colour method.....      | 180 |
| Table M.28bis – Format of the METHDAT field for the Parameterized method.....                   | 181 |
| Table M.29 – Standard illuminant values for CIELab.....   | 182 |
| Table M.29bis – Default Offset Values and Encoding of Offsets for the CIELab Colourspace.....   | 182 |
| Table M.30 – Format of the contents of the EP field for CIELab (EnumCS = 14) .....              | 183 |
| Table M.30bis – Default Offset Values and Encoding of Offsets for the CIEJab Colourspace .....  | 184 |
| Table M.31 – Format of the contents of the EP field for CIEJab (EnumCS = 19) .....              | 184 |
| Table M.32 – Colours indicated by the Asoci field .....   | 185 |
| Table M.33 – Otyp field values .....  | 186 |
| Table M.34 – Format of the contents of the Opacity box .....                                    | 186 |
| Table M.35 – Format of the contents of the Codestream Registration box .....                    | 188 |

|  |     |
|--|-----|
| Table M.35bis – Allowed values for the pixel format .....                                  | 189 |
| Table M.35ter – Common floating point formats (informative).....                           | 189 |
| Table M.36 – Format of the contents of the Composition box .....                           | 190 |
| Table M.37 – Format of the contents of the Composition Options box.....                    | 191 |
| Table M.38 – Ityp field values.....  | 192 |
| Table M.39 – Format of the contents of the Instruction Set box .....                       | 192 |
| Table M.40 – Format of the contents of the INSTi parameter in the Instruction Set box..... | 194 |
| Table M.40bis – Encoding of the ROT field .....  | 194 |
| Table M.41 – Format of the contents of the Association box .....                           | 196 |
| Table M.42 – ANi field values .....  | 196 |
| Table M.43 – Format of the contents of the Number List box .....                           | 196 |
| Table M.44 – Legal Filter types.....   | 197 |
| Table M.45 – Format of the contents of the Binary Filter box .....                         | 198 |
| Table M.46 – Format of the contents of the Graphics Technology Standard Output box .....   | 199 |
| Table M.47 – Legal Ri values.....  | 199 |
| Table M.48 – Allowed Rtypi values.....   | 200 |
| Table M.49 – Format of the contents of the ROI Description box .....                       | 200 |
| Table M.49bis – Interpreting the 2 bit D field of Rtypi for quadrilateral refinements..... | 201 |
| Table M.50 – Legal Styp values .....   | 202 |
| Table M.51 – Legal Ptyp values .....   | 203 |
| Table M.52 – Format of the contents of the Digital Signature box .....                     | 203 |
| Table M.53 – Format of the contents of the Multiple Codestream box .....                   | 208 |
| Table M.54 – Format of the contents of the Multiple Codestream Info box .....              | 209 |
| Table N.1 – Format of the contents of the Image Creation box.....                          | 215 |
| Table N.2 – Format of the contents of the Content Description box .....                    | 216 |
| Table N.3 – Format of the contents of the History box .....                                | 216 |
| Table N.4 – Format of the contents of the Intellectual Property Rights box .....           | 217 |
| Table N.5 – Format of the contents of the Image Identifier box.....                        | 217 |
| Table N.6 – Image Source values .....  | 219 |
| Table N.7 – Scene type values.....   | 219 |
| Table N.8 – Sensor technology values.....  | 222 |
| Table N.9 – Exposure program values.....   | 228 |
| Table N.10 – Metering mode values.....   | 228 |
| Table N.11 – Scene illuminant values .....   | 229 |
| Table N.12 – Back light values.....  | 229 |
| Table N.13 – Auto focus values.....  | 230 |
| Table N.14 – Name description values .....   | 252 |
| Table N.15 – Date description values .....   | 254 |
| Table N.16 – Additional name description values.....                                       | 258 |
| Table N.17 – Address component type values.....  | 264 |
| Table N.18 – Address type values .....   | 264 |
| Table N.19 – Phone number type values .....  | 265 |
| Table N.20 – Name component type values .....  | 268 |
| Table N.21 – Latitude reference values .....   | 276 |

|   |     |
|---|-----|
| Table N.22 – Latitude values.....   | 276 |
| Table N.23 – Longitude reference values.....  | 276 |
| Table N.24 – Longitude values.....  | 277 |
| Table N.25 – GPS Status values.....   | 277 |
| Table N.26 – GPS Measure mode values.....   | 277 |
| Table N.27 – GPS Speed reference unit values.....   | 277 |
| Table N.28 – Direction reference values.....  | 278 |
| Table N.29 – GPS Destination distance reference unit values.....  | 278 |
| Table O.1 – Sub-band labels for Figure O.15.....  | 352 |
| Table O.2 – Mapping between ROT and SPATIAL_XFRM_SUBORDINATE.....   | 381 |
| Table P.1 – Selective arithmetic coding bypass (default); (the same as Table D.9 of ITU-T T.800   ISO/IEC 15444-1)... | 384 |
| Table P.2 – Example of two bit planes (fast mode).....  | 385 |

### List of Figures

|  |    |
|--|----|
| Figure 6-1 – Decoder block diagram.....  | 7  |
| Figure A.1bis – Coding style default syntax.....                                       | 10 |
| Figure A.1 – Variable DC offset syntax.....  | 16 |
| Figure A.2 – Visual masking syntax.....  | 17 |
| Figure A.3 – Downsampling factor styles syntax.....                                    | 18 |
| Figure A.4 – Arbitrary decomposition styles syntax.....                                | 19 |
| Figure A.5 – Arbitrary transformation default syntax.....                              | 20 |
| Figure A.6 – Component bit depth definition syntax.....                                | 22 |
| Figure A.7 – Multiple component transformation definition syntax.....                  | 23 |
| Figure A.8 – Multiple component collection syntax.....                                 | 25 |
| Figure A.9 – Multiple component transformation ordering syntax.....                    | 28 |
| Figure A.10 – Non-linearity point transformation syntax.....                           | 28 |
| Figure A.11 – Quantization default, precinct syntax.....                               | 31 |
| Figure A.12 – Quantization precinct component syntax.....                              | 32 |
| Figure A.13 – Precinct length, tile-part header syntax.....                            | 34 |
| Figure B.1 – Placement of the DC offset with multiple component transformation.....    | 35 |
| Figure B.2 – Placement of the DC offset without multiple component transformation..... | 35 |
| Figure D.1 – Scalar quantizers used for TCQ.....                                       | 39 |
| Figure D.2 – Union quantizers for TCQ.....   | 40 |
| Figure D.3 – Trellis showing node indices.....   | 40 |
| Figure D.4 – Forward TCQ processing.....   | 41 |
| Figure D.5 – Full inverse processing for TCQ indices.....                              | 43 |
| Figure D.6 – Approximate dequantization of TCQ indices.....                            | 45 |
| Figure D.7 – Lagrangian rate allocation.....   | 48 |
| Figure E.1 – System diagram for point-wise extended masking extension.....             | 50 |
| Figure E.2 – Non-uniform quantization for self-contrast masking.....                   | 51 |
| Figure E.3 – Causal neighbourhood.....   | 52 |
| Figure F.1 – Possible splits of sub-bands.....   | 55 |
| Figure F.2 – Parameters for the GET_HOR_DEPTH and GET_VER_DEPTH procedures.....        | 56 |
| Figure F.3 – The GET_HOR_DEPTH and GET_VER_DEPTH procedures.....                       | 57 |

|   |    |
|---|----|
| Figure F.4 – Parameters for the SET_SUBBAND_INFO procedure .....              | 58 |
| Figure F.5 – The SET_SUBBAND_INFO procedure .....                             | 58 |
| Figure F.6 – Parameters for the RECUR_INFO procedure .....                    | 59 |
| Figure F.7 – The RECUR_INFO procedure .....                                   | 59 |
| Figure F.8 – Parameters for the INIT_□ procedure.....                         | 60 |
| Figure F.9 – Procedure for setting maximum number of sub-levels, □(lev) ..... | 61 |
| Figure F.10 – Parameters for the INIT_S_R procedure .....                     | 61 |
| Figure F.11 – Upper level procedure for defining S(ab) and R(lev).....        | 62 |
| Figure F.12 – Parameters for the LEV_S procedure.....                         | 63 |
| Figure F.13 – Procedure for defining S(ab) .....                              | 63 |
| Figure F.14 – Sample wavelet decomposition with labelled sub-bands .....      | 64 |
| Figure F.15 – Parameters for the MOD_IDWT procedure .....                     | 65 |
| Figure F.16 – The MOD_IDWT procedure .....                                    | 66 |
| Figure F.17 – Parameters for the MOD_2D_SR procedure.....                     | 66 |
| Figure F.18 – The MOD_2D_SR procedure.....                                    | 67 |
| Figure F.19 – Parameters for the MOD_2D_INTERLEAVE procedure.....             | 67 |
| Figure F.20 – The MOD_2D_INTERLEAVE procedure .....                           | 68 |
| Figure F.21 – Parameters for the 2D_HV_INTERLEAVE procedure .....             | 68 |
| Figure F.22 – The 2D_HV_INTERLEAVE procedure .....                            | 69 |
| Figure F.23 – Parameters for the 2D_H_INTERLEAVE procedure .....              | 70 |
| Figure F.24 – The 2D_H_INTERLEAVE procedure .....                             | 70 |
| Figure F.25 – Parameters for the 2D_V_INTERLEAVE procedure .....              | 71 |
| Figure F.26 – The 2D_V_INTERLEAVE procedure .....                             | 71 |
| Figure F.27 – Parameters for the MOD_FDWT procedure .....                     | 71 |
| Figure F.28 – The MOD_FDWT procedure .....                                    | 72 |
| Figure F.29 – Parameters for the MOD_2D_SD procedure .....                    | 72 |
| Figure F.30 – The MOD_2D_SD procedure .....                                   | 73 |
| Figure F.31 – Parameters for the MOD_2D_DEINTERLEAVE procedure.....           | 73 |
| Figure F.32 – The MOD_2D_DEINTERLEAVE procedure .....                         | 74 |
| Figure F.33 – Parameters for the 2D_HV_DEINTERLEAVE procedure .....           | 74 |
| Figure F.34 – The 2D_HV_DEINTERLEAVE procedure .....                          | 75 |
| Figure F.35 – Parameters for the 2D_H_DEINTERLEAVE procedure.....             | 76 |
| Figure F.36 – The 2D_H_DEINTERLEAVE procedure .....                           | 76 |
| Figure F.37 – Parameters for the 2D_V_DEINTERLEAVE procedure.....             | 76 |
| Figure F.38 – The 2D_V_DEINTERLEAVE procedure.....                            | 77 |
| Figure G.1 – Parameters of the 1D_SR_WS procedures .....                      | 79 |
| Figure G.2 – The 1D_SR_WS procedure .....                                     | 79 |
| Figure G.3 – Parameters of the 1D_FILTR_WS procedure .....                    | 80 |
| Figure G.4 – Parameters of the 1D_FILTR_WS procedure .....                    | 80 |
| Figure G.5 – Parameters of the 1D_SD_WS procedure .....                       | 81 |
| Figure G.6 – The 1D_SD_WS procedure .....                                     | 81 |
| Figure G.7 – Parameters of the 1D_FILTD_WS procedure .....                    | 82 |
| Figure G.8 – Parameters of the 1D_FILTD_WS procedure .....                    | 82 |
| Figure H.1 – Parameters of the extended 1D_SR_ARB procedure .....             | 86 |

|   |     |
|---|-----|
| Figure H.2 – Extended procedure 1D_SR_ARB .....   | 87  |
| Figure H.3 – Parameters of the 1D_SCALER procedure .....  | 87  |
| Figure H.4 – Parameters of the 1D_STEPR procedure.....  | 88  |
| Figure H.5 – Procedure 1D_STEPR.....  | 88  |
| Figure H.6 – Parameters of the 1D_EXT_WS procedure.....   | 89  |
| Figure H.7 – Parameters of the 1D_EXT_CON procedure .....   | 89  |
| Figure H.8 – Parameters of the 1D_UPDATER_REV procedure .....   | 90  |
| Figure H.9 – Parameters of the 1D_UPDATER_IRR procedure.....  | 90  |
| Figure H.10 – Parameters of the extended 1D_SD_ARB procedure .....  | 91  |
| Figure H.11 – Extended procedure 1D_SD_ARB .....  | 92  |
| Figure H.12 – Parameters of the 1D_STEPD procedure .....  | 92  |
| Figure H.13 – Procedure 1D_STEPD.....   | 93  |
| Figure H.14 – Parameters of the 1D_UPDATED_REV procedure.....   | 93  |
| Figure H.15 – Parameters of the 1D_UPDATED_IRR procedure .....  | 94  |
| Figure H.16 – Parameters of the 1D_SCALED procedure .....   | 94  |
| Figure H.17 – Lifting implementation for forward half-sample symmetric wavelet transformations .....            | 97  |
| Figure I.1 – Precincts of one reduced resolution (modified Figure B.8 of Rec. ITU-T T.800   ISO/IEC 15444-1) .. | 99  |
| Figure I.2 – Codeblocks and precincts in sub-band b from four different tiles .....                             | 100 |
| Figure I.3 – The IDWT_SSO Procedure.....  | 103 |
| Figure I.4 – The 2D_SR_SSO procedure .....  | 104 |
| Figure I.5 – Parameters of the 1D_FILTR_SSO procedure.....  | 104 |
| Figure I.6 – The FDWT_SSO procedure.....  | 106 |
| Figure I.7 – The 2D_SD_SSO procedure .....  | 107 |
| Figure I.8 – Parameters of the 1D_FILTD_SSO procedure .....   | 108 |
| Figure I.9 – Position of SSO blocks .....   | 109 |
| Figure I.10 – Tiling of the reference grid diagram .....  | 111 |
| Figure J.1 – Inverse multiple component transformation processing .....   | 113 |
| Figure J.2 – Procedure MCO_TRANSFORM.....   | 114 |
| Figure J.3 – A single multiple component collection transformation (MCC_TRANS) stage .....                      | 115 |
| Figure J.4 – Procedure MCC_TRANS .....  | 116 |
| Figure J.5 – A single component collection transformation (CC_TRANS) stage .....                                | 117 |
| Figure J.6 – Procedure CC_TRANS.....  | 117 |
| Figure J.7 – SERM implementation of reversible decorrelation transformation .....                               | 121 |
| Figure J.8 – SERM implementation of forward reversible decorrelation transformation.....                        | 122 |
| Figure J.9 – Irreversible dependency transformation.....  | 123 |
| Figure J.10 – Forward irreversible dependency transformation .....  | 124 |
| Figure J.11 – Reversible dependency transformation.....   | 125 |
| Figure J.12 – Forward reversible dependency transformation.....   | 126 |
| Figure K.1 – Non-linear transformation application during decoding.....   | 128 |
| Figure K.2 – Example gamma-type forward non-linear transformation.....  | 130 |
| Figure L.1 – Rectangular mask on the reference grid.....  | 135 |
| Figure L.2 – Elliptic mask on the reference grid .....  | 135 |
| Figure M.1 – Example fragmented JPX file where all fragments are in the same file .....                         | 144 |
| Figure M.2 – Example fragmented JPX file where some fragments are stored in other files or resources .....      | 145 |

|   |     |
|---|-----|
| Figure M.3 – Example combination of two codestreams into a single compositing layer.....          | 146 |
| Figure M.4 – Example of the box description figures .....   | 161 |
| Figure M.5 – Example of the superbox description figures.....                                     | 161 |
| Figure M.6 – Boxes defined within a JPX file.....   | 162 |
| Figure M.7 – Organization of the contents of the Reader Requirements box.....                     | 165 |
| Figure M.8 – Organization of the contents of a Data Reference box.....                            | 168 |
| Figure M.9 – Organization of the contents of a Fragment Table box.....                            | 168 |
| Figure M.10 – Organization of the contents of a Fragment List box.....                            | 169 |
| Figure M.11 – Organization of the contents of a Fragment table box .....                          | 170 |
| Figure M.12 – Organization of the contents of an Image Header box.....                            | 171 |
| Figure M.13 – Organization of the contents of a Codestream Header box.....                        | 173 |
| Figure M.14 – Organization of the contents of a Compositing Layer Header box.....                 | 174 |
| Figure M.15 – Organization of the contents of a Colour Group box.....                             | 175 |
| Figure M.16 – Organization of the contents of a Colour Specification box .....                    | 176 |
| Figure M.17 – Organization of the contents of the METHDAT field for the Enumerated method.....    | 178 |
| Figure M.18 – Organization of the contents of the METHDAT field for the Any ICC method.....       | 180 |
| Figure M.19 – Organization of the contents of the METHDAT field for the Vendor Colour method..... | 180 |
| Figure M.19bis – Organization of the METHDAT field for the Parameterized method.....              | 181 |
| Figure M.20 – Organization of the contents of the EP field for the CIELab (EnumCS = 14).....      | 181 |
| Figure M.21 – Organization of the contents of the EP field for the CIEJab (EnumCS = 19).....      | 183 |
| Figure M.22 – Organization of the contents of an Opacity box.....                                 | 185 |
| Figure M.23 – Organization of the contents of a Codestream Registration box.....                  | 187 |
| Figure M.23bis – Layout of the Pixel Format Box.....  | 188 |
| Figure M.24 – Organization of the contents of a Composition box.....                              | 190 |
| Figure M.25 – Organization of the contents of a Composition Options box .....                     | 191 |
| Figure M.26 – Organization of the contents of an Instruction Set box.....                         | 191 |
| Figure M.27 – Organization of the contents of an INST field within an Instruction Set box.....    | 192 |
| Figure M.28 – Example of ROI specific metadata associated with one or more images.....            | 195 |
| Figure M.29 – Example of Multiple XML documents associated with one or more images .....          | 195 |
| Figure M.30 – Example of a Labelled XML document.....   | 195 |
| Figure M.31 – Example of a labelled image.....  | 195 |
| Figure M.32 – Organization of the contents of an Association box .....                            | 196 |
| Figure M.33 – Organization of the contents of a Number List box.....                              | 196 |
| Figure M.34 – Organization of the contents of a Label box .....                                   | 197 |
| Figure M.35 – Organization of the contents of a Binary Filter box.....                            | 197 |
| Figure M.36 – Organization of the contents of the Desired Reproductions box.....                  | 198 |
| Figure M.37 – Organization of the contents of the Graphics Technology Standard Output box.....    | 198 |
| Figure M.38 – Organization of the contents of the ROI Description box.....                        | 199 |
| Figure M.39 – Organization of the contents of a Digital Signature box.....                        | 202 |
| Figure M.40 – Organization of the contents of a MPEG-7 Binary box .....                           | 204 |
| Figure M.41 – Organization of the contents of a Compositing Layer Extensions box.....             | 205 |
| Figure M.42 – Organization of the Compositing Layer Extensions Info box.....                      | 207 |
| Figure M.43 – Organization of the contents of a Multiple Codestream box.....                      | 208 |
| Figure M.44 – Organization of the contents of a Multiple Codestream Offsets box .....             | 208 |

|  |     |
|--|-----|
| Figure M.45 – Organization of the contents of a Grouping box .....                 | 209 |
| Figure M.46 – Organization of the contents of a decomposed XML box .....           | 210 |
| Figure M.47 – Organization of the contents of a XML header box.....                | 210 |
| Figure M.48 – Example Box layout for a Decomposed XML box.....                     | 212 |
| Figure N.1 – Organization of the contents of Image Creation box .....              | 215 |
| Figure N.2 – Organization of the contents of Content Description box .....         | 216 |
| Figure N.3 – Organization of the contents of History box.....                      | 216 |
| Figure N.4 – Organization of the contents of Intellectual Property Rights box..... | 216 |
| Figure N.5 – Organization of the contents of Image Identifier box.....             | 217 |
| Figure N.6 – Schema of the Image Creation metadata .....                           | 217 |
| Figure N.7 – Schema of the General Creation Information metadata.....              | 218 |
| Figure N.8 – Schema of the Camera Capture metadata.....                            | 220 |
| Figure N.9 – Schema of the Device Characterization metadata .....                  | 221 |
| Figure N.10 – Schema of the Spatial Frequency Response metadata.....               | 223 |
| Figure N.11 – Schema of the Colour Filter Array Pattern metadata.....              | 224 |
| Figure N.12 – Schema of the Opto-electronic Conversion Function metadata.....      | 225 |
| Figure N.13 – Schema of the Camera Capture Settings metadata .....                 | 227 |
| Figure N.14 – Schema of the Scanner Capture metadata.....                          | 230 |
| Figure N.15 – Schema of the Scanner Settings metadata .....                        | 231 |
| Figure N.16 – Schema of the Software Creation metadata.....                        | 231 |
| Figure N.17 – Schema of the Captured Item metadata .....                           | 232 |
| Figure N.18 – Schema of the Reflection Print metadata.....                         | 233 |
| Figure N.19 – Schema of the Film metadata .....                                    | 234 |
| Figure N.20 – Schema of the Content Description metadata.....                      | 235 |
| Figure N.21 – Schema of the Person Description metadata.....                       | 236 |
| Figure N.22 – Schema of the Thing Description metadata.....                        | 237 |
| Figure N.23 – Schema of the Organization Description metadata.....                 | 238 |
| Figure N.24 – Schema of the Event Description metadata.....                        | 239 |
| Figure N.25 – Schema of the Participant metadata.....                              | 240 |
| Figure N.26 – Schema of the Event Relationship metadata.....                       | 241 |
| Figure N.27 – Schema of the Audio metadata.....                                    | 241 |
| Figure N.28 – Schema of the Property metadata .....                                | 242 |
| Figure N.29 – Schema of the Dictionary Definition metadata.....                    | 243 |
| Figure N.30 – Schema of the History metadata .....                                 | 243 |
| Figure N.31 – Schema of the Processing Summary metadata .....                      | 244 |
| Figure N.32 – Schema of the Image Processing Hints metadata .....                  | 246 |
| Figure N.33 – Schema of the Previous metadata .....                                | 247 |
| Figure N.34 – Schema of the Image Reference metadata.....                          | 248 |
| Figure N.35 – Schema of the Intellectual Property Rights metadata .....            | 249 |
| Figure N.36 – Schema of the IPR Names metadata.....                                | 252 |
| Figure N.37 – Schema of the IPR Description metadata .....                         | 252 |
| Figure N.38 – Schema of the IPR Dates metadata.....                                | 253 |
| Figure N.39 – Schema of the IPR Exploitation metadata .....                        | 254 |
| Figure N.40 – Schema of the IPR Management Systems metadata.....                   | 255 |

|   |     |
|---|-----|
| Figure N.41 – Schema of the IPR Identification metadata .....   | 256 |
| Figure N.42 – Schema of the IPR Identifier metadata .....   | 256 |
| Figure N.43 – Schema of the License Plate metadata.....   | 257 |
| Figure N.44 – Schema of the IPR Contact Point metadata.....   | 257 |
| Figure N.45 – Schema of the Image Identifier metadata .....   | 258 |
| Figure N.46 – Schema of the non-negative double type.....   | 259 |
| Figure N.47 – Schema of the rational type .....   | 259 |
| Figure N.48 – Schema of the string including language attribute type.....   | 259 |
| Figure N.49 – Schema of the degree type.....  | 260 |
| Figure N.50 – Schema of the half degree type.....   | 260 |
| Figure N.51 – Schema of the double size type .....  | 260 |
| Figure N.52 – Schema of the integer size type .....   | 261 |
| Figure N.53 – Schema of the DateTime type .....   | 262 |
| Figure N.54 – Schema of the Address type .....  | 263 |
| Figure N.55 – Schema of the Phone number type .....   | 264 |
| Figure N.56 – Schema of the Email address type.....   | 265 |
| Figure N.57 – Schema of the Web address type.....   | 266 |
| Figure N.58 – Schema of the Person type.....  | 268 |
| Figure N.59 – Schema of the Organization type.....  | 269 |
| Figure N.60 – Schema of the Location type .....   | 270 |
| Figure N.61 – Schema of the Coordinate location element .....   | 271 |
| Figure N.62 – Schema of the Raw GPS Information element .....   | 273 |
| Figure N.63 – Schema of the Raw GPS Information element (continued).....  | 275 |
| Figure N.64 – Schema of the Raw GPS Information element (concluded).....  | 276 |
| Figure N.65 – Schema of the Direction type .....  | 279 |
| Figure N.66 – Schema of the Position type .....   | 280 |
| Figure N.67 – Schema of the Point type.....   | 280 |
| Figure N.68 – Schema of the Rect type .....   | 281 |
| Figure N.69 – Schema of the Region type.....  | 282 |
| Figure N.70 – Schema of the Product Details type.....   | 283 |
| Figure N.71 – Schema of the Language attribute .....  | 283 |
| Figure N.72 – Schema of the Timestamp attribute.....  | 283 |
| Figure N.73 – Schema of the Comment element.....  | 284 |
| Figure O.1 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = 31; I_S = 9, d_S() = 320300203$ .....                         | 347 |
| Figure O.2 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = \underline{1}23; I_0 = 2, d_0() = 31; I_S = 9, d_S() = 320300203$ .....             | 347 |
| Figure O.3 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 1\underline{2}3; I_0 = 2, d_0() = 31; I_S = 9, d_S() = 320300203$ .....             | 348 |
| Figure O.4 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 12\underline{3}; I_0 = 2, d_0() = 31; I_S = 9, d_S() = 320300203$ .....             | 348 |
| Figure O.5 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = \underline{3}1; I_S = 9, d_S() = \underline{3}20300203$ ..... | 348 |
| Figure O.6 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = 3\underline{1}; I_S = 9, d_S() = 3\underline{2}0300203$ ..... | 348 |
| Figure O.7 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = 3\underline{1}; I_S = 9, d_S() = 32\underline{0}300203$ ..... | 349 |
| Figure O.8 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = 3\underline{1}; I_S = 9, d_S() = 320\underline{3}00203$ ..... | 349 |
| Figure O.9 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = 3\underline{1}; I_S = 9, d_S() = 3203\underline{0}0203$ ..... | 349 |

|   |     |
|---|-----|
| Figure O.10 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_\theta = 2, d_\theta() = \underline{31}; I_S = 9, d_S() = 320300\underline{203}$ .....  | 349 |
| Figure O.11 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_\theta = 2, d_\theta() = \underline{31}; I_S = 9, d_S() = 320300\underline{203}$ .....  | 350 |
| Figure O.12 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_\theta = 2, d_\theta() = \underline{31}; I_S = 9, d_S() = 320300\underline{203}$ .....  | 350 |
| Figure O.13 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_\theta = 2, d_\theta() = \underline{31}; I_S = 9, d_S() = 320300\underline{203}$ .....  | 350 |
| Figure O.14 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_\theta = 2, d_\theta() = \underline{31}; I_S = 9, d_S() = 320300\underline{203}$ .....  | 351 |
| Figure O.15 – FBI decomposition: $N_L = 5; I_R = 0; d_R() = 0$ (since $I_R = 0, I_R$ and $d_R()$ get reset in Figure F.11 to $I_R = 5$ and $d_R() = 11111$ ); $I_\theta = 4, d_\theta() = 2321; I_S = 17, d_S() = 1110111111111111$ ..... | 351 |
| Figure O.16 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = \underline{11111}; I_\theta = 4, d_\theta() = 2321; I_S = 17, d_S() = 1110111111111111$ .....  | 353 |
| Figure O.17 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = \underline{11111}; I_\theta = 4, d_\theta() = 2321; I_S = 17, d_S() = 1110111111111111$ .....  | 354 |
| Figure O.18 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = \underline{11111}; I_\theta = 4, d_\theta() = 2321; I_S = 17, d_S() = 1110111111111111$ .....  | 355 |
| Figure O.19 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = \underline{2321}; I_S = 17, d_S() = \underline{1110111111111111}$ .....  | 356 |
| Figure O.20 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = \underline{2321}; I_S = 17, d_S() = \underline{1110111111111111}$ .....  | 357 |
| Figure O.21 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = \underline{2321}; I_S = 17, d_S() = \underline{1110111111111111}$ .....  | 358 |
| Figure O.22 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = \underline{2321}; I_S = 17, d_S() = \underline{1110111111111111}$ .....  | 359 |
| Figure O.23 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = \underline{2321}; I_S = 17, d_S() = \underline{1110111111111111}$ .....  | 360 |
| Figure O.24 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = \underline{2321}; I_S = 17, d_S() = \underline{1110111111111111}$ .....  | 361 |
| Figure O.25 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = \underline{2321}; I_S = 17, d_S() = \underline{1110111111111111}$ .....  | 362 |
| Figure O.26 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = \underline{2321}; I_S = 17, d_S() = \underline{1110111111111111}$ .....  | 363 |
| Figure O.27 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = \underline{2321}; I_S = 17, d_S() = \underline{1110111111111111}$ .....  | 364 |
| Figure O.28 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = \underline{2321}; I_S = 17, d_S() = \underline{1110111111111111}$ .....  | 365 |
| Figure O.29 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = \underline{2321}; I_S = 17, d_S() = \underline{1110111111111111}$ .....  | 366 |
| Figure O.30 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = \underline{2321}; I_S = 17, d_S() = \underline{1110111111111111}$ .....  | 367 |
| Figure O.31 – SPACL decomposition: $N_L = 4; I_\theta = 2, d_\theta() = 21; I_R = 0, I_S = 0$ .....   | 368 |
| Figure O.32 – Component collection example .....  | 370 |
| Figure O.33 – Original image components .....   | 370 |
| Figure O.34 – Encoder multiple component transformation decisions .....   | 371 |
| Figure O.35 – Decorrelation transformation array (MCC0 component collection 0 parameters) .....   | 372 |
| Figure O.36 – Dependency transformation (MCC0 component collection 1 parameters) .....  | 372 |

|  |     |
|--|-----|
| Figure O.37 – Passing through intermediate components (MCC0 component collection 2 parameters) ..... | 372 |
| Figure O.38 – Component collections in MCC0, transformation processing stage 0.....                  | 373 |
| Figure O.39 – Decorrelation transformation array (MCC1 component collection 0 parameters) .....      | 373 |
| Figure O.40 – MCC1 component collection 1 (7 components passed through) .....                        | 374 |
| Figure O.41 – Component collections in MCC1, transformation processing stage 1 .....                 | 374 |
| Figure O.42 – MCO marker segment for inverse multiple component transformation .....                 | 374 |