

# ISO/IEC 19988:2024-03 (E)

## Information technology - GS1 Core Business Vocabulary (CBV)

---

### Contents

Page

- 1 Introduction – Core Business Vocabulary..... 1**
- 2 Relationship to the GS1 System Architecture ..... 2**
- 3 Relationship to EPCIS..... 2**
  - 3.1 EPCIS event structure ..... 2
  - 3.2 Overview of EPCIS event "dimensions" (non-normative) ..... 4
  - 3.3 Vocabulary kinds ..... 6
    - 3.3.1 Standard Vocabulary ..... 7
    - 3.3.2 User Vocabulary ..... 7
- 4 Terminology and typographical conventions ..... 8**
- 5 Compliance and compatibility ..... 8**
  - 5.1 CBV-Compliant ..... 9
  - 5.2 CBV-Compatible ..... 11
- 6 Use of Uniform Resource Identifiers (URIs) ..... 12**
  - 6.1 URI prefix for Standard Vocabularies in the CBV ..... 12
  - 6.2 Limitation on Use of the epcglobal URN prefix ..... 12
    - 6.2.1 Example of limitation of use of epcglobal URN prefix (non-normative) ..... 12
- 7 Standard Vocabularies ..... 13**
  - 7.1 Business steps ..... 13
    - 7.1.1 URI structure ..... 13
    - 7.1.2 Compliant usage ..... 13
    - 7.1.3 Business step values and definitions ..... 14
  - 7.2 Dispositions ..... 20
    - 7.2.1 URI structure ..... 20
    - 7.2.2 Compliant usage ..... 21
    - 7.2.3 Disposition values and definitions ..... 21
  - 7.3 Business Transaction Types ..... 27
    - 7.3.1 URI structure ..... 27
    - 7.3.2 Compliant usage ..... 27
    - 7.3.3 Business Transaction values and definitions ..... 27
  - 7.4 Source/Destination types ..... 28
    - 7.4.1 URI structure ..... 28
    - 7.4.2 Compliant usage ..... 29
    - 7.4.3 Source/Destination Type values and definitions ..... 29
  - 7.5 Error reason identifiers ..... 29
    - 7.5.1 URI structure ..... 29
    - 7.5.2 Compliant usage ..... 30
    - 7.5.3 Error reason identifier values and definitions ..... 30
  - 7.6 Sensor measurement types ..... 30
    - 7.6.1 URI structure ..... 30

7.6.2	Compliant usage.....	31
7.6.3	Sensor measurement type values and definitions .....	31
7.7	Sensor alert types.....	35
7.7.1	URI structure .....	35
7.7.2	Compliant usage.....	35
7.7.3	Sensor alert type values and definitions .....	35
7.8	Sensor report component type.....	36
7.8.1	URI structure .....	36
7.8.2	Compliant usage.....	36
7.8.3	Sensor report component types and definitions .....	36

## **8 User vocabularies..... 38**

8.1	General considerations and syntax forms .....	38
8.1.1	EPC URI .....	39
8.1.2	GS1 Digital Link URI .....	39
8.1.3	Private or Industry-wide URN .....	39
8.1.4	HTTP or HTTPS URL .....	40
8.2	Physical or digital objects (Instance-Level Identification) .....	41
8.2.1	EPC URI for Instance-level identification of objects .....	42
8.2.2	GS1 Digital Link URIs for Instance-level identification of objects .....	42
8.2.3	Private or Industry-wide URN for Instance-level identification of objects .....	43
8.2.4	HTTP or HTTPS URLs for Instance-level identification of objects .....	44
8.3	Physical or digital objects (Class-level identification) .....	45
8.3.1	EPC URI for Class-level identification of objects.....	45
8.3.2	GS1 Digital Link URIs for Class-level identification of objects.....	46
8.3.3	Private or Industry-wide URN for Class-level identification of objects.....	47
8.3.4	HTTP or HTTPS URLs for Class-level identification of objects.....	47
8.4	Locations.....	48
8.4.1	EPC URI for Location identification.....	49
8.4.2	GS1 Digital Link URIs for Location identification .....	49
8.4.3	Private or Industry-wide URN for Location identification.....	49
8.4.4	HTTP or HTTPS URLs for Location identification .....	50
8.4.5	Geographic Location URIs for Location identifiers.....	50
8.5	Business transactions .....	51
8.5.1	EPC URI for Business transaction identifiers.....	51
8.5.2	GS1 Digital Link URIs for business transaction identification.....	52
8.5.3	GLN-based identifier for legacy system business transaction identifiers.....	52
8.5.4	Private or Industry-wide URN for business transaction identifiers .....	52
8.5.5	HTTP or HTTPS URLs for business transaction identifiers.....	53
8.6	Hash URI for business transaction identifiers.....	54
8.7	Source/Destination identifiers .....	55
8.7.1	EPC URI for Source/Destination identifiers.....	55
8.7.2	GS1 Digital Link URIs for Source/Destination identification.....	55
8.7.3	Private or Industry-wide URN for Source/Destination identifiers.....	56
8.7.4	HTTP or HTTPS URLs for Source/Destination identification .....	56
8.8	Transformation identifiers .....	57
8.8.1	EPC URI for Transformation identifiers .....	57
8.8.2	GS1 Digital Link URIs for Transformation identification.....	57
8.8.3	GLN-based Identifier for Legacy System Transformation identifiers .....	57
8.8.4	Private or Industry-wide URN for Transformation identifiers .....	58
8.8.5	HTTP or HTTPS URLs for Transformation identification.....	58
8.9	Event identifiers .....	59
8.9.1	Universally Unique Identifier (UUID) URIs for Event identification .....	60
8.9.2	EPCIS Event Hash ID .....	60
8.10	Chemical substance identifiers .....	63
8.10.1	InChI (International Chemical Identifier) Key URI.....	64

8.11	Microorganism identifiers .....	64
8.11.1	NCBI Web URI.....	64
<b>9</b>	<b>Master data .....</b>	<b>65</b>
9.1	Data type restrictions .....	65
9.1.1	Dates.....	65
9.1.2	Master data attribute names .....	65
9.1.3	Certification attributes.....	66
9.2	Trade item master data .....	68
9.2.1	Trade item master data attributes .....	69
9.2.2	Trade item master data attributes – trade item level.....	69
9.2.3	Trade item master data attributes – lot level .....	72
9.2.4	Trade item master data attributes – instance-level .....	75
9.2.5	Values of type measurement .....	76
9.3	Location and party master data .....	76
9.3.1	Location and party master data attributes .....	77
9.3.2	Location master data code list values .....	82
<b>10</b>	<b>List of abbreviations (non-normative) .....</b>	<b>84</b>
<b>11</b>	<b>References .....</b>	<b>87</b>

## Index of figures

Figure 7-1	Coordinate reference systems .....	38
Figure 8-1	EPCIS Event HashID example.....	63
Figure 9-1	geoFence example.....	80