

ISO/IEC 26133:2024-10 (E)

Information technology - OpenID connect - OpenID connect dynamic client registration 1.0 incorporating errata set 2

Contents

Page

<u>1.</u>	Introduction	
<u>1.1.</u>	Requirements Notation and Conventions	
<u>1.2.</u>	Terminology	
<u>2.</u>	Client Metadata	
<u>2.1.</u>	Metadata Languages and Scripts	
<u>3.</u>	Client Registration Endpoint	
<u>3.1.</u>	Client Registration Request	
<u>3.2.</u>	Client Registration Response	
<u>3.3.</u>	Client Registration Error Response	
<u>4.</u>	Client Configuration Endpoint	
<u>4.1.</u>	Forming the Client Configuration Endpoint URL	
<u>4.2.</u>	Client Read Request	
<u>4.3.</u>	Client Read Response	
<u>4.4.</u>	Client Read Error Response	
<u>5.</u>	"sector_identifier_uri" Validation	
<u>6.</u>	String Operations	
<u>7.</u>	Validation	
<u>8.</u>	Implementation Considerations	
<u>8.1.</u>	Compatibility Notes	
<u>8.2.</u>	Implementation Notes on Stateless Dynamic Client Registration	
<u>9.</u>	Security Considerations	
<u>9.1.</u>	Impersonation	
<u>9.2.</u>	Native Code Leakage	
<u>9.3.</u>	TLS Requirements	
<u>10.</u>	IANA Considerations	
<u>10.1.</u>	OAuth Dynamic Client Registration Metadata Registration	
<u>10.1.1.</u>	Registry Contents	
<u>10.2.</u>	OAuth Token Endpoint Authentication Methods Registration	
<u>10.2.1.</u>	Registry Contents	
<u>11.</u>	References	
<u>11.1.</u>	Normative References	
<u>11.2.</u>	Informative References	