

# ISO/IEC 14496-15:2024-10 (E)

## Information technology - Coding of audio-visual objects - Part 15: Carriage of network abstraction layer (NAL) unit structured video in the ISO base media file format

---

### Contents

	Page
Foreword.....	viii
Introduction.....	ix
<b>1 Scope.....</b>	<b>1</b>
<b>2 Normative references.....</b>	<b>1</b>
<b>3 Terms, definitions, abbreviated terms and conventions.....</b>	<b>1</b>
3.1 Terms and definitions.....	1
3.2 Abbreviated terms.....	9
3.3 Conventions.....	11
<b>4 General definitions.....</b>	<b>11</b>
4.1 Overview.....	11
4.2 Sample and configuration definition.....	11
4.2.1 General.....	11
4.2.2 Canonical order and restrictions.....	11
4.2.3 Sample format.....	12
4.2.4 Optional boxes in the sample entry.....	13
4.3 Video track structure.....	13
4.4 Template fields used.....	13
4.5 Visual width and height.....	13
4.6 Decoding time (DTS) and composition time (CTS).....	14
4.7 Sample groups on random access recovery points 'r011' and random access points 'rap'.....	14
4.8 Hinting.....	14
4.9 On change of sample entry (informative).....	15
4.10 SEI information box.....	16
4.10.1 Definition.....	16
4.10.2 Syntax.....	16
4.10.3 Semantics.....	16
4.11 Post-decoder requirements scheme for signalling of SEI.....	16
4.11.1 General.....	16
4.11.2 Definition.....	17
4.12 Alternative extraction source track grouping.....	17
4.13 NAL unit map entry.....	17
4.13.1 Definition.....	17
4.13.2 Syntax.....	18
4.13.3 Semantics.....	18
4.14 Rectangular region group entry.....	19
4.14.1 Definition.....	19
4.14.2 Syntax.....	19
4.14.3 Semantics.....	19
4.15 Layer information sample group.....	21
4.15.1 Definition.....	21
4.15.2 Syntax.....	21
4.15.3 Semantics.....	21
4.16 Storage of SEI manifest and SEI prefix indication SEI messages.....	22
4.17 Supplementary track reference.....	22
4.18 Picture region replacement sample group.....	23
4.18.1 Definition.....	23

	4.18.2	Syntax.....	23
	4.18.3	Semantics.....	23
<b>5</b>		<b>AVC elementary streams and sample definitions.....</b>	<b>24</b>
	5.1	Overview.....	24
	5.2	Elementary stream structure.....	25
	5.3	Sample and configuration definition.....	27
	5.3.1	Canonical order and restrictions.....	27
	5.3.2	Decoder configuration information.....	28
	5.4	Derivation from ISO base media file format.....	30
	5.4.1	AVC file type and identification.....	30
	5.4.2	AVC video stream definition.....	31
	5.4.3	AVC parameter set stream definition.....	32
	5.4.4	Parameter sets.....	33
	5.4.5	Sync sample.....	34
	5.4.6	Shadow sync.....	34
	5.4.7	Layering and sub-sequences.....	34
	5.4.8	Alternate streams and switching pictures.....	38
	5.4.9	Definition of a sub-sample for AVC.....	40
<b>6</b>		<b>SVC elementary stream and sample definitions.....</b>	<b>40</b>
	6.1	Overview.....	40
	6.2	Elementary stream structure.....	41
	6.3	Use of the plain AVC file format.....	41
	6.4	Sample and configuration definition.....	42
	6.4.1	Canonical order and restrictions.....	42
	6.4.2	Decoder configuration record.....	42
	6.5	Derivation from the ISO base media file format.....	43
	6.5.1	SVC track structure.....	43
	6.5.2	Data sharing and extraction.....	43
	6.5.3	SVC video stream definition.....	44
	6.5.4	SVC visual width and height.....	46
	6.5.5	Sync sample.....	46
	6.5.6	Shadow sync.....	46
	6.5.7	Independent and disposable samples box.....	47
	6.5.8	Sample groups on random access recovery points 'roll' and random access points 'rap'.....	47
	6.5.9	Definition of a sub-sample for SVC.....	47
<b>7</b>		<b>MVC and MVD elementary stream and sample definitions.....</b>	<b>48</b>
	7.1	Overview.....	48
	7.2	Overview of MVC or MVD Storage.....	49
	7.3	MVC and MVD elementary stream structures.....	51
	7.4	Use of the plain AVC file format.....	52
	7.5	Sample and configuration definition.....	52
	7.5.1	Canonical order and restriction.....	52
	7.5.2	Decoder configuration record.....	53
	7.6	Derivation from the ISO base media file format.....	55
	7.6.1	MVC and MVD track structures.....	55
	7.6.2	Reconstruction of an access unit.....	55
	7.6.3	Sample entry.....	56
	7.6.4	Sync sample.....	66
	7.6.5	Shadow sync.....	66
	7.6.6	Independent and disposable samples box.....	66
	7.6.7	Sample groups on random access recovery points 'roll' and random access points 'rap'.....	66
	7.7	MVC specific information boxes.....	67
	7.7.1	Overview.....	67
	7.7.2	Multiview information box.....	67
	7.7.3	Multiview group box.....	67
	7.7.4	Multiview group relation box.....	69
	7.7.5	Multiview relation attribute box.....	70
	7.7.6	Multiview scene info box.....	74
	7.7.7	MVC view priority assignment box.....	75
<b>8</b>		<b>HEVC elementary streams and sample definitions.....</b>	<b>75</b>
	8.1	Overview.....	75

8.2	Elementary stream structure.....	76
8.3	Sample and configuration definition.....	76
	8.3.1 Canonical order and restrictions.....	76
	8.3.2 Decoder configuration information.....	77
8.4	Derivation from ISO base media file format.....	80
	8.4.1 HEVC video stream definition.....	80
	8.4.2 Parameter sets in sample entry.....	81
	8.4.3 Sync sample.....	81
	8.4.4 Sync sample sample grouping.....	82
	8.4.5 Temporal scalability sample grouping.....	83
	8.4.6 Temporal sub-layer access sample grouping.....	84
	8.4.7 Step-wise temporal layer access sample grouping.....	85
	8.4.8 Definition of a sub-sample for HEVC.....	85
	8.4.9 Handling non-output samples.....	88
<b>9</b>	<b>Layered HEVC elementary stream and sample definitions.....</b>	<b>88</b>
9.1	Overview.....	88
9.2	Overview of L-HEVC storage.....	89
9.3	L-HEVC elementary stream structure.....	89
9.4	Sample and configuration definition.....	90
	9.4.1 Overview.....	90
	9.4.2 Canonical order and restrictions.....	90
	9.4.3 Decoder configuration record.....	90
9.5	Derivation from the ISO base media file format and the HEVC file format ( <a href="#">Clause 8</a> ).....	91
	9.5.1 L-HEVC track structure.....	91
	9.5.2 Data sharing and reconstruction of an L-HEVC bitstream.....	92
	9.5.3 L-HEVC video stream definition.....	93
	9.5.4 L-HEVC visual width and height.....	97
	9.5.5 Sync sample.....	97
	9.5.6 Independent and disposable samples box.....	98
	9.5.7 Stream access point sample group.....	98
	9.5.8 The 'roll', 'rap', 'sync', 'tsas' and 'stsa' sample groups.....	98
	9.5.9 Definition of a sub-sample for L-HEVC.....	99
	9.5.10 Handling non-output samples.....	99
9.6	L-HEVC specific structures.....	99
	9.6.1 External base layer sample group.....	99
	9.6.2 The operating points information sample group.....	100
	9.6.3 The layer information sample group.....	103
	9.6.4 The decoding time hint sample group.....	103
<b>10</b>	<b>Storage of tiled HEVC and L-HEVC video streams.....</b>	<b>104</b>
10.1	Overview.....	104
10.2	NAL unit map entry.....	105
10.3	Tile region group entry.....	105
10.4	Tile sub track definition.....	105
	10.4.1 Overview.....	105
	10.4.2 TileSubTrackGroupBox.....	105
10.5	HEVC and L-HEVC tile track.....	106
	10.5.1 Overview.....	106
	10.5.2 Sample entry name and format for HEVC tile tracks.....	107
	10.5.3 Sample entry name and format for L-HEVC tile tracks.....	108
	10.5.4 Bitstream reconstruction from tile base and tile tracks.....	108
	10.5.5 Sample entry names for tile base tracks.....	109
	10.5.6 HEVC tile track with slice segment header info.....	109
10.6	HEVC slice segment data track.....	110
	10.6.1 Overview.....	110
	10.6.2 Sample entry name and format for HEVC slice segment data tracks.....	110
<b>11</b>	<b>VVC elementary streams and sample definitions.....</b>	<b>111</b>
11.1	Overview.....	111

11.1.1	General	111
11.1.2	Background: features of VVC	111
11.1.3	Types of tracks for carriage of VVC elementary streams	112
11.1.4	Overview of VVC storage with multiple layers or sublayers	113
11.1.5	Overview of VVC storage with VVC subpictures	114
11.1.6	Overview of rectangular regions carried in a VVC bitstream	115
11.2	Sample and configuration definition	116
11.2.1	Sample format of VVC tracks and VVC subpicture tracks	116
11.2.2	Sample format of VVC non-VCL tracks	116
11.2.3	Canonical order and restrictions	117
11.2.4	Decoder configuration information	118
11.3	Derivation from ISO base media file format	124
11.3.1	VVC sample entries	124
11.3.2	VVC subpicture sample entry 'vvs1'	125
11.3.3	VVC non-VCL sample entry	126
11.3.4	Constraints related to VVC merge base tracks, VVC extraction base tracks and VVC subpicture tracks	127
11.3.5	Sync sample	128
11.3.6	Definition of a sub-sample for VVC	131
11.3.7	Handling non-output samples	134
11.4	Sample groups	134
11.4.1	Common layer_id_method_idc semantics	134
11.4.2	Stream access point sample group	136
11.4.3	Random access recovery point sample group	136
11.4.4	Alternative startup sequences sample group	136
11.4.5	Random access point sample group	136
11.4.6	Temporal level sample group	136
11.4.7	Step-wise sublayer access sample group	137
11.4.8	Decoding time hint sample group	137
11.4.9	Layer information sample group	137
11.4.10	Operating points information sample group	137
11.4.11	Decoding capability information sample group	142
11.4.12	Parameter set sample group	142
11.4.13	Access unit delimiter sample group	143
11.4.14	End of sequence sample group	144
11.4.15	End of bitstream sample group	144
11.4.16	Subpicture ID sample group	145
11.4.17	Subpicture order sample group	146
11.4.18	Subpicture layout map entry	147
11.4.19	Mixed NAL unit type pictures sample group	148
11.4.20	Rectangular region order sample group	149
11.4.21	Subpicture level information sample group	150
11.5	Entity groups	151
11.5.1	Subpicture entity groups	151
11.5.2	Operating point entity group	153
11.5.3	VVC bitstream entity group	156
11.5.4	VVC switchable tracks entity group	156
11.6	Data sharing and VVC bitstream reconstruction	157
11.6.1	General	157
11.6.2	Implicit reconstruction of a VVC bitstream	159
11.6.3	Reconstructing a picture unit from a sample in a VVC track with 'subp' or 'vvcN' track references	160
11.6.4	Resolving subpicture track references	162
11.6.5	Parameter set updating	162
11.6.6	Reconstructing a picture unit from a sample in a VVC track with 'recr' track reference	163
<b>12</b>	<b>EVC elementary streams and sample definitions</b>	<b>165</b>
12.1	Overview	165

12.2	Elementary stream structure.....	165
12.3	Sample and configuration definition.....	165
12.3.1	Overview.....	165
12.3.2	Canonical order and restrictions.....	165
12.3.3	Decoder configuration information: EVC decoder configuration record.....	166
12.4	Derivation from ISO base media file format.....	168
12.4.1	EVC video stream definition: sample entry name and format.....	168
12.4.2	Parameter sets.....	169
12.4.3	Sync sample.....	170
12.4.4	Definition of a sub-sample for EVC.....	170
12.5	EVC slice track.....	171
12.5.1	Overview.....	171
12.5.2	Implicit reconstruction of an EVC bitstream.....	171
12.5.3	EVC slice component track.....	171
12.5.4	EVC slice base track.....	173
<b>13</b>	<b>LCEVC elementary streams and sample definitions.....</b>	<b>173</b>
13.1	Overview.....	173
13.2	Elementary stream structure.....	174
13.3	Sample and configuration definitions.....	174
13.3.1	Overview.....	174
13.3.2	Canonical order.....	174
13.3.3	Decoder configuration information.....	174
13.4	Derivation from ISO base media file format.....	176
13.4.1	LCEVC video stream definition: sample entry name and format.....	176
13.4.2	LCEVC track structure.....	177
13.4.3	Parameter sets.....	178
13.4.4	Sync sample.....	178
<b>Annex A</b>	<b>(normative) In-stream structures.....</b>	<b>179</b>
<b>Annex B</b>	<b>(normative) SVC, MVC, and MVD sample group and sub-track definitions.....</b>	<b>193</b>
<b>Annex C</b>	<b>(normative) Temporal metadata support.....</b>	<b>213</b>
<b>Annex D</b>	<b>(normative) File format toolsets and brands.....</b>	<b>221</b>
<b>Annex E</b>	<b>(normative) Sub-parameters for the MIME type 'codecs' parameter.....</b>	<b>224</b>
<b>Annex F</b>	<b>(informative) Unspecified nal_unit_type value management for sample entry types of AVC and HEVC.....</b>	<b>231</b>
<b>Annex G</b>	<b>(informative) Examples of VVC base and subpicture tracks.....</b>	<b>233</b>