ISO 15076-1:2025-10 (E)

Image technology colour management - Architecture, profile format and data structure - Part 1: Based on ICC.1:2022

Contents

Page

Foreword vii

Introduction viii

1 Scope 1

2 Normative references 1

3 Terms, definitions and abbreviated terms 2
3.1 Terms and definitions 2
3.2 Abbreviated terms 6

4 Basic number types 6
4.1 General 6
4.2 dateTimeNumber 6
4.3 float32Number 7
4.4 positionNumber 7
4.5 response16Number 7
4.6 s15Fixed16Number 8
4.7 u16Fixed16Number 8
4.8 u1Fixed15Number 8
4.9 u8Fixed8Number 8
4.10 uInt16Number 8
4.11 uInt32Number 8
4.12 uInt64Number 9
4.13 uInt8Number 9
4.14 XYZNumber 9
4.15 Seven-bit ASCII 9

5 Conformance 9

6 Profile connection space, rendering intents and device encoding 9
6.1 General considerations 9
6.2 Rendering intents 10
6.2.1 General 10
6.2.2 Media-relative colorimetric intents 10
6.2.3 ICC-absolute colorimetric intent 10
6.2.4 Perceptual intent 11
6.2.5 Saturation intent 11
6.3 Profile connection space 11
6.3.1 Chromatic adaptation 11
6.3.2 Colorimetric specification 11
6.3.3 Reference viewing environment and medium for the perceptual rendering intent 13
6.3.4 Colour space encodings for the PCS 15
6.4 Converting between PCSXYZ and PCSLAB encodings 17
6.5 Device encoding 18

7 Profile requirements 18
7.1 General 18
7.2 Profile header 20
7.2.1 General requirements 20

7.2.2 Profile size field (bytes 0 to 3) 20
7.2.3 Preferred CMM type field (bytes 4 to 7) 20
7.2.4 Profile version field (bytes 8 to 11) 21
7.2.5 Profile/device class field (bytes 12 to15) 21
7.2.6 Data colour space field (bytes 16 to 20) 21
7.2.7 PCS field (bytes 20 to 23) 22
7.2.8 Date and time field (bytes 24 to 35) 22
7.2.9 Profile file signature field (bytes 36 to 39) 22
7.2.10 Primary platform field (bytes 40 to 43) 22

7.2.11 Profile flags field (bytes 44 to 47) 23
7.2.12 Device manufacturer field (bytes 48 to 51) 23
7.2.13 Device model field (bytes 52 to 55) 23
7.2.14 Device attributes field (bytes 56 to 63) 23
7.2.15 Rendering intent field (bytes 64 to 67) 23
7.2.16 PCS illuminant field (Bytes 68 to 79) 24
7.2.17 Profile creator field (bytes 80 to 83) 24
7.2.18 Profile ID field (bytes 84 to 99) 24
7.2.19 Reserved field (bytes 100 to 127) 24
7.3 Tag table 24
7.3.1 Overview 24
7.3.2 Tag count (byte position 0 to 3) 25
7.3.3 Tag signature (byte position 4 to 7 and repeating) 25
7.3.4 Offset to beginning of tag data element (byte position 8 to 11 and repeating) 25
7.3.5 Tag data element size (byte position 12 to 15 and repeating) 25
7.4 Tag data 26

8 Required tags 26
8.1 General 26
8.2 Common requirements 26
8.3 Input profiles 26
8.3.1 General 26
8.3.2 N-component LUT-based Input profiles 27
8.3.3 Three-component matrix-based Input profiles 27
8.3.4 Monochrome Input profiles 27
8.4 Display profiles 28
8.4.1 General 28
8.4.2 N-Component LUT-based Display profiles 28
8.4.3 Three-component matrix-based Display profiles 28
8.4.4 Monochrome Display profiles 28
8.5 Output profiles 29
8.5.1 General 29
8.5.2 N-component LUT-based Output profiles 29
8.5.3 Monochrome Output profiles 29
8.6 DeviceLink profile 29
8.7 ColorSpace profile 30
8.8 Abstract profile 30
8.9 NamedColor profile 31
8.10 Precedence order of tag usage 31
8.10.1 General 31
8.10.2 Input, display, output or colour space profile types 31
8.10.3 DeviceLink or Abstract profile types 31

9 Tag definitions 32
9.1 General 32
9.2 Tag listing 33
9.2.1 AToB0Tag 33
9.2.2 AToB1Tag 33
9.2.3 AToB2Tag 33
9.2.4 blueMatrixColumnTag 33
9.2.5 blueTRCTag 33
9.2.6 BToA0Tag 34

9.2.7 BToA1Tag 34
9.2.8 BToA2Tag 34
9.2.9 BToD0Tag 34
9.2.10 BToD1Tag 34
9.2.11 BToD2Tag 34
9.2.12 BToD3Tag 35
9.2.13 calibrationDateTimeTag 35
9.2.14 charTargetTag 35

9.2.15 chromaticAdaptationTag 35
9.2.16 chromaticityTag 36
9.2.17 cicpTag 36
9.2.18 colorantOrderTag 36
9.2.19 colorantTableTag 36
9.2.20 colorantTableOutTag 37
9.2.21 colorimetricIntentImageStateTag 37
9.2.22 copyrightTag 39
9.2.23 deviceMfgDescTag 39
9.2.24 deviceModelDescTag 39
9.2.25 DToB0Tag 39
9.2.26 DToB1Tag 39
9.2.27 DToB2Tag 39
9.2.28 DToB3Tag 40
9.2.29 gamutTag 40
9.2.30 grayTRCTag 40
9.2.31 greenMatrixColumnTag 40
9.2.32 greenTRCTag 40
9.2.33 luminanceTag 40
9.2.34 measurementTag 41
9.2.35 metadataTag 41
9.2.36 mediaWhitePointTag 41
9.2.37 namedColor2Tag 41
9.2.38 outputResponseTag 41
9.2.39 perceptualRenderingIntentGamutTag 42
9.2.40 preview0Tag 42
9.2.41 preview1Tag 42
9.2.42 preview2Tag 42
9.2.43 profileDescriptionTag 43
9.2.44 profileSequenceDescTag 43
9.2.45 profileSequenceIdentifierTag 43
9.2.46 redMatrixColumnTag 43
9.2.47 redTRCTag 43
9.2.48 saturationRenderingIntentGamutTag 43
9.2.49 technologyTag 44
9.2.50 viewingCondDescTag 44
9.2.51 viewingConditionsTag 45

10 Tag type definitions 45
10.1 General 45
10.2 chromaticityType 45
10.3 cicpType 46
10.4 colorantOrderType 47
10.5 colorantTableType 48
10.6 curveType 48
10.7 dataType 49
10.8 dateTimeType 49
10.9 dictType 49
10.10 lut16Type 51
10.11 lut8Type 55
10.12 lutAToBType 57
10.12.1 General 57
10.12.2 "A" curves 58

10.12.3 CLUT ... 58
10.12.4 "M" curves ... 59
10.12.5 Matrix ... 59
10.12.6 "B" curves ... 59
10.13 lutBToAType ... 60
10.13.1 General ... 60

10.13.2 "B" curves ... 61
10.13.3 Matrix ... 61
10.13.4 "M" curves ... 61
10.13.5 CLUT ... 61
10.13.6 "A" curves ... 62
10.14 measurementType ... 62
10.15 multiLocalizedUnicodeType ... 63
10.16 multiProcessElementsType ... 64
10.16.1 General ... 64
10.16.2 multiProcessElementsType Elements ... 65
10.17 namedColor2Type ... 69
10.18 parametricCurveType ... 71
10.19 profileSequenceDescType ... 71
10.20 profileSequenceIdentifierType ... 72
10.20.1 General ... 72
10.20.2 Profile ID ... 73
10.20.3 Profile Description ... 73
10.21 responseCurveSet16Type ... 73
10.22 s15Fixed16ArrayType ... 76
10.23 signatureType ... 76
10.24 textType ... 76
10.25 u16Fixed16ArrayType ... 76
10.26 uInt16ArrayType ... 77
10.27 uInt32ArrayType ... 77
10.28 uInt64ArrayType ... 77
10.29 uInt8ArrayType ... 78
10.30 viewingConditionsType ... 78
10.31 XYZType ... 78

Annex A (informative) Data colour encodings and rendering intents ... 79

Annex B (informative) Embedding profiles ... 82

Annex C (informative) Relationship between ICC profiles and PostScript CSAs and CRDs ... 83

Annex D (informative) Profile connection space ... 85

Annex E (informative) Chromatic adaptation tag ... 98

Annex F (normative) Profile computational models ... 101

Annex G (informative) Tables of required tags and tag list ... 103

Annex H (informative) Relationship to iccMAX ... 109

Bibliography ... 110