

ISO/IEC 15693-3:2026-05 (E)

Cards and security devices for personal identification - Contactless vicinity objects - Part 3: Anticollision and transmission protocol

Contents		Page
Foreword		vi
Introduction		vii
1	Scope	1
2	Normative references	1
3	Terms, definitions, symbols and abbreviated terms	1
3.1	Terms and definitions	1
3.2	Symbols and abbreviated terms	2
4	Definition of data elements	3
4.1	UID	3
4.2	AFI	3
4.3	DSFID	5
4.4	CRC	5
4.5	Security framework	6
5	VICC memory organization	6
6	Block security status	6
7	Overall protocol description	7
7.1	Protocol concept	7
7.2	Modes	8
7.2.1	General	8
7.2.2	Addressed mode	8
7.2.3	Non-addressed mode	8
7.2.4	Select mode	8
7.3	Request format	9
7.3.1	General	9
7.3.2	Request flags	9
7.4	Response format	10
7.4.1	General	10
7.4.2	Response flags	10
7.4.3	Response error code	11
7.4.4	In-process reply response formats	12
7.4.5	Waiting time extension request formats	13
7.5	VICC states	13
7.5.1	General	13
7.5.2	Power-off state	14
7.5.3	Ready state	14
7.5.4	Quiet state	14
7.5.5	Selected state	14
7.5.6	Selected Secure state	15
8	Anticollision	16
8.1	General	16
8.2	Request parameters	16
8.3	Request processing by the VICC	16

8.4	Explanation of an anticollision sequence	18
9	Timing specifications	20
9.1	General	20
9.2	VICC waiting time before transmitting its response after reception of an EOF from the VCD	20
9.3	VICC modulation ignore time after reception of an EOF from the VCD	20
9.4	VCD waiting time before sending a subsequent request	20
9.5	VCD waiting time before switching to the next slot during an inventory process	21
9.5.1	General	21
9.5.2	When the VCD has started to receive one or more VICC responses	21
9.5.3	When the VCD has received no VICC response	21
9.6	VICC waiting time before transmitting a response for Write alike commands	22
9.7	Security timeout as used in the CS	22
9.8	VICC replies as used in CS or extended functionalities	22
9.8.1	General	22
9.8.2	Immediate VICC reply	22
9.8.3	In-process reply	23
9.9	Waiting time extension reply	25
10	Commands	26
10.1	Command types	26
10.1.1	General	26
10.1.2	Mandatory	26
10.1.3	Optional	26
10.1.4	Custom	26
10.1.5	Proprietary	26
10.2	Command codes	26
10.3	Mandatory commands	28
10.3.1	Inventory	28
10.3.2	Stay quiet	28
10.4	Optional commands	29
10.4.1	Read single block	29
10.4.2	Write single block	30
10.4.3	Lock block	30
10.4.4	Read multiple blocks	31
10.4.5	Write multiple blocks	32
10.4.6	Select	33
10.4.7	Reset to ready	33
10.4.8	Write AFI	34
10.4.9	Lock AFI	35
10.4.10	Write DSFID command	35
10.4.11	Lock DSFID	36
10.4.12	Get system information	36
10.4.13	Get multiple block security status	38
10.4.14	Fast read multiple blocks	39
10.4.15	Extended read single block	40
10.4.16	Extended write single block	41
10.4.17	Extended lock block	42
10.4.18	Extended read multiple block	43
10.4.19	Extended write multiple blocks	44
10.4.20	Extended get multiple block security status	45
10.4.21	Fast extended read multiple blocks	46
10.4.22	Authenticate	47
10.4.23	KeyUpdate	48
10.4.24	Challenge	49
10.4.25	ReadBuffer	50
10.4.26	Extended get system information	51
10.5	Custom commands	55
10.6	Proprietary commands	55

11	Secured Communication	55
11.1	General	55
11.2	AuthComm	56
11.3	SecureComm	56
Annex A (informative) VCD pseudo-code for anticollision		58
Annex B (informative) Cyclic redundancy check (CRC)		59
Annex C (informative) Examples of crypto command sequence		62
ISO/IEC 15693-3:2026(en) Annex D (normative) List of legacy commands		65
Bibliography		66