

ISO/IEC 14496-22:2026-07 (E)

Information technology - Coding of audio-visual objects - Part 22: Open font format

Contents

Page

Foreword	viii
Introduction	ix
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms	1
3.1 Terms and definitions	1
3.2 Abbreviated terms	2
4 The Open Font file format	3
4.1 Description	3
4.2 Filenames	3
4.3 Data types	3
4.4 Table version numbers	7
4.5 Top-level OFF organization	8
4.5.1 Table directory	8
4.5.2 Table records	9
4.5.3 Calculating checksums	10
4.6 Font collections	11
4.6.1 The Font Collection overview	11
4.6.2 The Font Collection file structure	11
4.6.3 TTC header	12
5 Open font tables	14
5.1 Required common tables	14
5.1.1 List of required tables	14
5.1.2 cmap--Character to glyph index mapping table	15
5.1.3 head--Font header	32
5.1.4 hhea--Horizontal header	36
5.1.5 hmtx--Horizontal metrics	37
5.1.6 maxp--Maximum profile	39
5.1.7 name--Naming table	40
5.1.8 OS/2 -- OS/2 and Windows metrics table	55
5.1.9 post--PostScript	85
5.1.10 HHEA--Horizontal header	89
5.1.11 HMTX--Horizontal metrics	90
5.1.12 MAXP--Maximum Profile, for 24-bit fonts	92
5.2 Tables related to TrueType outlines	94
5.2.1 List of TrueType outlines tables	94
5.2.2 cvt--Control value table	94
5.2.3 fpgm--Font program	94
5.2.4 glyf--Glyph data	95
5.2.5 loca--Index to location	103
5.2.6 prep--Control value program	104
5.2.7 gasp--Grid-fitting and scan-conversion procedure table	105
5.2.8 GLYP--Glyph data	107
5.2.9 LOCA--Index to location	117
5.3 Tables related to CFF outlines	118

5.3.1	List of CFF outline tables	118
5.3.2	CFF--Compact Font Format table (version 1)	118
5.3.3	CFF2--Compact Font Format (version 2) table	119
5.3.4	CFSH-- Compact Font Format supplementary hint table	181
5.3.5	VORG--Vertical origin table	182
5.4	SVG--The SVG (Scalable Vector Graphics) table	184
5.4.1	Introduction	184
5.4.2	SVG table formats	184
5.4.3	SVG documents	185
5.4.4	Color and color palettes	188
5.4.5	Glyph Identifiers	189
5.4.6	Glyph semantics and text layout processing	190
5.4.7	Coordinate Systems and Glyph Metrics	190
5.4.8	Animations	191
5.4.9	SVG glyph examples	192
5.5	Tables related to bitmap glyphs	198
5.5.1	List of bitmap glyph tables	198
5.5.2	EBDT--Embedded bitmap data table	199
5.5.3	EBLC--Embedded bitmap location table	203
5.5.4	EBSC--Embedded bitmap scaling table	212
5.5.5	CBDT--Color bitmap data table	213
5.5.6	CBLC--Color bitmap location table	216
5.5.7	sbix--Standard bitmap graphics table	218
5.6	Optional tables	220
5.6.1	DSIG--Digital signature table	221
5.6.2	hdmx--Horizontal device metrics	224
5.6.3	kern--Kerning	225
5.6.4	LTSH--Linear threshold	229
5.6.5	MERG--Merge table	230
5.6.6	meta--Metadata table	235
5.6.7	PCLT--PCL 5 table	239
5.6.8	VDMX--Vertical device metrics	248
5.6.9	vhea--Vertical header table	251
5.6.10	vmtx--Vertical metric table	256
5.6.11	COLR--Color Table	257
5.6.12	CPAL--Palette Table	328
5.6.13	VHEA--Vertical header table	334
5.6.14	VMTX--Vertical metric table	339
5.6.15	DMAP--Delta map table	341
6	Open Font advanced layout tables	341
6.1	Open Font advanced layout extensions	341
6.1.1	Overview of advanced typographic layout extensions	341
6.1.2	OFF Layout terminology	343
6.1.3	Text processing with OFF layout	346
6.1.4	OFF layout and Font variations	347
6.2	OFF Layout common table formats	348
6.2.1	Overview	348
6.2.2	OFF Layout and Font variations	350
6.2.3	Table organization	350
6.2.4	Scripts and languages	352
6.2.5	Features and lookups	355
6.2.6	Coverage table	362
6.2.7	Class definition table	364
6.2.8	Common formats for contextual lookup subtables	367
6.2.9	Device and VariationIndex tables	384
6.2.10	Conditions and Condition Sets	387
6.2.11	Feature variations	394
6.2.12	Common table examples	399
6.3	Advanced typographic tables	408
6.3.1	BASE--Baseline table	408

6.3.2	GDEF--The glyph definition table	432
6.3.3	GPOS--The glyph positioning table	448
6.3.4	GSUB--The glyph substitution table	513
6.3.5	JSTF--The justification table	551
6.3.6	MATH--The mathematical typesetting table	565
6.4	Layout tag registry	586
6.4.1	Overview	586
6.4.2	Scripts tags	586
6.4.3	Language tags	593
6.4.4	Feature tags	623
6.4.5	Baseline tags	708
7	OFF font variations	713
7.1	Font variations overview	713
7.1.1	General	713
7.1.2	Terminology	716
7.1.3	Variation space, default instances and adjustment deltas	718
7.1.4	Coordinate scales and normalization	722
7.1.5	Variation data	727
7.1.6	Variation data tables and miscellaneous requirements	737
7.1.7	Algorithm for interpolation of instance values	739
7.1.8	Interpolation example	743
7.1.9	Dynamic generation of static instance fonts	749
7.2	Font variations common table formats	750
7.2.1	Overview	750
7.2.2	Tuple variation store	751
7.2.3	Item variation stores	761
7.2.4	Design-variation axis tag registry	771
7.3	Font variations tables	778
7.3.1	avar--Axis variations table	778
7.3.2	cvar--CVT variations table	783
7.3.3	fvar--Font variations table	785
7.3.4	gvar--Glyph variations table	795
7.3.5	HVAR--Horizontal metrics variations table	807
7.3.6	MVAR--Metrics variations table	809
7.3.7	STAT--Style attributes table	815
7.3.8	VVAR--Vertical metrics variations table	831
7.3.9	GVAR--Glyph variations table	833
7.3.10	VARC--Variable Composite Glyph Descriptions	844
8	Recommendations for OFF fonts	852
8.1	Byte ordering	852
8.2	Mixing outline formats	852
8.3	Filenames	853
8.4	Table alignment and length	853
8.5	Glyph 0: the .notdef glyph	853
8.6	'BASE' table	854
8.7	'cmap' table	854
8.8	'cvt ' table	854
8.9	'fpgm' table	855
8.10	'glyf' table	855
8.11	'hdmx' table	855
8.12	'head' table	855
8.13	'hhea' table	855
8.14	'hmtx' table	855
8.15	'kern' table	856
8.16	'loca' table	856
8.17	'LTSH' table	856
8.18	'maxp' table	856
8.19	'name' table	857
8.20	'OS/2' table	859

8.21	'post' table	860
8.22	'prep' table	860
8.23	'VDMX' table	860
8.24	TrueType Collections	860
9	General recommendations	861
9.1	Optimized table ordering	861
9.2	Non-standard (Symbol) fonts	861
9.3	Baseline to baseline distances	861
9.4	Style bits	863
9.5	Drop-out control	863
9.6	Embedded bitmaps	863
9.7	OFF CJK font guidelines	863
9.8	Stroke reduction in variable fonts	864
9.9	Families with optical size variants	864
Annex A (informative) IBM font family classifications		865
A.1	General	865
A.2	Class ID=0 No Classification	865
A.3	Class ID=1 Oldstyle Serifs	865
A.4	Class ID=2 Transitional Serifs	867
A.5	Class ID=3 Modern Serifs	867
A.6	Class ID=4 Clarendon Serifs	868
A.7	Class ID=5 Slab Serifs	869
A.8	Class ID=6 (reserved for future use)	870
A.9	Class ID=7 Freeform Serifs	871
A.10	Class ID=8 Sans Serifs	871
A.11	Class ID=9 Ornaments	873
A.12	Class ID=10 Scripts	874
A.13	Class ID=11 (reserved for future use)	875
A.14	Class ID=12 Symbolic	875
A.15	Class ID=13 Reserved	876
A.16	Class ID=14 Reserved	876
Annex B (informative) Earlier versions of OS/2 - OS/2 and Windows metrics		877
B.1	OS/2 - OS/2 and Windows metrics (version 0)	877
B.2	OS/2 - OS/2 and Windows metrics (version 1)	897
B.3	OS/2 - OS/2 and Windows metrics (version 2)	922
B.4	OS/2 - OS/2 and Windows metrics (version 3)	944
B.5	OS/2 - OS/2 and Windows metrics (version 4)	967
Annex C (informative) OFF Mirroring Pairs List		992
Annex D (informative) Comparison of 'glyf', 'CFF ' and 'CFF2' tables		999
Bibliography		1001