ISO/IEC 14496-22:2026-07 (E)

Information technology - Coding of audio-visual objects - Part 22: Open font format

Contents

Page

Foreword viii

Introduction ix

1 Scope 1

2 Normative references 1

3 Terms, definitions and abbreviated terms 1
3.1 Terms and definitions 1
3.2 Abbreviated terms 2

4 The Open Font file format 3
4.1 Description 3
4.2 Filenames 3
4.3 Data types 3
4.4 Table version numbers 7
4.5 Top-level OFF organization 8
4.5.1 Table directory 8
4.5.2 Table records 9
4.5.3 Calculating checksums 10
4.6 Font collections 11
4.6.1 The Font Collection overview 11
4.6.2 The Font Collection file structure 11
4.6.3 TTC header 12

5 Open font tables 14
5.1 Required common tables 14
5.1.1 List of required tables 14
5.1.2 cmap--Character to glyph index mapping table 15
5.1.3 head--Font header 32
5.1.4 hhea--Horizontal header 36
5.1.5 hmtx--Horizontal metrics 37
5.1.6 maxp--Maximum profile 39
5.1.7 name--Naming table 40
5.1.8 OS/2 -- OS/2 and Windows metrics table 55
5.1.9 post--PostScript 85
5.1.10 HHEA--Horizontal header 89
5.1.11 HMTX--Horizontal metrics 90
5.1.12 MAXP--Maximum Profile, for 24-bit fonts 92
5.2 Tables related to TrueType outlines 94
5.2.1 List of TrueType outlines tables 94
5.2.2 cvt--Control value table 94
5.2.3 fpgm--Font program 94
5.2.4 glyf--Glyf data 95
5.2.5 loca--Index to location 103
5.2.6 prep--Control value program 104
5.2.7 gasp--Grid-fitting and scan-conversion procedure table 105
5.2.8 GLYF--Glyph data 107
5.2.9 LOCA--Index to location 117
5.3 Tables related to CFF outlines 118

5.3.1 List of CFF outline tables 118
5.3.2 CFF--Compact Font Format table (version 1) 118
5.3.3 CFF2--Compact Font Format (version 2) table 119
5.3.4 CFSH-- Compact Font Format supplementary hint table 181
5.3.5 VORG--Vertical origin table 182
5.4 SVG--The SVG (Scalable Vector Graphics) table 184
5.4.1 Introduction 184
5.4.2 SVG table formats 184
5.4.3 SVG documents 185
5.4.4 Color and color palettes 188
5.4.5 Glyph Identifiers 189
5.4.6 Glyph semantics and text layout processing 190
5.4.7 Coordinate Systems and Glyph Metrics 190
5.4.8 Animations 191
5.4.9 SVG glyph examples 192
5.5 Tables related to bitmap glyphs 198
5.5.1 List of bitmap glyph tables 198
5.5.2 EBDT--Embedded bitmap data table 199
5.5.3 EBLC--Embedded bitmap location table 203
5.5.4 EBSC--Embedded bitmap scaling table 212
5.5.5 CBDT--Color bitmap data table 213
5.5.6 CBLC--Color bitmap location table 216
5.5.7 sbix--Standard bitmap graphics table 218
5.6 Optional tables 220
5.6.1 DSIG--Digital signature table 221
5.6.2 hdmx--Horizontal device metrics 224
5.6.3 kern--Kerning 225
5.6.4 LTSH--Linear threshold 229
5.6.5 MERG--Merge table 230
5.6.6 meta--Metadata table 235
5.6.7 PCLT--PCL 5 table 239
5.6.8 VDMX--Vertical device metrics 248
5.6.9 vhea--Vertical header table 251
5.6.10 vmtx--Vertical metric table 256
5.6.11 COLR--Color Table 257
5.6.12 CPAL--Palette Table 328
5.6.13 VHEA--Vertical header table 334
5.6.14 VMTX--Vertical metric table 339
5.6.15 DMAP--Delta map table 341

6 Open Font advanced layout tables 341
6.1 Open Font advanced layout extensions 341
6.1.1 Overview of advanced typographic layout extensions 341
6.1.2 OFF Layout terminology 343
6.1.3 Text processing with OFF layout 346
6.1.4 OFF layout and Font variations 347
6.2 OFF Layout common table formats 348
6.2.1 Overview 348
6.2.2 OFF Layout and Font variations 350
6.2.3 Table organization 350
6.2.4 Scripts and languages 352

6.2.5 Features and lookups 355
6.2.6 Coverage table 362
6.2.7 Class definition table 364
6.2.8 Common formats for contextual lookup subtables 367
6.2.9 Device and VariationIndex tables 384
6.2.10 Conditions and Condition Sets 387
6.2.11 Feature variations 394
6.2.12 Common table examples 399
6.3 Advanced typographic tables 408
6.3.1 BASE--Baseline table 408

6.3.2 GDEF--The glyph definition table 432
6.3.3 GPOS--The glyph positioning table 448
6.3.4 GSUB--The glyph substitution table 513
6.3.5 JSTF--The justification table 551
6.3.6 MATH--The mathematical typesetting table 565
6.4 Layout tag registry 586
6.4.1 Overview 586
6.4.2 Scripts tags 586
6.4.3 Language tags 593
6.4.4 Feature tags 623
6.4.5 Baseline tags 708

7 OFF font variations 713
7.1 Font variations overview 713
7.1.1 General 713
7.1.2 Terminology 716
7.1.3 Variation space, default instances and adjustment deltas 718
7.1.4 Coordinate scales and normalization 722
7.1.5 Variation data 727
7.1.6 Variation data tables and miscellaneous requirements 737
7.1.7 Algorithm for interpolation of instance values 739
7.1.8 Interpolation example 743
7.1.9 Dynamic generation of static instance fonts 749
7.2 Font variations common table formats 750
7.2.1 Overview 750
7.2.2 Tuple variation store 751
7.2.3 Item variation stores 761
7.2.4 Design-variation axis tag registry 771
7.3 Font variations tables 778
7.3.1 avar--Axis variations table 778
7.3.2 cvar--CVT variations table 783
7.3.3 fvar--Font variations table 785
7.3.4 gvar--Glyph variations table 795
7.3.5 HVAR--Horizontal metrics variations table 807
7.3.6 MVAR--Metrics variations table 809
7.3.7 STAT--Style attributes table 815
7.3.8 VVAR--Vertical metrics variations table 831
7.3.9 GVAR--Glyph variations table 833
7.3.10 VARC--Variable Composite Glyph Descriptions 844

8 Recommendations for OFF fonts 852
8.1 Byte ordering 852

8.2 Mixing outline formats 852
8.3 Filenames 853
8.4 Table alignment and length 853
8.5 Glyph 0: the .notdef glyph 853
8.6 'BASE' table 854
8.7 'cmap' table 854
8.8 'cvt ' table 854
8.9 'fpgm' table 855
8.10 'glyf' table 855
8.11 'hdmx' table 855
8.12 'head' table 855
8.13 'hhea' table 855
8.14 'hmtx' table 855
8.15 'kern' table 856
8.16 'loca' table 856
8.17 'LTSH' table 856
8.18 'maxp' table 856
8.19 'name' table 857
8.20 'OS/2' table 859

8.21 'post' table 860
8.22 'prep' table 860
8.23 'VDMX' table 860
8.24 TrueType Collections 860

9 General recommendations 861
9.1 Optimized table ordering 861
9.2 Non-standard (Symbol) fonts 861
9.3 Baseline to baseline distances 861
9.4 Style bits 863
9.5 Drop-out control 863
9.6 Embedded bitmaps 863
9.7 OFF CJK font guidelines 863
9.8 Stroke reduction in variable fonts 864
9.9 Families with optical size variants 864

Annex A (informative) IBM font family classifications 865

A.1 General 865
A.2 Class ID=0 No Classification 865
A.3 Class ID=1 Oldstyle Serifs 865
A.4 Class ID=2 Transitional Serifs 867
A.5 Class ID=3 Modern Serifs 867
A.6 Class ID=4 Clarendon Serifs 868
A.7 Class ID=5 Slab Serifs 869
A.8 Class ID=6 (reserved for future use) 870
A.9 Class ID=7 Freeform Serifs 871
A.10 Class ID=8 Sans Serifs 871
A.11 Class ID=9 Ornamentals 873
A.12 Class ID=10 Scripts 874
A.13 Class ID=11 (reserved for future use) 875
A.14 Class ID=12 Symbolic 875
A.15 Class ID=13 Reserved 876
A.16 Class ID=14 Reserved 876

Annex B (informative) Earlier versions of OS/2 - OS/2 and Windows metrics 877

B.1 OS/2 - OS/2 and Windows metrics (version 0) 877
B.2 OS/2 - OS/2 and Windows metrics (version 1) 897
B.3 OS/2 - OS/2 and Windows metrics (version 2) 922
B.4 OS/2 - OS/2 and Windows metrics (version 3) 944
B.5 OS/2 - OS/2 and Windows metrics (version 4) 967

Annex C (informative) OFF Mirroring Pairs List 992

Annex D (informative) Comparison of 'glyf', 'CFF ' and 'CFF2' tables 999

Bibliography 1001