ISO/IEC 23090-30:2026-07 (E)

Information technology - Coded representation of immersive media - Part 30: Low latency, low complexity light detection and ranging (LiDAR) coding

Contents

Page

Foreword viii

Introduction ix

1 Scope 1

2 Normative references 1

3 Terms and definitions 1
3.1 General terms 1
3.2 High-level syntax and entropy coding terms 4
3.3 Tree structure terms 7
3.4 Geometry coding terms 7
3.5 Attribute coding terms 7

4 Abbreviated terms and symbols 8
4.1 Abbreviated terms 8
4.2 Symbols 8
4.3 Mnemonics 9

5 Conventions 9
5.1 General 9
5.2 Numerical representation 9
5.3 Arithmetic operators 9
5.4 Logical operators 10
5.5 Relational operators 10
5.6 Bit-wise operators 10
5.7 Assignment operators 11
5.8 Range notation 11
5.9 Mathematical functions 11
5.9.1 General 11
5.9.2 IntCos and IntSin 12
5.9.3 IntSqrt 12
5.9.4 IntRecipSqrt 13
5.9.5 Div 14
5.9.6 Morton 14
5.9.7 FromMorton 14
5.10 Order of operation precedence 15
5.11 Named expressions 15
5.11.1 General 15
5.11.2 Scope 16
5.11.3 Arguments of named expressions 17
5.11.4 Sub-expressions 17
5.11.5 Definitions with multiple statements 17
5.11.6 Textual definitions 17
5.12 Variables, syntax elements and tables 17

6 Point cloud format and relationship to coded and output representations 18
6.1 General format 18
6.2 Attributes 18
6.2.1 General 18

6.2.2 Colour 18
6.2.3 Opacity 19
6.2.4 Reflectance 19
6.2.5 Normal vector 19
6.2.6 Material identifier 19
6.2.7 Frame number/index 19
6.2.8 User defined attributes 20
6.3 Codec-derived attributes 20
6.3.1 General 20
6.3.2 Slice identifier 20
6.3.3 Slice tag 20
6.3.4 Canonical point order 20
6.3.5 Point Morton order 21
6.4 Coded point cloud format 21
6.4.1 Sequence coordinate system 21
6.4.2 Coding coordinate system 22
6.4.3 Coded point cloud sequence 22
6.4.4 Coded point cloud frame 23
6.4.5 Slice of a coded point cloud frame 23
6.4.6 Repetition of slices 24
6.4.7 Relationship between tiles and slices 24
6.4.8 Parameter sets 25
6.5 Output point cloud format 25
6.5.1 General 25
6.5.2 Coordinate system 25
6.5.3 Fixed-point conformance output 25
6.5.4 Attributes 26
6.5.5 Output point cloud sequence 26
6.5.6 Output point cloud frame 26

7 Syntax and semantics 26
7.1 Method of specifying syntax in tabular form 26
7.2 Specification of syntax functions and descriptors 27
7.3 Syntax in tabular form 28
7.3.1 General 28
7.3.2 Parameter sets, ancillary data and byte alignment 28
7.3.3 Geometry data unit 35
7.3.4 Attribute data unit 38
7.3.5 Defaulted attribute data unit syntax 40
7.4 Semantics 41
7.4.1 General 41
7.4.2 Parameter sets, ancillary data and byte alignment 41
7.4.3 Geometry data unit 53
7.4.4 Attribute data unit 55
7.4.5 Defaulted attribute data unit semantics 55

8 Decoding process 56
8.1 General decoding process 56
8.2 Frame decoding processes 56
8.2.1 General 56
8.2.2 Frame counter 56
8.3 Slice decoding processes 56
8.3.1 General 56
8.3.2 State variables 56
8.3.3 Geometry decoding process 57
8.3.4 Default attribute values 57
8.3.5 Attribute decoding process 57
8.3.6 At the end of a slice 57

9 Slice geometry 57

9.1 General 57
9.2 Sensed point sequence 58
9.2.1 General 58
9.2.2 State variables and expressions 58
9.2.3 Syntax element semantics 59
9.2.4 Contextualization of decoding elevation_offset 62
9.2.5 Reconstruction of sensed point positions 65
9.2.6 Reconstructed output point positions 74
9.2.7 Reconstructed output low latency attributes values 74
9.2.8 Reconstructed point positions for attributes decoding 74

10 Slice attributes 74
10.1 General 74
10.2 Point coordinates 74
10.2.1 General 74
10.2.2 Conversion to scaled angular coordinates 75
10.3 Syntax element semantics 75
10.4 Raw attribute decoding 76
10.5 Attribute decoding using the region-adaptive hierarchical transform 76
10.5.1 General 76
10.5.2 Transform tree 76
10.5.3 Coefficient order 79
10.5.4 Coefficient scaling 80
10.5.5 Transform domain prediction 82
10.5.6 Inverse transform 86
10.5.7 Reconstructed attribute values 88
10.6 Attribute decoding using levels of detail 88
10.6.1 General 88
10.6.2 Syntax element semantics 89
10.6.3 Reconstruction process 89
10.6.4 State variables 89
10.6.5 Levels of detail 90
10.6.6 Predictor search 96
10.6.7 Reconstruction of attribute values 102
10.6.8 Prediction mode coding 103
10.6.9 Scaling 105
10.6.10 Coefficient prediction 105
10.6.11 Transform coefficient weights 106
10.6.12 Transform 107
10.7 Attribute quantization parameters 108
10.7.1 Syntax element semantics 108
10.7.2 Per-point regional QP offset 109
10.7.3 Attribute coefficient QP 109
10.7.4 Definition of AttrQstep 109

11 Parsing process 110
11.1 General 110
11.2 Data unit buffer 111
11.2.1 General 111
11.2.2 State 111
11.2.3 Initialization at the start of parsing a data unit 112
11.2.4 Initialization at the start of parsing a geometry data unit footer 112
11.2.5 Definition of DuNextBit 112
11.3 Chunked bytestream parsing 112
11.3.1 General 112
11.3.2 Chunk syntax 113
11.3.3 Chunk semantics 113
11.3.4 State 113
11.3.5 Span of chunked bytestream data within a data unit 113
11.3.6 The chunk buffer 114
11.3.7 State update at the start of every CBS 114

11.3.8 Unpacking a single chunk 114
11.3.9 Definition of ChunkNextAeBit 114
11.3.10 Definition of ChunkNextBpBit 115
11.3.11 Boundary between spliced chunked bytestreams 115
11.3.12 Location of chunked bytestream boundaries 116
11.4 General inverse binarization processes 116
11.4.1 Parsing unsigned fixed-length codes (FL) 116
11.4.2 Parsing signed fixed-length codes (FL+S) 116
11.4.3 Parsing -th order exp-Golomb codes (EGk) 117
11.4.4 Parsing concatenated truncated unary and -th order exp-Golomb codes (TU+EGk) 117
11.4.5 Parsing concatenated bounded truncated unary and -th order exp-Golomb codes (BTU+EGk) 117
11.4.6 Parsing signed concatenated truncated unary and -th order exp-Golomb codes (TU+EGk+S) 118
11.4.7 Parsing signed concatenated bounded truncated unary and -th order exp-Golomb codes (BTU+EGk+S) 118
11.4.8 Parsing signed concatenated asymmetrically bounded truncated unary and -th order exp-Golomb codes (ABTU+EGk+S) 119
11.4.9 Parsing truncated unary codes (TU) 120
11.4.10 Mapping process for signed codes 120
11.4.11 Parsing ASN.1 object identifiers 120
11.5 CABAC parsing processes 121
11.5.1 Initialization 121
11.5.2 Definition of AeReadBin 121
11.5.3 Contextual probability models 121
11.5.4 Arithmetic decoding engine 125
11.6 Sensor Coding State 127
11.6.1 State variable 127
11.6.2 Initialization at the start of a GDU 129
11.6.3 Initialization with decoded coarse position of first sensed point 130
11.6.4 Update with azimuth_offset 131
11.6.5 Update while decoding elevation_offset 132
11.6.6 Update with sensed point coarse position 132
11.7 Parsing state memorization and restoration 133
11.7.1 General 133
11.7.2 Geometry data units 133
11.7.3 Attribute data units 134
11.7.4 Defaulted attribute data units 134

12 OBUF parsing process 134
12.1 General 134
12.2 Creation of an OBUF instance 134
12.2.1 Creation and initialization of OBUF trees 135
12.2.2 Creation and initialization of an array of OBUF ACPMs 136
12.3 Call and update of an OBUF instance 136
12.3.1 Decode and update according to OBUF trees 136
12.4 Decode of a bin based on an OBUF ACPM 137

Annex A (normative) Profiles and levels 139

Annex B (normative) Type-length-value encapsulated bytestream format 144

Annex C (informative) Arithmetic encoding engine 146

Annex D (informative) Index of named expressions and variables 149