## ISO/IEC 11582 :2002-07 (E)

Information technology\_- Telecommunications and information exchange between systems\_- Private Integrated Services Network; Generic functional protocol for the support of supplementary services; Inter-exchange signalling procedures and protocol

Foreword		Page vi
1	Scope	1
	Conformance	1
2		J
3	Normative references	1
4	Definitions	2
4.1	External definitions	2
4.2	ACSE APDU	2
4.3	Additional Network Feature (ANF)	2
4.4	Adjacent PINX	2
4.5 4.6	Application Protocol Data Unit (APDU) Call, Basic call	2
4.7	Call independent signalling connection	2
4.8	Call independent	3
4.9	Call related	3
4.10	Connection oriented	3
4.11	Connectionless	3
4.12	Coordination Function	3
4.13	Destination PINX	3
4.14	DSE APDU	3
4.15	Dialogue Service Element (DSE)	3
4.16	End PINX	3
4.17 4.18	Gateway PINX Generic Functional Transport Control (GFT-Control) entity	3
4.19	Incoming side	3
4.20	Interpretation APDU	3
4.21	Inter-PINX link	3
4.22	Invocation	3
4.23	Link significance	4
4.24	Mistyped	4
4.25	Network significance	4
4.26	Next PINX	4
4.27	Notification	4
4.28	Originating PINX	4
4.29 4.30	Outgoing side PINX address	4
4.31	Preceding PINX	4
4.32	Private Signalling System No.1	
4.33	Protocol Control	4
4.34	ROSE APDU	4
4.35	Side	4
4.36	Signalling Carriage Mechanism (SCM)	4
4.37	Source PINX	4
4.38	Subsequent PINX	5
4.39	Supplementary service	5
4.40	Supplementary Services Control (SS-Control) entity	5
4.41	Terminating PINX	5
4.42 4.43	Terminal, Terminal Equipment Transit PINX	3
4.43 4.44	Unrecognised	3
7.77	VIII VAAVE HISVAL	

5	List of acronyms	5
6	General principles	6
6.1 6.2 6.3 6.4 6.5 6.6 6.7	Application Association Protocol Model Application of the protocol model to communication between SS-Control entities in non-Adjacent PINXs Services provided by ROSE Services provided by ACSE Services provided by DSE Services provided by GFT-Control	6 6 8 9 9 9
6.7.1 6.7.2 6.7.3	Connection oriented services Connectionless transport services Notification services	10 11 11
6.8	Services provided by Protocol Control to GFT-Control	11
6.8.1 6.8.2 6.8.3	Connection oriented transport services Connectionless transport service Notification services	11 12 12
6.9	Services required of the Signalling Carriage Mechanism	12
7	Protocol Control and GFT-Control Requirements	12
7.1	Call related Procedures for the transport of APDUs	12
7.1.1 7.1.2	Protocol Control requirements GFT-Control requirements	12 13
7.2	Connectionless APDU Transport Mechanism	20
7.2.1 7.2.2	Protocol Control requirements Control requirements	20 20
7.3	Connection oriented call independent APDU transport mechanism	21
7.3.1 7.3.2 7.3.3	Protocol Control requirements Dynamic Description (SDL) of Connection oriented Protocol Control procedures Generic Functional Transport Control requirements	21 25 31
7.4	Call related procedures for the transport of Notifications	34
7.4.1 7.4.2 7.4.3	Categories of notifications Protocol Control requirements GFT-Control requirements	34 34 34
8	Application layer requirements	35
8.1	Coordination Function requirements	35
8.1.1 8.1.2	Inclusion of an Interpretation APDU at a Source PINX Handling of APDUs at a Destination PINX	35 35
8.2 8.3 8.4	ROSE requirements ACSE requirements DSE requirements	35 36 36
8.4.1 8.4.2 8.4.3 8.4.4 8.4.5 8.4.6 8.4.7	Actions at the PINX which initiates the dialogue (PINX A) Actions at the PINX which terminates the dialogue (PINX B) Dialogue Continuation in the Active State Dialogue Protocol Timers Error procedures relating to dialogue control Example of a dialogue Dynamic Description (SDL) of Dialogue Identification Protocol Procedures	36 37 37 37 38 38 38
8.5	SS-Control requirements	43

9	Manufacturer Specific Information	43
9.1	Manufacturer specific operations	43
9.2 9.3	Manufacturer specific additions to standardised operations  Manufacturer specific notifications	43 44
10	Message functional definitions and contents	45
10.1 10.2 10.3 10.4 10.5	ALERTING CALL PROCEEDING CONNECT SETUP DISCONNECT	45 45 46 46 46
10.6 10.7 10.8 10.9 10.10	RELEASE RELEASE COMPLETE FACILITY NOTIFY PROGRESS	46 47 47 48 48
11	General message format and information element coding	48
11.1 11.2 11.3	Message Type Call reference Other information elements	48 49 49
11.3.3	Bearer capability Channel identification Facility Notification indicator	49 50 50 58
11.4	Encoding of information described using ASN.1	60
Annex	es	
A - Protocol Implementation Conformance Statement (PICS) for ISO/IEC 11582		61
<b>B</b> - ASN.1 definitions of generic parameters		70
C - Application of the functional protocol		75
<b>D</b> - Remote operations protocol and application association control		82
E - Formal ROSE Definitions		83
F - Examples of the use of Manufacturer specific information		84
G - Problem code definitions		91
H - Bibliography		92
I - Object identifiers defined in ISO/IEC 11582		93
$\boldsymbol{J}$ - "Recipe" for migration of X.208 / X.209 based QSIG ASN.1 modules to X.680 / X.690 ASN.1		
K - ASN.1 definitions according to ITU-T Recs. X.208 / X.209		
L - Technical changes since third edition of ECMA-165		