ISO/IEC 10589:2002-11 (E)

Information technology_- Telecommunications and information exchange between systems_- Intermediate system to intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode network service (ISO_8473)

Contents

1 Scope 1

2 Normative references 1

3 Definitions 3

3.1 Reference model definitions 3

3.2 Network layer architecture definitions 3

3.3 Network layer addressing definitions 3

3.4 Local area network definitions 3

3.5 Routeing framework definitions 3

3.6 Additional definitions 3

4 Symbols and abbreviations 5

4.1 Data units 5

4.2 Protocol data units 5

4.3 Addresses 5

4.4 Miscellaneous 5

5 Typographical conventions 6

6 Overview of the protocol 6

6.1 System types 6

6.2 Subnetwork types 7

6.3 Topologies 7

6.4 Addresses 8

6.5 Functional organisation 8

6.6 Design goals and non-goals 9

6.7 Environmental requirements 11

6.8 Functional organisation of subnetwork independent components 12

7 Subnetwork independent functions 14

7.1 Addresses 15

7.2 Decision process 18

7.3 Update process 26

7.4 Forwarding process 45

7.5 Routeing constants and parameters 48

8 Subnetwork dependent functions 49

8.1 Multi-destination circuits on ISs at a domain boundary 49

8.2 Point-to-point subnetworks 50

8.3 ISO 8208 subnetworks 54

8.4 Broadcast subnetworks 59

9 Structure and encoding of PDUs 65
9.1 General encoding rules 65
9.2 Encoding of network layer addresses 65
9.3 Encoding of SNPA addresses 65
9.4 PDU types 66
9.5 Level 1 LAN IS to IS hello PDU 66
9.6 Level 2 LAN IS to IS hello PDU 69
9.7 Point-to-point IS to IS hello PDU 72
9.8 Level 1 link state PDU 75
9.9 Level 2 link state PDU 79
9.10 Level 1 complete sequence numbers PDU 84
9.11 Level 2 complete sequence numbers PDU 86
9.12 Level 1 partial sequence numbers PDU 88
9.13 Level 2 partial sequence numbers PDU 90
10 System environment 91
10.1 Generating jitter on timers 91
10.2 Resolution of timers 92
10.3 Requirements on the operation of ISO 9542 93
10.4 Requirements on the operation of ISO 8473 93
11 System management 93
11.1 General 93
--11.2 GDMO definition 94
--11.2.1 Common GDMO definitions 94
--11.3 ASN1 modules 127
12 Conformance 129
12.1 Conformance for protocol implementation 129
12.1.2 Dynamic conformance 131
12.2 Conformance for management information implementation 133
Annex A 135
A.1 Introduction 135
A.2 Abbreviations and special symbols 135
A.3 Instructions for completing the pics pro formas 135
A.4 Identification 138
A.5 Protocol summary: ISO 10589 general 139
A.6 Protocol summary: ISO 10589 level 1 specific functions 143
A.7 Protocol summary: ISO 10589 level 2 specific functions 144

Annex B 146
B.1 Addressing and routeing 146
B.2 Use of the area address field in intra-domain routeing 148
Annex C 150
C.1 Routeing databases 150
C.3 Forwarding process 156
Annex D 158
D.1 Congestion control 158
D.2 Congestion avoidance 159
Annex E 160
--E.1 Generic managed object class definitions 160
--E.2 ASN.1 definitions 167
Annex F 169
Annex G 170
G.1 Introduction 170
G.2 Identification of the implementation 171
G.3 Identification of the International Standard in which the management information is defined 171
Annex H 175
H.1 Introduction 175
H.2 Instructions for completing the MICS proforma to produce a MICS 175
H.3 Symbols, abbreviates and terms 175
H.4 Statement of Conformance to the management information 175
Annex I 182
I.1 Introduction 182
I.2 Adjacency managed object 182
I.3 Virtual adjacency managed object 185
I.4 Destination system managed object 187
I.5 Destination area managed object 188
I.6 reachableAddress [“ISO/IEC 10589”] 190
Annex J 195
J.1 Introduction 195
J.2 Instructions for completing the MRCS proforma for name binding to produce a MRCS 195
J.3 Statement of conformance to the name binding 195
Index 197