ISO/IEC 17878:2003-04 (E)

Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Inter-exchange signalling protocol — Private User Mobility (PUM) — Call handling additional network features

Contents

Foreword		**vi**
Introduction		**vii**
1	Scope	**1**
2	Conformance	**1**
3	Normative references	**1**
4	Terms and definitions	**3**
4.1	External definitions	**3**
4.2	Alternative identifier	**3**
4.3	Home data base (HDB)	**4**
4.4	Rerouteing PINX	**4**
4.5	PUMI-detect PINX	**4**
4.6	Terminal equipment (TE)	**4**
4.7	Visitor data base (VDB)	**4**
5	List of acronyms	**4**
6	Signalling protocol for the support of ANF-PUMI	**5**
6.1	ANF-PUMI description	**5**
6.2	ANF-PUMI operational requirements	**5**
6.2.1	Requirements on the Rerouteing PINX	**5**
6.2.2	Requirements on the PUMI-detect PINX	**5**
6.2.3	Requirements on the Home PINX	**5**
6.2.4	Requirements on the Visitor PINX	**5**
6.2.5	Requirements on a Transit PINX	**5**
6.3	ANF-PUMI coding requirements	**6**
6.3.1	Operations	**6**
6.3.2	Information elements	**8**
6.3.3	Messages	**9**
6.4	ANF-PUMI state definitions	**9**
6.4.1	States at the Rerouteing PINX	**9**
6.4.2	States at the PUMI-detect PINX	**9**
6.4.3	States at the Home PINX	**9**
6.4.4	States at the Visitor PINX	**9**
6.5	ANF-PUMI signalling procedures for invocation and operation	**9**
6.5.1	Actions at the Rerouteing PINX	**9**
6.5.2	Actions at the PUMI-detect PINX	**10**
6.5.3	Actions at the Home PINX	**11**
6.5.4	Actions at the Visitor PINX	**12**
6.5.5	Actions at a Transit PINX	**12**
6.5.6	Actions at an Originating PINX	**12**
6.6	ANF-PUMI impact of interworking with public ISDNs	**12**
6.7	ANF-PUMI impact of interworking with non-ISDNs	**12**
6.8	Protocol interactions between ANF-PUMI and other supplementary services and ANFs	**12**
6.8.1	Interaction with Calling Name Identification Presentation (SS-CNIP)	**13**
6.8.2	Interaction with Connected Name Identification Presentation (SS-CONP)	**13**

6.8.3 Interaction with Call Completion to Busy Subscriber (SS-CCBS) **13**
6.8.4 Interaction with Call Completion on No Reply (SS-CCNR) **13**
6.8.5 Interaction with Call Transfer (SS-CT) **13**
6.8.6 Interaction with Call Forwarding Unconditional (SS-CFU) **13**
6.8.7 Interaction with Call Forwarding Busy (SS-CFB) **13**
6.8.8 Interaction with Call Forwarding No Reply (SS-CFNR) **13**
6.8.9 Interaction with Call Deflection (SS-CD) **13**
6.8.10 Interaction with Path Replacement (ANF-PR) **13**
6.8.11 Interaction with Call Offer (SS-CO) **13**
6.8.12 Interaction with Call Intrusion (SS-CI) **13**
6.8.13 Interaction with Do Not Disturb (SS-DND) **14**
6.8.14 Interaction with Do Not Disturb Override (SS-DNDO) **14**
6.8.15 Interaction with Advice Of Charge (SS-AOC) **14**
6.8.16 Interaction with Recall (SS-RE) **14**
6.8.17 Interaction with Call Interception (ANF-CINT) **14**
6.8.18 Interaction with Transit Counter (ANF-TC) **14**
6.8.19 Interaction with Route Restriction Class (ANF-RRC) **14**
6.8.20 Interaction with Message Waiting Indication (SS-MWI) **15**
6.8.21 Interaction with Wireless Terminal Location Registration (SS-WTLR) **15**
6.8.22 Interaction with Wireless Terminal Incoming Call (ANF-WTMI) **15**
6.8.23 Interaction with Wireless Terminal Outgoing Call (ANF-WTMO) **16**
6.8.24 Interaction with Wireless Terminal Authentication of the Terminal (SS-WTAT) **16**
6.8.25 Interaction with Wireless Terminal Authentication of the Network (SS-WTAN) **16**
6.8.26 Interaction with Private User Mobility Registration (ANF-PUMR) **16**
6.8.27 Interaction with Private User Mobility Outgoing Call (ANF-PUMO) **16**
6.8.28 Interactions with Common Information (ANF-CMN) **16**
6.8.29 Interaction with Call Priority Interruption (Protection) (SS-CPI(P)) **16**

6.9 ANF-PUMI parameter values (timers) **16**

6.9.1 Timer T1 **16**
6.9.2 Timer T2 **16**

7 Signalling protocol for the support of ANF-PUMO **16**

7.1 ANF-PUMO description **16**
7.2 ANF-PUMO operational requirements **17**

7.2.1 Requirements on the Originating PINX **17**
7.2.2 Requirements on the Home PINX **17**
7.2.3 Requirements on a Transit PINX **17**

7.3 ANF-PUMO coding requirements **17**

7.3.1 Operations **17**
7.3.2 Information elements **17**
7.3.3 Messages **17**

7.4 ANF-PUMO State definitions **17**

7.4.1 States at the Originating PINX **17**
7.4.2 States at the Home PINX **17**

7.5 ANF-PUMO signalling procedures **18**

7.5.1 Actions at the Originating PINX **18**
7.5.2 Actions at the Home PINX **18**
7.5.3 Actions at the Transit PINX **19**

7.6 ANF-PUMO impact of interworking with public ISDNs **19**
7.7 ANF-PUMO impact of interworking with non-ISDNs **19**
7.8 Protocol interactions between ANF-PUMO and other supplementary services and ANFs **19**

7.8.1 Interaction with Calling Name Identification Presentation (SS-CNIP) **19**
7.8.2 Interaction with Connected Name Identification Presentation (SS-CONP) **19**
7.8.3 Interaction with Call Completion to Busy Subscriber (SS-CCBS) **19**
7.8.4 Interaction with Call Completion on No Reply (SS-CCNR) **19**
7.8.5 Interaction with Call Transfer (SS-WT) **19**
7.8.6 Interaction with Call Diversion (SS-CFU, SS-CFB, SS-CFNR, SS-CD) **19**
7.8.7 Interaction with Path Replacement (ANF-PR) **19**
7.8.8 Interaction with Call Offer (SS-CO) **19**
7.8.9 Interaction with Call Intrusion (SS-CI) **20**
7.8.10 Interaction with Do Not Disturb (SS-DND) **20**
7.8.11 Interaction with Do Not Disturb Override (SS-DNDO) **20**
7.8.12 Interaction with Advice of Charge (SS-AOC) **20**
7.8.13 Interaction with Recall (SS-RE) **20**
7.8.14 Interaction with Call Interception (ANF-CINT) **20**
7.8.15 Interaction with Transit Counter (ANF-TC) **20**
7.8.16 Interaction with Route Restriction Class (ANF-RRC) **20**
7.8.17 Interaction with Message Waiting Indication (SS-MWI) **20**
7.8.18 Interaction with Wireless Terminal Location Registration (SS-WTLR) **20**
7.8.19 Interaction with Wireless Terminal Incoming Call (ANF-WTMI) **20**
7.8.20 Interaction with Wireless Terminal Outgoing Call (ANF-WTMO) **20**
7.8.21 Interaction with Wireless Terminal Authentication of the Terminal (SS-WTAT) **20**
7.8.22 Interaction with Wireless Terminal Authentication of the Network (SS-WTAN) **20**
7.8.23 Interaction with Private User Mobility Registration (ANF-PUMR) **20**
7.8.24 Interaction with Private User Mobility Incoming Call (ANF-PUMI) **20**
7.8.25 Interaction with Common Information (ANF-CMN) **20**
7.8.26 Interaction with Call Priority Interruption (Protection) (SS-CPI(P)) **21**

7.9 Parameter values (timers) **21**

7.9.1 Timers at the Originating PINX **21**
7.9.2 Timers at the Home PINX **21**

Annexes

A - Protocol Implementation Conformance Statement (PICS) proforma **22**

B - Imported ASN.1 definitions **33**

C - Examples of Message Sequences **34**

D - Specification and Description Language (SDL) representation of procedures **39**

E - Additional feature identifier in module Common-Information-Operations **47**

F - ASN.1 definitions according to ITU-T Recs. X.208 / X.209 **48**