

ISO/IEC 15431:2003-04 (E)

Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Inter-exchange signalling protocol — Wireless terminal call handling additional network features

Contents

| | |
|---|-----------|
| Foreword | vi |
| Introduction | vii |
| 1 Scope | 1 |
| 2 Conformance | 1 |
| 3 Normative references | 1 |
| 4 Terms and definitions | 2 |
| 4.1 External definitions | 2 |
| 4.2 Other definitions | 3 |
| 4.2.1 Alternative identifier | 3 |
| 4.2.2 Home data base (HDB) | 3 |
| 4.2.3 Home PINX | 3 |
| 4.2.4 Rerouteing PINX | 3 |
| 4.2.5 Visitor data base (VDB) | 3 |
| 4.2.6 Visitor PINX | 3 |
| 4.2.7 WTMI-detect PINX | 3 |
| 5 Symbols and abbreviated terms | 4 |
| 6 Signalling protocol for the support of ANF-WTMI | 4 |
| 6.1 ANF-WTMI description | 4 |
| 6.2 ANF-WTMI operational requirements | 5 |
| 6.2.1 Requirements on the Rerouteing PINX | 5 |
| 6.2.2 Requirements on the WTMI-detect PINX | 5 |
| 6.2.3 Requirements on the Home PINX | 5 |
| 6.2.4 Requirements on the Visitor PINX | 5 |
| 6.2.5 Requirements on a Transit PINX | 5 |
| 6.3 ANF-WTMI coding requirements | 6 |
| 6.3.1 Operations | 6 |
| 6.3.2 Information elements | 8 |
| 6.3.3 Messages | 9 |
| 6.4 ANF-WTMI state definitions | 9 |
| 6.4.1 States at the Rerouteing PINX | 9 |
| 6.4.2 States at the WTMI-detect PINX | 9 |
| 6.4.3 States at the Home PINX | 9 |
| 6.4.4 States at the Visitor PINX | 9 |
| 6.5 ANF-WTMI signalling procedures for invocation and operation | 9 |
| 6.5.1 Actions at the Rerouteing PINX | 9 |
| 6.5.2 Actions at the WTMI-detect PINX | 10 |
| 6.5.3 Actions at the Home PINX | 11 |
| 6.5.4 Actions at the Visitor PINX | 12 |
| 6.5.5 Actions at a Transit PINX | 12 |
| 6.5.6 Actions at an Originating PINX | 12 |
| 6.6 ANF-WTMI impact of interworking with public ISDNs | 12 |
| 6.7 ANF-WTMI impact of interworking with non-ISDNs | 13 |
| 6.8 Protocol interactions between ANF-WTMI and other supplementary services and ANFs | 13 |

| | | |
|---------------|--|-----------|
| 6.8.1 | Interaction with Calling Name Identification Presentation (SS-CNIP) | 13 |
| 6.8.2 | Interaction with Connected Name Identification Presentation (SS-CONP) | 13 |
| 6.8.3 | Interaction with Call Completion to Busy Subscriber (SS-CCBS) | 13 |
| 6.8.4 | Interaction with Call Completion on No Reply (SS-CCNR) | 13 |
| 6.8.5 | Interaction with Call Transfer (SS-CT) | 13 |
| 6.8.6 | Interaction with Call Forwarding Unconditional (SS-CFU) | 13 |
| 6.8.7 | Interaction with Call Forwarding Busy (SS-CFB) | 13 |
| 6.8.8 | Interaction with Call Forwarding No Reply (SS-CFNR) | 13 |
| 6.8.9 | Interaction with Call Deflection (SS-CD) | 13 |
| 6.8.10 | Interaction with Path Replacement (ANF-PR) | 13 |
| 6.8.11 | Interaction with Call Offer (SS-CO) | 13 |
| 6.8.12 | Interaction with Call Intrusion (SS-CI) | 14 |
| 6.8.13 | Interaction with Do Not Disturb (SS-DND) | 14 |
| 6.8.14 | Interaction with Do Not Disturb Override (SS-DNDO) | 14 |
| 6.8.15 | Interaction with Advice Of Charge (SS-AOC) | 14 |
| 6.8.16 | Interaction with Recall (SS-RE) | 14 |
| 6.8.17 | Interaction with Call Interception (ANF-CINT) | 14 |
| 6.8.18 | Interaction with Transit Counter (ANF-TC) | 14 |
| 6.8.19 | Interaction with Route Restriction Class (ANF-RRC) | 14 |
| 6.8.20 | Interaction with Message Waiting Indication (SS-MWI) | 15 |
| 6.8.21 | Interaction with Wireless Terminal Location Registration (SS-WTLR) | 15 |
| 6.8.22 | Interaction with Wireless Terminal Information (ANF-WTINFO) | 15 |
| 6.8.23 | Interaction with Wireless Terminal Outgoing Call (ANF-WTMO) | 15 |
| 6.8.24 | Interaction with Wireless Terminal Authentication of the Terminal (SS-WTAT) | 15 |
| 6.8.25 | Interaction with Wireless Terminal Authentication of the Network (SS-WTAN) | 15 |
| 6.9 | ANF-WTMI parameter values (timers) | 16 |
| 6.9.1 | Timer T1 | 16 |
| 6.9.2 | Timer T2 | 16 |
| 7 | Signalling protocol for the support of ANF-WTMO | 16 |
| 7.1 | ANF-WTMO description | 16 |
| 7.2 | ANF-WTMO operational requirements | 16 |
| 7.2.1 | Requirements on the Originating PINX | 16 |
| 7.2.2 | Requirements on the Home PINX | 16 |
| 7.2.3 | Requirements on a Transit PINX | 16 |
| 7.3 | ANF-WTMO coding requirements | 16 |
| 7.3.1 | Operations | 16 |
| 7.3.2 | Information elements | 16 |
| 7.3.3 | Messages | 16 |
| 7.4 | ANF-WTMO state definitions | 17 |
| 7.4.1 | States at the Originating PINX | 17 |
| 7.4.2 | States at the Home PINX | 17 |
| 7.5 | ANF-WTMO signalling procedures | 17 |
| 7.5.1 | Actions at the Originating PINX | 17 |
| 7.5.2 | Actions at the Home PINX | 17 |
| 7.5.3 | Actions at the Transit PINX | 18 |
| 7.6 | ANF-WTMO impact of interworking with public ISDNs | 18 |
| 7.7 | ANF-WTMO impact of interworking with non-ISDNs | 18 |
| 7.8 | Protocol interactions between ANF-WTMO and other supplementary services and ANFs | 18 |
| 7.8.1 | Interaction with Calling Name Identification Presentation (SS-CNIP) | 18 |
| 7.8.2 | Interaction with Connected Name Identification Presentation (SS-CONP) | 18 |

| | | |
|----------------|---|-----------|
| 7.8.3 | Interaction with Call Completion to Busy Subscriber (SS-CCBS) | 18 |
| 7.8.4 | Interaction with Call Completion on No Reply (SS-CCNR) | 18 |
| 7.8.5 | Interaction with Call Transfer (SS-CT) | 18 |
| 7.8.6 | Interaction with Call Diversion (SS-CFU, SS-CFB, SS-CFNR, SS-CD) | 18 |
| 7.8.7 | Interaction with Path Replacement (ANF-PR) | 19 |
| 7.8.8 | Interaction with Call Offer (SS-CO) | 19 |
| 7.8.9 | Interaction with Call Intrusion (SS-CI) | 19 |
| 7.8.10 | Interaction with Do Not Disturb (SS-DND) | 19 |
| 7.8.11 | Interaction with Do Not Disturb Override (SS-DNDO) | 19 |
| 7.8.12 | Interaction with Advice of Charge (SS-AOC) | 19 |
| 7.8.13 | Interaction with Recall (SS-RE) | 19 |
| 7.8.14 | Interaction with Call Interception (ANF-CINT) | 19 |
| 7.8.15 | Interaction with Transit Counter (ANF-TC) | 19 |
| 7.8.16 | Interaction with Route Restriction Class (ANF-RRC) | 19 |
| 7.8.17 | Interaction with Message Waiting Indication (SS-MWI) | 19 |
| 7.8.18 | Interaction with Wireless Terminal Location Registration (SS-WTLR) | 19 |
| 7.8.19 | Interaction with Wireless Terminal Information (ANF-WTINFO) | 19 |
| 7.8.20 | Interaction with Wireless Terminal Incoming Call (ANF-WTMI) | 19 |
| 7.8.21 | Interaction with Wireless Terminal Authentication of the Terminal (SS-WTAT) | 19 |
| 7.8.22 | Interaction with Wireless Terminal Authentication of the Network (SS-WTAN) | 20 |
| 7.9 | Parameter values (timers) | 20 |
| 7.9.1 | Timers at the Originating PINX | 20 |
| 7.9.2 | Timers at the Home PINX | 20 |
| Annexes | | |
| A | Protocol Implementation Conformance Statement (PICS) proforma | 21 |
| B | Imported ASN.1 definitions | 31 |
| C | Examples of Message Sequences | 32 |
| D | Specification and Description Language (SDL) representation of procedures | 37 |
| E | ASN.1 definitions according to ITU-T Recs. X.208 / X.209 | 45 |