

# ISO/IEC 15433:2003-04 (E)

## Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Inter-exchange signalling protocol — Wireless Terminal Authentication supplementary services

---

### Contents

Foreword	vi	
Introduction	vii	
1	Scope	1
2	Conformance	1
3	Normative references	1
4	Terms and definitions	2
4.1	External definitions	2
4.2	Other definitions	3
4.2.1	Authentication Server PINX	3
5	Symbols and abbreviated terms	3
6	Signalling protocol for the support of SS-WTAT	3
6.1	SS-WTAT description	3
6.2	SS-WTAT operational requirements	3
6.2.1	Requirements on a Visitor PINX	3
6.2.2	Requirements on a Home PINX	3
6.2.3	Requirements on the Authentication Server PINX	3
6.2.4	Requirements on a Transit PINX	3
6.3	SS-WTAT coding requirements	4
6.3.1	Operations	4
6.3.2	Information elements	7
6.3.3	Messages	7
6.4	SS-WTAT state definitions	7
6.4.1	States at the Home PINX for initiation of SS-WTAT	7
6.4.2	States at the Home PINX for requesting authentication parameters	8
6.4.3	States at the Home PINX when fetching authentication parameters	8
6.4.4	States at the Visitor PINX for execution of SS-WTAT	8
6.4.5	States at the Visitor PINX for requesting authentication parameters	8
6.4.6	States at the Authentication Server PINX	8
6.5	SS-WTAT Signalling procedures	8
6.5.1	Actions at the Home PINX for initiation of SS-WTAT	8
6.5.2	Actions at the Home PINX for requesting authentication parameters	9
6.5.3	Actions at the Home PINX when fetching authentication parameters	9
6.5.4	Actions at the Visitor PINX for local initiation of SS-WTAT	10
6.5.5	Actions at the Visitor PINX for execution of SS-WTAT	10
6.5.6	Actions at the Visitor PINX for requesting authentication parameters	11
6.5.7	Actions at the Authentication Server PINX	11
6.5.8	Actions at a Transit PINX	12
6.6	SS-WTAT Impact of interworking with public ISDNs	12
6.7	SS-WTAT Impact of interworking with non-ISDNs	12
6.8	Protocol interactions between SS-WTAT and other supplementary services and ANFs	12
6.8.1	Interaction with Calling Name Identification Presentation (SS-CNIP)	12
6.8.2	Interaction with Connected Name Identification Presentation (SS-CONP)	12

<b>6.8.3</b>	Interaction with Completion of Calls to Busy Subscriber (SS-CCBS)	<b>12</b>
<b>6.8.4</b>	Interaction with Completion of Calls on No Reply (SS-CCNR)	<b>12</b>
<b>6.8.5</b>	Interaction with Call Transfer (SS-CT)	<b>12</b>
<b>6.8.6</b>	Interaction with Call Forwarding Unconditional (SS-CFU)	<b>12</b>
<b>6.8.7</b>	Interaction with Call Forwarding Busy (SS-CFB)	<b>12</b>
<b>6.8.8</b>	Interaction with Call Forwarding No Reply (SS-CFNR)	<b>12</b>
<b>6.8.9</b>	Interaction with Call Deflection (SS-CD)	<b>12</b>
<b>6.8.10</b>	Interaction with Path Replacement (ANF-PR)	<b>12</b>
<b>6.8.11</b>	Interaction with Call Offer (SS-CO)	<b>13</b>
<b>6.8.12</b>	Interaction with Call Intrusion (SS-CI)	<b>13</b>
<b>6.8.13</b>	Interaction with Do Not Disturb (SS-DND)	<b>13</b>
<b>6.8.14</b>	Interaction with Do Not Disturb Override (SS-DNDO)	<b>13</b>
<b>6.8.15</b>	Interaction with Advice Of Charge (SS-AOC)	<b>13</b>
<b>6.8.16</b>	Interaction with Recall (SS-RE)	<b>13</b>
<b>6.8.17</b>	Interaction with Call Interception (ANF-CINT)	<b>13</b>
<b>6.8.18</b>	Interaction with Transit Counter (ANF-TC)	<b>13</b>
<b>6.8.19</b>	Interaction with Route Restriction Class (ANF-RRC)	<b>13</b>
<b>6.8.20</b>	Interaction with Message Waiting Information (SS-MWI)	<b>13</b>
<b>6.8.21</b>	Interaction with Wireless Terminal Location Registration (SS-WTLR)	<b>13</b>
<b>6.8.22</b>	Interaction with Wireless Terminal information exchange (ANF-WTINFO)	<b>13</b>
<b>6.8.23</b>	Interaction with Wireless Terminal Incoming Call (ANF-WTMI)	<b>13</b>
<b>6.8.24</b>	Interaction with Wireless Terminal Outgoing Call (ANF-WTMO)	<b>13</b>
<b>6.8.25</b>	Interaction with Authentication of the PISN (SS-WTAN)	<b>13</b>
<b>6.9</b>	SS-WTAT parameter values (timers)	<b>13</b>
<b>6.9.1</b>	Timer T1	<b>13</b>
<b>6.9.2</b>	Timer T2	<b>14</b>
<b>6.9.3</b>	Timer T3	<b>14</b>
<b>7</b>	Signalling protocol for the support of SS-WTAN	<b>14</b>
<b>7.1</b>	SS-WTAN description	<b>14</b>
<b>7.2</b>	SS-WTAN operational requirements	<b>14</b>
<b>7.2.1</b>	Requirements on the Visitor PINX	<b>14</b>
<b>7.2.2</b>	Requirements on the Home PINX	<b>14</b>
<b>7.2.3</b>	Requirements on the Authentication Server PINX	<b>14</b>
<b>7.2.4</b>	Requirements on a Transit PINX	<b>14</b>
<b>7.3</b>	SS-WTAN coding requirements	<b>14</b>
<b>7.3.1</b>	Operations	<b>14</b>
<b>7.3.2</b>	Information elements	<b>14</b>
<b>7.3.3</b>	Messages	<b>14</b>
<b>7.4</b>	SS-WTAN state definitions	<b>15</b>
<b>7.4.1</b>	States at the Visitor PINX	<b>15</b>
<b>7.4.2</b>	States at the Home PINX	<b>15</b>
<b>7.4.3</b>	States at the Authentication Server PINX	<b>15</b>
<b>7.5</b>	SS-WTAN signalling procedures	<b>15</b>
<b>7.5.1</b>	Actions at the Visitor PINX	<b>15</b>
<b>7.5.2</b>	Actions at the Home PINX	<b>16</b>
<b>7.5.3</b>	Actions at the Authentication Server PINX	<b>16</b>
<b>7.5.4</b>	Actions at a Transit PINX for authentication of a PISN	<b>17</b>
<b>7.6</b>	SS-WTAN impact of interworking with public ISDNs	<b>17</b>
<b>7.7</b>	SS-WTAN impact of interworking with non-ISDNs	<b>17</b>
<b>7.8</b>	Protocol interactions between SS-WTAN and other supplementary services and ANFs	<b>17</b>

<b>7.8.1</b>	Interaction with Calling Name Identification Presentation (SS-CNIP)	<b>17</b>
<b>7.8.2</b>	Interaction with Connected Name Identification Presentation (SS-CONP)	<b>17</b>
<b>7.8.3</b>	Interaction with Completion of Calls to Busy Subscriber (SS-CCBS)	<b>17</b>
<b>7.8.4</b>	Interaction with Completion of Calls on No Reply (SS-CCNR)	<b>17</b>
<b>7.8.5</b>	Interaction with Call Transfer (SS-CT)	<b>17</b>
<b>7.8.6</b>	Interaction with Call Forwarding Unconditional (SS-CFU)	<b>18</b>
<b>7.8.7</b>	Interaction with Call Forwarding Busy (SS-CFB)	<b>18</b>
<b>7.8.8</b>	Interaction with Call Forwarding No Reply (SS-CFNR)	<b>18</b>
<b>7.8.9</b>	Interaction with Call Deflection (SS-CD)	<b>18</b>
<b>7.8.10</b>	Interaction with Path Replacement (ANF-PR)	<b>18</b>
<b>7.8.11</b>	Interaction with Call Offer (SS-CO)	<b>18</b>
<b>7.8.12</b>	Interaction with Call Intrusion (SS-CI)	<b>18</b>
<b>7.8.13</b>	Interaction with Do Not Disturb (SS-DND)	<b>18</b>
<b>7.8.14</b>	Interaction with Do Not Disturb Override (SS-DNDO)	<b>18</b>
<b>7.8.15</b>	Interaction with Advice Of Charge (SS-AOC)	<b>18</b>
<b>7.8.16</b>	Interaction with Recall (SS-RE)	<b>18</b>
<b>7.8.17</b>	Interaction with Call Interception (ANF-CINT)	<b>18</b>
<b>7.8.18</b>	Interaction with Transit Counter (ANF-TC)	<b>18</b>
<b>7.8.19</b>	Interaction with Route Restriction Class (ANF-RRC)	<b>18</b>
<b>7.8.20</b>	Interaction with Message Waiting Information (SS-MWI)	<b>18</b>
<b>7.8.21</b>	Interaction with Wireless Terminal Location Registration (SS-WTLR)	<b>18</b>
<b>7.8.22</b>	Interaction with Wireless Terminal information exchange (ANF-WTINFO)	<b>18</b>
<b>7.8.23</b>	Interaction with Wireless Terminal Incoming Call (ANF-WTMI)	<b>18</b>
<b>7.8.24</b>	Interaction with Wireless Terminal Outgoing Call (ANF-WTMO)	<b>18</b>
<b>7.8.25</b>	Interaction with Authentication of the PISN (SS-WTAT)	<b>18</b>
<b>7.9</b>	SS-WTAN parameter values (timers)	<b>19</b>
<b>7.9.1</b>	Timer T4	<b>19</b>
<b>7.9.2</b>	Timer T5	<b>19</b>
<b>Annexes</b>		
<b>A</b>	Protocol Implementation Conformance Statement (PICS) proforma	<b>20</b>
<b>B</b>	Imported ASN.1 definitions	<b>29</b>
<b>C</b>	Examples of message sequences	<b>30</b>
<b>D</b>	Specification and Description Language (SDL) representation of procedures	<b>35</b>
<b>E</b>	ASN.1 definitions according to ITU-T Recs. X.208 / X.209	<b>45</b>