

ISO/IEC 15433:2003-04 (E)

Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Inter-exchange signalling protocol — Wireless Terminal Authentication supplementary services

Contents

Foreword	vi
Introduction	vii
1 Scope	1
2 Conformance	1
3 Normative references	1
4 Terms and definitions	2
4.1 External definitions	2
4.2 Other definitions	3
4.2.1 Authentication Server PINX	3
5 Symbols and abbreviated terms	3
6 Signalling protocol for the support of SS-WTAT	3
6.1 SS-WTAT description	3
6.2 SS-WTAT operational requirements	3
6.2.1 Requirements on a Visitor PINX	3
6.2.2 Requirements on a Home PINX	3
6.2.3 Requirements on the Authentication Server PINX	3
6.2.4 Requirements on a Transit PINX	3
6.3 SS-WTAT coding requirements	4
6.3.1 Operations	4
6.3.2 Information elements	7
6.3.3 Messages	7
6.4 SS-WTAT state definitions	7
6.4.1 States at the Home PINX for initiation of SS-WTAT	7
6.4.2 States at the Home PINX for requesting authentication parameters	8
6.4.3 States at the Home PINX when fetching authentication parameters	8
6.4.4 States at the Visitor PINX for execution of SS-WTAT	8
6.4.5 States at the Visitor PINX for requesting authentication parameters	8
6.4.6 States at the Authentication Server PINX	8
6.5 SS-WTAT Signalling procedures	8
6.5.1 Actions at the Home PINX for initiation of SS-WTAT	8
6.5.2 Actions at the Home PINX for requesting authentication parameters	9
6.5.3 Actions at the Home PINX when fetching authentication parameters	9
6.5.4 Actions at the Visitor PINX for local initiation of SS-WTAT	10
6.5.5 Actions at the Visitor PINX for execution of SS-WTAT	10
6.5.6 Actions at the Visitor PINX for requesting authentication parameters	11
6.5.7 Actions at the Authentication Server PINX	11
6.5.8 Actions at a Transit PINX	12
6.6 SS-WTAT Impact of interworking with public ISDNs	12
6.7 SS-WTAT Impact of interworking with non-ISDNs	12
6.8 Protocol interactions between SS-WTAT and other supplementary services and ANFs	12
6.8.1 Interaction with Calling Name Identification Presentation (SS-CNIP)	12
6.8.2 Interaction with Connected Name Identification Presentation (SS-CONP)	12

6.8.3	Interaction with Completion of Calls to Busy Subscriber (SS-CCBS)	12
6.8.4	Interaction with Completion of Calls on No Reply (SS-CCNR)	12
6.8.5	Interaction with Call Transfer (SS-CT)	12
6.8.6	Interaction with Call Forwarding Unconditional (SS-CFU)	12
6.8.7	Interaction with Call Forwarding Busy (SS-CFB)	12
6.8.8	Interaction with Call Forwarding No Reply (SS-CFNR)	12
6.8.9	Interaction with Call Deflection (SS-CD)	12
6.8.10	Interaction with Path Replacement (ANF-PR)	12
6.8.11	Interaction with Call Offer (SS-CO)	13
6.8.12	Interaction with Call Intrusion (SS-CI)	13
6.8.13	Interaction with Do Not Disturb (SS-DND)	13
6.8.14	Interaction with Do Not Disturb Override (SS-DNDO)	13
6.8.15	Interaction with Advice Of Charge (SS-AOC)	13
6.8.16	Interaction with Recall (SS-RE)	13
6.8.17	Interaction with Call Interception (ANF-CINT)	13
6.8.18	Interaction with Transit Counter (ANF-TC)	13
6.8.19	Interaction with Route Restriction Class (ANF-RRC)	13
6.8.20	Interaction with Message Waiting Information (SS-MWI)	13
6.8.21	Interaction with Wireless Terminal Location Registration (SS-WTLR)	13
6.8.22	Interaction with Wireless Terminal information exchange (ANF-WTINFO)	13
6.8.23	Interaction with Wireless Terminal Incoming Call (ANF-WTMI)	13
6.8.24	Interaction with Wireless Terminal Outgoing Call (ANF-WTMO)	13
6.8.25	Interaction with Authentication of the PISN (SS-WTAN)	13
6.9	SS-WTAT parameter values (timers)	13
6.9.1	Timer T1	13
6.9.2	Timer T2	14
6.9.3	Timer T3	14
7	Signalling protocol for the support of SS-WTAN	14
7.1	SS-WTAN description	14
7.2	SS-WTAN operational requirements	14
7.2.1	Requirements on the Visitor PINX	14
7.2.2	Requirements on the Home PINX	14
7.2.3	Requirements on the Authentication Server PINX	14
7.2.4	Requirements on a Transit PINX	14
7.3	SS-WTAN coding requirements	14
7.3.1	Operations	14
7.3.2	Information elements	14
7.3.3	Messages	14
7.4	SS-WTAN state definitions	15
7.4.1	States at the Visitor PINX	15
7.4.2	States at the Home PINX	15
7.4.3	States at the Authentication Server PINX	15
7.5	SS-WTAN signalling procedures	15
7.5.1	Actions at the Visitor PINX	15
7.5.2	Actions at the Home PINX	16
7.5.3	Actions at the Authentication Server PINX	16
7.5.4	Actions at a Transit PINX for authentication of a PISN	17
7.6	SS-WTAN impact of interworking with public ISDNs	17
7.7	SS-WTAN impact of interworking with non-ISDNs	17
7.8	Protocol interactions between SS-WTAN and other supplementary services and ANFs	17

7.8.1	Interaction with Calling Name Identification Presentation (SS-CNIP)	17
7.8.2	Interaction with Connected Name Identification Presentation (SS-CONP)	17
7.8.3	Interaction with Completion of Calls to Busy Subscriber (SS-CCBS)	17
7.8.4	Interaction with Completion of Calls on No Reply (SS-CCNR)	17
7.8.5	Interaction with Call Transfer (SS-CT)	17
7.8.6	Interaction with Call Forwarding Unconditional (SS-CFU)	18
7.8.7	Interaction with Call Forwarding Busy (SS-CFB)	18
7.8.8	Interaction with Call Forwarding No Reply (SS-CFNR)	18
7.8.9	Interaction with Call Deflection (SS-CD)	18
7.8.10	Interaction with Path Replacement (ANF-PR)	18
7.8.11	Interaction with Call Offer (SS-CO)	18
7.8.12	Interaction with Call Intrusion (SS-CI)	18
7.8.13	Interaction with Do Not Disturb (SS-DND)	18
7.8.14	Interaction with Do Not Disturb Override (SS-DNDO)	18
7.8.15	Interaction with Advice Of Charge (SS-AOC)	18
7.8.16	Interaction with Recall (SS-RE)	18
7.8.17	Interaction with Call Interception (ANF-CINT)	18
7.8.18	Interaction with Transit Counter (ANF-TC)	18
7.8.19	Interaction with Route Restriction Class (ANF-RRC)	18
7.8.20	Interaction with Message Waiting Information (SS-MWI)	18
7.8.21	Interaction with Wireless Terminal Location Registration (SS-WTLR)	18
7.8.22	Interaction with Wireless Terminal information exchange (ANF-WTINFO)	18
7.8.23	Interaction with Wireless Terminal Incoming Call (ANF-WTMI)	18
7.8.24	Interaction with Wireless Terminal Outgoing Call (ANF-WTMO)	18
7.8.25	Interaction with Authentication of the PISN (SS-WTAT)	18
7.9	SS-WTAN parameter values (timers)	19
7.9.1	Timer T4	19
7.9.2	Timer T5	19
Annexes		
A	Protocol Implementation Conformance Statement (PICS) proforma	20
B	Imported ASN.1 definitions	29
C	Examples of message sequences	30
D	Specification and Description Language (SDL) representation of procedures	35
E	ASN.1 definitions according to ITU-T Recs. X.208 / X.209	45