

# ISO/IEC 15505:2003-04 (E)

## Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Specification, functional model and information flows — Message Waiting Indication supplementary service

---

### Contents

Foreword	v
Introduction	vi
<b>1</b> Scope	<b>1</b>
<b>2</b> Conformance	<b>1</b>
<b>3</b> Normative references	<b>1</b>
<b>4</b> Definitions	<b>1</b>
<b>4.1</b> External definitions	<b>1</b>
<b>4.2</b> Other definitions	<b>2</b>
<b>4.2.1</b> Served User	<b>2</b>
<b>4.2.2</b> Message Centre	<b>2</b>
<b>4.2.3</b> Message Waiting Indication	<b>2</b>
<b>5</b> List of acronyms	<b>2</b>
<b>6</b> SS-MWI stage 1 specification	<b>2</b>
<b>6.1</b> Description	<b>2</b>
<b>6.1.1</b> General description	<b>2</b>
<b>6.1.2</b> Qualifications on applicability to telecommunication services	<b>2</b>
<b>6.2</b> Procedures	<b>2</b>
<b>6.2.1</b> Provision / withdrawal	<b>2</b>
<b>6.2.2</b> Normal procedures	<b>2</b>
<b>6.2.3</b> Exceptional procedures	<b>3</b>
<b>6.3</b> Interactions with other Supplementary Services / Additional Network Features	<b>3</b>
<b>6.3.1</b> Advice of Charge (AOC)	<b>3</b>
<b>6.3.2</b> Call Deflection (CD)	<b>3</b>
<b>6.3.3</b> Call Forwarding Unconditional (CFU)	<b>3</b>
<b>6.3.4</b> Call Forwarding Busy (CFB)	<b>3</b>
<b>6.3.5</b> Call Forwarding No Reply (CFNR)	<b>3</b>
<b>6.3.6</b> Call Interception (CINT)	<b>4</b>
<b>6.3.7</b> Call Intrusion (CI)	<b>4</b>
<b>6.3.8</b> Call Offer (CO)	<b>4</b>
<b>6.3.9</b> Call Transfer (CT)	<b>4</b>
<b>6.3.10</b> Calling/Connected Line Identification Restriction (CLIR)	<b>4</b>
<b>6.3.11</b> Calling/Connected Name Identification Restriction (CNIR)	<b>4</b>
<b>6.3.12</b> Calling Line Identification Presentation (CLIP)	<b>4</b>
<b>6.3.13</b> Calling Name Identification Presentation (CNIP)	<b>4</b>
<b>6.3.14</b> Connected Line Identification Presentation (COLP)	<b>4</b>
<b>6.3.15</b> Connected Name Identification Presentation (CONP)	<b>4</b>
<b>6.3.16</b> Completion of Calls to Busy Subscribers (CCBS)	<b>4</b>
<b>6.3.17</b> Completion of Calls on No Reply (CCNR)	<b>4</b>
<b>6.3.18</b> Do Not Disturb (DND)	<b>4</b>
<b>6.3.19</b> Do Not Disturb Override (DNDO)	<b>4</b>
<b>6.3.20</b> Path Replacement (PR)	<b>4</b>
<b>6.3.21</b> Recall (RE)	<b>4</b>
<b>6.3.22</b> Route Restriction Class (RRC)	<b>4</b>
<b>6.3.23</b> Wireless Terminal Location Registration (WTLR)	<b>4</b>

<b>6.3.24</b>	Wireless Terminal Mobility Incoming Call (WTMI)	<b>4</b>
<b>6.3.25</b>	Wireless Terminal Mobility Outgoing Call (WTMO)	<b>4</b>
<b>6.3.26</b>	Authentication of a WTM user (WTAT)	<b>5</b>
<b>6.3.27</b>	Authentication of the PISN (WTAN)	<b>5</b>
<b>6.4</b>	Interworking considerations	<b>5</b>
<b>6.5</b>	Overall SDL	<b>5</b>
<b>7</b>	SS-MWI stage 2 specification	<b>8</b>
<b>7.1</b>	Functional model	<b>8</b>
<b>7.1.1</b>	Functional model description	<b>8</b>
<b>7.1.2</b>	Description of Functional Entities	<b>8</b>
<b>7.1.3</b>	Relationship of functional model to Basic Call functional model	<b>8</b>
<b>7.2</b>	Information flows	<b>8</b>
<b>7.2.1</b>	Definition of information flows	<b>8</b>
<b>7.2.2</b>	Relationship of information flows to Basic Call information flows	<b>11</b>
<b>7.2.3</b>	Information flow sequences	<b>12</b>
<b>7.3</b>	Functional Entity actions	<b>14</b>
<b>7.3.1</b>	Functional Entity actions of FE1	<b>14</b>
<b>7.3.2</b>	Functional Entity actions of FE2	<b>14</b>
<b>7.4</b>	Functional Entity behaviour	<b>15</b>
<b>7.4.1</b>	Behaviour of FE1	<b>15</b>
<b>7.4.2</b>	Behaviour of FE2	<b>16</b>
<b>7.5</b>	Allocation of Functional Entities to physical equipment	<b>17</b>
<b>7.6</b>	Interworking considerations	<b>17</b>