

ISO/IEC 21992:2003-06 (E)

Information technology - Telecommunications and information exchange between systems; Private Integrated Services Network - Mapping Functions for the tunnelling of QSIG through IP Networks

Contents		Page
Foreword		iv
Introduction		v
1	Scope	1
2	Conformance	1
3	Normative references	1
4	Terms and definitions	2
4.1	External definitions	2
4.2	Other definitions	2
5	List of acronyms	3
6	Introduction	3
6.1	Reference configuration	3
6.2	Specific scenarios	4
7	Capabilities at the Q reference point	4
8	Capabilities at the C reference point	5
8.1	TCP connection	5
8.2	UDP streams	6
9	Mapping functions	6
9.1	Mapping the DQ-channel	6
9.2	Mapping a UQ-channel	6
10	IPC control functions	6
10.1	Procedure for UQ-channel establishment	6
10.2	Procedure for UQ-channel clearing	7
Annex A (informative)	Implementation Conformance Statement (ICS) Proforma	8
A.1	Introduction	8
A.2	Instructions for completing the ICS proforma	8
A.2.1	General structure of the ICS proforma	8
A.2.2	Additional information	9
A.2.3	Exception information	9
A.3.1	Implementation identification	10
A.3.2	Implementation summary	10
A.4	General requirements	10
A.5	UQ-channel bearer capabilities at the Q reference point	11
A.6	DQ-channel capability at the Q reference point	11
A.7	Capabilities at the C reference point	11
A.8	Mapping functions	11
A.9	IPC control functions	12

A.10	Support of resource control information	12
A.10.1	Support of bearer capabilities information	12
A.10.2	Support of IP address type	12
Annex B (normative) Message syntax for Resource Control Information		13
B.1	Introduction	13
B.2	Message syntax	13
B.2.1	Resource control header	13
B.2.2	Protocol indicator	13
B.2.3	Resource control information	13