

CONTENTS

| | <i>Page</i> |
|---|-------------|
| SECTION 1 – INTRODUCTION | 1 |
| 1 Scope | 1 |
| 2 Normative references | 3 |
| 2.1 Open Systems Interconnection | 3 |
| 2.2 Directory Systems | 4 |
| 2.3 Message Handling Systems | 4 |
| 2.4 Country Codes | 5 |
| 2.5 Network Addresses | 5 |
| 2.6 Language Code | 5 |
| 2.7 Character Sets | 5 |
| 3 Definitions | 5 |
| 3.1 Open Systems Interconnection | 5 |
| 3.2 Directory Systems | 6 |
| 3.3 Message Handling Systems | 7 |
| 4 Abbreviations | 7 |
| 5 Conventions | 7 |
| 5.1 ASN.1 | 7 |
| 5.2 Grade | 7 |
| 5.3 Terms | 7 |
| SECTION 2 – ABSTRACT MODELS | 8 |
| 6 Overview | 8 |
| 7 Functional Model | 8 |
| 7.1 Primary Functional Objects | 8 |
| 7.1.1 The Message Handling System | 9 |
| 7.1.2 Users | 9 |
| 7.1.3 Distribution Lists | 9 |
| 7.2 Secondary Functional Objects | 9 |
| 7.2.1 The Message Transfer System | 10 |
| 7.2.2 User Agents | 10 |
| 7.2.3 Message Stores | 10 |
| 7.2.4 Access Units | 10 |
| 7.3 Tertiary Functional Objects | 11 |
| 7.3.1 Message Transfer Agents | 11 |
| 7.4 Selected AU Types | 11 |
| 7.4.1 Physical Delivery | 11 |
| 7.4.2 Telematic | 11 |
| 7.4.3 Telex | 12 |
| 8 Information Model | 12 |
| 8.1 Messages | 12 |
| 8.2 Probes | 13 |
| 8.3 Reports | 13 |
| 9 Operational Model | 13 |
| 9.1 Transmittal | 13 |
| 9.2 Transmittal Roles | 14 |
| 9.3 Transmittal Steps | 15 |
| 9.3.1 Origination | 15 |
| 9.3.2 Submission | 16 |
| 9.3.3 Import | 16 |
| 9.3.4 Transfer | 16 |
| 9.3.5 Export | 16 |
| 9.3.6 Delivery | 16 |
| 9.3.7 Retrieval | 16 |
| 9.3.8 Receipt | 17 |

| | <i>Page</i> |
|-------------------------------------|--|
| 9.4 | Transmittal Events 17 |
| 9.4.1 | Splitting..... 17 |
| 9.4.2 | Joining..... 17 |
| 9.4.3 | Name Resolution..... 18 |
| 9.4.4 | DL Expansion 18 |
| 9.4.5 | Redirection 18 |
| 9.4.6 | Conversion 18 |
| 9.4.7 | Non-delivery 18 |
| 9.4.8 | Non-affirmation 18 |
| 9.4.9 | Affirmation 18 |
| 9.4.10 | Routing 19 |
| 10 | Security Model 19 |
| 10.1 | Security Policies..... 19 |
| 10.2 | Security Services..... 19 |
| 10.2.1 | Origin Authentication Security Services..... 20 |
| 10.2.2 | Secure Access Management Security Service..... 21 |
| 10.2.3 | Data Confidentiality Security Services 21 |
| 10.2.4 | Data Integrity Security Services..... 22 |
| 10.2.5 | Non-Repudiation Security Services 23 |
| 10.2.6 | Message Security Labelling Security Service 23 |
| 10.2.7 | Security Management Services 23 |
| 10.3 | Security Elements..... 24 |
| 10.3.1 | Authentication Security Elements..... 24 |
| 10.3.2 | Secure Access Management Security Elements..... 25 |
| 10.3.3 | Data Confidentiality Security Elements..... 26 |
| 10.3.4 | Data Integrity Security Elements 26 |
| 10.3.5 | Non-repudiation Security Elements 27 |
| 10.3.6 | Security Label Security Elements 27 |
| 10.3.7 | Security Management Security Elements..... 27 |
| 10.3.8 | Double Enveloping Technique..... 27 |
| 10.3.9 | Encoding for Encryption and Hashing 27 |
| SECTION 3 – CONFIGURATIONS 27 | |
| 11 | Overview 27 |
| 12 | Functional Configurations 28 |
| 12.1 | Regarding the Directory 28 |
| 12.2 | Regarding the Message Store..... 28 |
| 13 | Physical Configurations..... 28 |
| 13.1 | Messaging Systems 29 |
| 13.1.1 | Access Systems..... 30 |
| 13.1.2 | Storage Systems..... 30 |
| 13.1.3 | Access and Storage Systems 30 |
| 13.1.4 | Transfer Systems..... 30 |
| 13.1.5 | Access and Transfer Systems..... 30 |
| 13.1.6 | Storage and Transfer Systems..... 30 |
| 13.1.7 | Access, Storage, and Transfer Systems..... 30 |
| 13.2 | Representative Configurations 30 |
| 13.2.1 | Fully Centralized..... 30 |
| 13.2.2 | Centralized Message Transfer and Storage..... 31 |
| 13.2.3 | Centralized Message Transfer..... 31 |
| 13.2.4 | Fully Distributed 31 |
| 14 | Organizational Configurations 31 |
| 14.1 | Management Domains 31 |
| 14.1.1 | Administration Management Domains 32 |
| 14.1.2 | Private Management Domains 32 |
| 14.2 | Representative Configurations 32 |
| 14.2.1 | Fully Centralized..... 32 |
| 14.2.2 | Directly Connected 32 |
| 14.2.3 | Indirectly Connected..... 32 |

| | <i>Page</i> |
|---|-------------|
| 15 The Global MHS | 32 |
| SECTION 4 – NAMING, ADDRESSING, AND ROUTING..... | 33 |
| 16 Overview | 33 |
| 17 Naming | 34 |
| 17.1 Directory Names | 34 |
| 17.2 OR-Names..... | 34 |
| 18 Addressing..... | 34 |
| 18.1 Attribute Lists | 35 |
| 18.2 Character Sets | 35 |
| 18.3 Standard Attributes..... | 36 |
| 18.3.1 Administration-domain-name | 37 |
| 18.3.2 Common-name..... | 37 |
| 18.3.3 Country-name..... | 37 |
| 18.3.4 Extension-postal-OR-address-components | 38 |
| 18.3.5 Extension-physical-delivery-address-components | 38 |
| 18.3.6 Local-postal-attributes..... | 38 |
| 18.3.7 Network-address | 38 |
| 18.3.8 Numeric-user-identifier..... | 38 |
| 18.3.9 Organization-name..... | 38 |
| 18.3.10 Organizational-unit-names | 39 |
| 18.3.11 Pds-name | 39 |
| 18.3.12 Personal-name..... | 39 |
| 18.3.13 Physical-delivery-country-name | 39 |
| 18.3.14 Physical-delivery-office-name | 39 |
| 18.3.15 Physical-delivery-office-number..... | 39 |
| 18.3.16 Physical-delivery-organization-name..... | 39 |
| 18.3.17 Physical-delivery-personal-name | 39 |
| 18.3.18 Post-office-box-address..... | 40 |
| 18.3.19 Postal-code..... | 40 |
| 18.3.20 Poste-restante-address | 40 |
| 18.3.21 Private-domain-name | 40 |
| 18.3.22 Street-address | 40 |
| 18.3.23 Terminal-identifier | 40 |
| 18.3.24 Terminal-type..... | 40 |
| 18.3.25 Unformatted-postal-address | 40 |
| 18.3.26 Unique-postal-name | 41 |
| 18.4 Attribute List Equivalence | 41 |
| 18.5 OR-Address Forms..... | 41 |
| 18.5.1 Mnemonic OR-Address | 42 |
| 18.5.2 Numeric OR-Address..... | 42 |
| 18.5.3 Postal OR-Address..... | 43 |
| 18.5.4 Terminal OR-Address | 43 |
| 18.5.5 Determination of Address Forms | 44 |
| 18.6 Conditional Attributes..... | 44 |
| 19 Routing..... | 44 |
| SECTION 5 – USE OF THE DIRECTORY | 45 |
| 20 Overview | 45 |
| 21 Authentication | 45 |
| 22 Name Resolution | 46 |
| 23 DL Expansion..... | 46 |
| 24 Capability Assessment | 46 |
| SECTION 6 – OSI REALIZATION..... | 47 |
| 25 Overview | 47 |

| | <i>Page</i> | |
|---|---|----|
| 26 | Application Service Elements | 47 |
| 26.1 | The ASE Concept..... | 47 |
| 26.2 | Symmetric and Asymmetric ASEs..... | 48 |
| 26.3 | Message Handling ASEs..... | 49 |
| 26.3.1 | Message Transfer..... | 49 |
| 26.3.2 | Message Submission..... | 49 |
| 26.3.3 | Message Delivery..... | 49 |
| 26.3.4 | Message Retrieval..... | 49 |
| 26.3.5 | Message Administration..... | 50 |
| 26.4 | Supporting ASEs..... | 50 |
| 26.4.1 | Remote Operations..... | 50 |
| 26.4.2 | Reliable Transfer..... | 50 |
| 26.4.3 | Association Control..... | 50 |
| 27 | Application Contexts..... | 50 |
| SECTION 7 – ABSTRACT SERVICE DEFINITION CONVENTIONS | | 51 |
| 28 | Overview | 51 |
| 29 | Components of the Abstract Model..... | 51 |
| 29.1 | Abstract Objects..... | 51 |
| 29.2 | Abstract Contracts..... | 51 |
| 29.3 | Connection Packages | 52 |
| 29.4 | Abstract Ports..... | 52 |
| 29.5 | Abstract Operations and Abstract Errors..... | 52 |
| 30 | ROS Realization..... | 52 |
| Annex A | – Directory Object Classes and Attributes | 54 |
| A.1 | Object Classes..... | 54 |
| A.1.1 | MHS Distribution List..... | 54 |
| A.1.2 | MHS Message Store..... | 54 |
| A.1.3 | MHS Message Transfer Agent..... | 54 |
| A.1.4 | MHS User | 55 |
| A.1.5 | MHS User Agent..... | 55 |
| A.2 | Attributes..... | 55 |
| A.2.1 | MHS Acceptable EITs | 55 |
| A.2.2 | MHS Deliverable Classes | 56 |
| A.2.3 | MHS Deliverable Content Types | 56 |
| A.2.4 | MHS DL Archive Service..... | 56 |
| A.2.5 | MHS DL Members..... | 56 |
| A.2.6 | MHS DL Policy | 56 |
| A.2.7 | MHS DL Related Lists..... | 57 |
| A.2.8 | MHS DL Submit Permissions..... | 57 |
| A.2.9 | MHS DL Subscription Service..... | 57 |
| A.2.10 | MHS Exclusively Acceptable EITs..... | 57 |
| A.2.11 | MHS Maximum Content Length..... | 57 |
| A.2.12 | MHS Message Store Directory Name | 57 |
| A.2.13 | MHS OR-Addresses..... | 58 |
| A.2.14 | MHS OR-Addresses with Capabilities..... | 58 |
| A.2.15 | MHS Supported Attributes..... | 58 |
| A.2.16 | MHS Supported Automatic Actions | 58 |
| A.2.17 | MHS Supported Content Types | 58 |
| A.2.18 | MHS Supported Matching Rules | 59 |
| A.2.19 | MHS Unacceptable EITs..... | 59 |
| A.3 | Attribute Syntaxes..... | 59 |
| A.3.1 | DL Submit Permission | 59 |
| A.3.2 | DL Policy | 60 |
| A.3.3 | OR-Address..... | 62 |
| A.3.4 | OR-Address with Capabilities..... | 62 |
| A.3.5 | OR-Name | 63 |

| | <i>Page</i> |
|--|-------------|
| A.4 Contexts | 63 |
| A.4.1 DL Administrator Annotation | 63 |
| A.4.2 DL Nested DL | 64 |
| A.4.3 DL Reset Originator | 64 |
| A.5 Certificate Subject Alternative Names | 64 |
| A.5.1 MTA Name | 64 |
| Annex B – Reference Definition of Object Identifiers | 65 |
| Annex C – Reference Definition of Directory Object Classes and Attributes | 67 |
| Annex D – Security Threats | 74 |
| D.1 Masquerade | 74 |
| D.2 Message Sequencing | 74 |
| D.3 Modification of Information | 75 |
| D.4 Denial of Service | 75 |
| D.5 Repudiation | 76 |
| D.6 Leakage of Information | 76 |
| D.7 Other Threats | 76 |
| Annex E – Provision of Security Services in ITU-T Rec. X.411 ISO/IEC 10021-4 | 77 |
| Annex F – Representation of OR-Addresses for Human Usage | 78 |
| F.1 Purpose | 78 |
| F.2 Scope | 78 |
| F.3 Format | 78 |
| F.3.1 General | 78 |
| F.3.2 Labelled format | 79 |
| F.3.3 Self-explanatory format | 81 |
| F.4 User Interface | 81 |
| Annex G – Use of OR-Addresses by Multinational Organizations | 83 |
| G.1 Addressing principles | 83 |
| G.2 Example configurations | 84 |
| G.2.1 Multiple Independent PRMDs | 84 |
| G.2.2 A single PRMD, named from a "home" country | 84 |
| G.2.3 A single PRMD with multiple country and domain names | 85 |
| G.3 Alias OR-addresses | 86 |
| Annex H – Use of Protected Passwords for Message Store Access | 87 |
| Annex I – Differences Between ISO/IEC 10021-2 and ITU-T Rec. X.402 | 90 |
| Annex J – Summary of Changes to Previous Editions | 91 |
| J.1 Differences between ISO/IEC 10021-2:1990 and CCITT Rec. X.402 (1992) | 91 |
| J.2 Differences between CCITT Rec. X.402 (1992) and ITU-T Rec. X.402 (1995) ISO/IEC 10021-2:1996 | 91 |
| J.3 Differences between ITU-T Rec. X.402 (1995) ISO/IEC 10021-2:1996 and ITU-T Rec. X.402 (1999) ISO/IEC 10021-2:1999 | 91 |
| Annex K – Index | 92 |