

ISO/IEC 19794-5:2005-06 (E)

Information technology - Biometric data interchange formats - Part 5: Face image data

| Contents | | Page |
|--------------------|---------------------------------------|-------------|
| Foreword | | viii |
| Introduction | | ix |
| 1 | Scope | 1 |
| 2 | Compliance | 2 |
| 3 | Normative references | 2 |
| 4 | Terms and definitions | 3 |
| 5 | The Face Image Record Format | 6 |
| 5.1 | Overview | 6 |
| 5.2 | Data Conventions | 9 |
| 5.2.1 | Byte ordering | 9 |
| 5.2.2 | Numeric values | 9 |
| 5.2.3 | Conversion to integer | 9 |
| 5.2.4 | Unspecified field value | 9 |
| 5.2.5 | Unknown field value | 9 |
| 5.3 | The CBEFF Header | 9 |
| 5.4 | The Facial Record Header | 10 |
| 5.4.1 | Format Identifier | 10 |
| 5.4.2 | Version Number | 10 |
| 5.4.3 | Length of Record | 10 |
| 5.4.4 | Number of Facial Images | 10 |
| 5.5 | The Facial Information Block | 10 |
| 5.5.1 | Facial Record Data Length | 11 |
| 5.5.2 | Number of Feature Points | 11 |
| 5.5.3 | Gender | 11 |
| 5.5.4 | Eye Colour | 11 |
| 5.5.5 | Hair Colour | 12 |
| 5.5.6 | Property Mask | 12 |
| 5.5.7 | Expression | 13 |
| 5.5.8 | Pose Angle | 13 |
| 5.5.9 | Pose Angle Uncertainty | 15 |
| 5.6 | The Landmark Point Block | 15 |
| 5.6.1 | Landmark Point Type | 16 |
| 5.6.2 | Landmark Point Code | 16 |
| 5.6.3 | MPEG4 Feature Points | 16 |
| 5.6.4 | Eye and nostril Landmark Points | 17 |
| 5.6.5 | Anthropometric Landmarks | 18 |
| 5.6.6 | Anthropometric 3D landmark | 21 |
| 5.6.7 | Z Coordinate | 21 |
| 5.7 | The Image Information Block | 22 |
| 5.7.1 | Face Image Type | 22 |
| 5.7.2 | Image Data Type | 23 |
| 5.7.3 | Width | 23 |
| 5.7.4 | Height | 23 |
| 5.7.5 | Image Colour Space | 23 |
| 5.7.6 | Source Type | 23 |

| | | |
|--------|---|----|
| 5.7.7 | Device Type | 24 |
| 5.7.8 | Quality | 24 |
| 5.8 | The Image Data Block | 24 |
| 5.8.1 | Data structure | 24 |
| 5.9 | The 3D Information Block | 24 |
| 5.9.1 | Length of 3D Data Representation | 25 |
| 5.9.2 | Coordinate System Type | 25 |
| 5.9.3 | Texture Projection Matrix | 27 |
| 5.9.4 | ScaleX, ScaleY, ScaleZ, OffsetX, OffsetY, OffsetZ | 27 |
| 5.9.5 | 3D Representation Type | 28 |
| 5.9.6 | 3D Supplemental Data | 28 |
| 5.9.7 | 3D Source Type | 28 |
| 5.9.8 | 3D Device Type | 29 |
| 5.9.9 | 3D to 2D Image Temporal Synchronicity | 29 |
| 5.9.10 | 3D to 2D Texture Temporal Synchronicity | 29 |
| 5.9.11 | 3D Acquisition Time | 30 |
| 5.9.12 | 2D Texture Acquisition Time | 30 |
| 5.9.13 | Texture Map Type | 30 |
| 5.9.14 | Texture Map Spectrum | 31 |
| 5.10 | The 3D Data Block | 31 |
| 5.10.1 | Range Image Bit Depth | 31 |
| 5.10.2 | Range Image | 32 |
| 5.10.3 | 3D Point Map Width and Height | 32 |
| 5.10.4 | 3D Point Map | 32 |
| 5.10.5 | Vertex Data | 32 |
| 5.10.6 | Triangle Data | 33 |
| 5.10.7 | Error Map | 33 |
| 5.10.8 | Texture Map | 33 |
| 6 | The Basic Face Image Type | 34 |
| 6.1 | Inheritance requirements for the Basic Face Image Type | 34 |
| 6.2 | Image data encoding requirements for the Basic Face Image Type | 34 |
| 6.3 | Image data compression requirements for the Basic Face Image Type | 34 |
| 6.4 | Format requirements for the Basic Face Image Type | 34 |
| 6.4.1 | Facial Header | 34 |
| 6.4.2 | Facial Information | 34 |
| 6.4.3 | Image Information | 34 |
| 7 | The Frontal Face Image Type | 34 |
| 7.1 | Inheritance requirements for the Frontal Face Image Type | 34 |
| 7.2 | Scene requirements for the Frontal Image Type | 35 |
| 7.2.1 | Purpose | 35 |
| 7.2.2 | Pose | 35 |
| 7.2.3 | Expression | 35 |
| 7.2.4 | Assistance in positioning the face | 36 |
| 7.2.5 | Shoulders | 36 |
| 7.2.6 | Backgrounds | 36 |
| 7.2.7 | Subject and scene lighting | 36 |
| 7.2.8 | Shadows over the face | 36 |
| 7.2.9 | Shadows in eye sockets | 36 |
| 7.2.10 | Hot spots | 36 |
| 7.2.11 | Eye glasses | 36 |
| 7.2.12 | Eye patches | 36 |
| 7.3 | Photographic Requirements for the Frontal Image Type | 37 |
| 7.3.1 | Purpose | 37 |
| 7.3.2 | No over or under exposure | 37 |
| 7.3.3 | Focus and depth of field | 37 |
| 7.3.4 | Unnatural colour | 37 |
| 7.3.5 | Colour or greyscale enhancement | 37 |
| 7.3.6 | Radial distortion of the camera lens | 37 |
| 7.4 | Digital requirements for the Frontal Image Type | 37 |
| 7.4.1 | Geometry | 37 |

| | | |
|--------|--|----|
| 7.4.2 | Colour profile | 38 |
| 7.4.3 | Video interlacing | 38 |
| 7.5 | Format requirements for the Frontal Image Type | 38 |
| 7.5.1 | Inheritance requirements | 38 |
| 7.5.2 | Image Information | 38 |
| 8 | The Full Frontal Image Type | 39 |
| 8.1 | Inheritance requirements for the Full Frontal Face Image Type | 39 |
| 8.2 | Scene requirements for the Full Frontal Face Image Type | 39 |
| 8.3 | Photographic requirements for the Full Frontal Face Image Type | 39 |
| 8.3.1 | Introduction | 39 |
| 8.3.2 | Horizontally centred face | 40 |
| 8.3.3 | Vertical position of the face | 40 |
| 8.3.4 | Width of head | 40 |
| 8.3.5 | Length of head | 40 |
| 8.3.6 | Summary of photographic requirements | 40 |
| 8.4 | Digital requirements for the Full Frontal Face Image Type | 41 |
| 8.4.1 | Resolution | 41 |
| 8.5 | Format requirements for the Full Frontal Image Type | 41 |
| 8.5.1 | Inheritance requirements | 41 |
| 8.5.2 | Image Information | 41 |
| 9 | The Token Face Image Type | 41 |
| 9.1 | Inheritance requirements for Token Face Image Type | 41 |
| 9.2 | Digital requirements for the Token Face Image Type | 42 |
| 9.2.1 | Introduction | 42 |
| 9.2.2 | Eye positions | 42 |
| 9.2.3 | Token image geometric format | 42 |
| 9.2.4 | Minimum width Token image | 43 |
| 9.2.5 | Padding | 43 |
| 9.3 | Format requirements for the Token Face Image Type | 43 |
| 9.3.1 | Inheritance requirements | 43 |
| 9.3.2 | Image Information | 43 |
| 10. | The Basic 3D Image Type | 43 |
| 10.1 | Inheritance Requirements for the Basic 3D Image Type | 43 |
| 10.2 | The Basic 3D Image Type using the 3D Point Map representation | 44 |
| 10.2.1 | Coordinate System Type | 44 |
| 10.2.2 | ScaleX, ScaleY and ScaleZ | 44 |
| 10.3 | The Basic 3D Image Type using the 3D Vertex representation | 44 |
| 10.3.1 | Coordinate System Type | 44 |
| 10.3.2 | ScaleX, ScaleY and ScaleZ | 44 |
| 11 | The Full Frontal 3D Image Type | 44 |
| 11.1 | Inheritance requirements | 44 |
| 11.2 | Coordinate System Type | 44 |
| 11.3 | Pose of the 3D representation | 44 |
| 11.4 | Calibration Texture Projection Accuracy | 45 |
| 11.5 | Requirements on Full Frontal 3D Image Types using the Range Image Representation | 45 |
| 11.5.1 | ScaleX, ScaleY and ScaleZ | 45 |
| 11.5.2 | Face Coverage | 45 |
| 11.5.3 | Non-valid points in 3D data Image | 45 |
| 11.6 | Requirements on Full Frontal 3D Image Types using the 3D Point Map Representation | 46 |
| 11.7 | Requirements on Full Frontal 3D Image Types using the 3D Vertex Representation | 46 |
| 12 | The Token Frontal 3D Image Type | 46 |
| 12.1 | General | 46 |
| 12.2 | Inheritance requirements | 46 |
| 12.3 | Requirements on Token Frontal 3D Image Types using the Range Image Representation | 47 |
| 12.4 | Requirements on Token Frontal 3D Image Types using the 3D Point Map Representation | 47 |
| 12.5 | Requirements on Token Frontal 3D Image Types using the Vertex Representation | 47 |

| | |
|--|----|
| Bibliography | 48 |
| Annex A | 49 |
| A.1 Best practices for Basic Face Images | 49 |
| A.1.1 Purpose | 49 |
| A.1.2 Feature Point determination | 49 |
| A.2 Best practices for Frontal Images | 49 |
| A.2.1 Purpose | 49 |
| A.2.2 Pose | 49 |
| A.2.3 Expression | 49 |
| A.2.4 Assistance in positioning the face | 49 |
| A.2.5 Background | 50 |
| A.2.5.1 Background segmentation | 50 |
| A.2.5.2 Background shadows | 50 |
| A.2.5.3 Background uniformity | 50 |
| A.2.5.4 Background examples | 50 |
| A.2.6 Focus and depth of field | 50 |
| A.2.7 No unnatural colour | 50 |
| A.2.8 Colour calibration | 50 |
| A.2.9 Radial distortion of the camera lens | 50 |
| A.3 Best practices for Full Frontal Images | 51 |
| A.3.1 Digital attributes of Full Frontal Images | 51 |
| A.3.1.1 Photo resolution | 51 |
| A.3.2 Best practices for use of Full Frontal Images on Travel Documents | 51 |
| A.3.2.1 Width to height ratio of the image | 51 |
| A.3.2.2 Head size relative to the image size | 51 |
| A.3.2.3 Summary of best practice photographic recommendations | 51 |
| A.3.2.4 Sample images and sample photograph taking guidelines for travel documents | 53 |
| A.3.3 Full Frontal Image compression | 56 |
| A.3.3.1 Compression - no region of interest | 56 |
| A.3.3.2 Recommendations for maximum compression and file sizes for JPEG and JPEG2000 | 57 |
| A.3.4 Full Frontal Image compression using region of interest | 57 |
| A.3.4.1 Discussion | 57 |
| A.3.4.2 Inner and outer regions, Full Image | 58 |
| A.4 Best practices for Token Images | 58 |
| A.4.1 Token image sizes | 58 |
| A.4.2 Creation of a Token Image | 59 |
| A.4.3 Best practices for digital attributes of Token Images | 59 |
| A.4.4 Token Image compression | 60 |
| A.4.4.1 Compression - no region of interest | 60 |
| A.4.4.2 Recommendations for maximum compression and file sizes for JPEG and JPEG2000 Token Images | 61 |
| A.4.5 Token Image compression using region of interest | 61 |
| A.4.5.1 Discussion | 61 |
| A.4.6 Inner and outer regions for the Token Image for the purpose of compression | 62 |
| A.5 Experimental study on the enrolment of full frontal images for travel documents | 62 |
| A.5.1 Software and data used for the analysis | 62 |
| A.5.2 Experimental results | 63 |
| A.5.2.1 Inter-eye distance | 63 |
| A.5.2.2 Relative horizontal position of the face | 64 |
| A.5.2.3 Relative vertical position of the face | 64 |
| A.5.2.4 Head Image Width Ratio | 65 |
| A.5.2.5 Head Image Height Ratio | 66 |
| A.5.3 Error Discussion | 67 |
| A.5.4 Summary | 67 |
| A.6 Study on the effects of inter-eye distance and roll on biometric comparison performance | 68 |
| A.6.1 Inter-eye distance | 68 |
| A.6.2 Pose | 69 |
| A.7 Best Practices for the Full Frontal 3D Image Type | 70 |
| A.7.1 Best Practices for the 2D part of the Full Frontal 3D Image Type | 70 |

| | | |
|---------|---|-----|
| A.7.2 | Compatibility considerations | 70 |
| A.7.3 | Pose of the 3D representation | 70 |
| A.7.4 | 3D to 2D Image Temporal Synchronicity | 71 |
| A.7.5 | 3D Acquisition Time | 71 |
| A.7.6 | Best Practices for Full Frontal 3D Image Types using the Range Image Representation ... | 71 |
| A.7.6.1 | ScaleX, ScaleY and ScaleZ | 71 |
| A.7.6.2 | Non-valid points in Range Image | 71 |
| A.7.7 | Best Practices for the Full Frontal 3D Image Types using the 3D Point Map Representation | 71 |
| A.7.7.1 | 3D Point Map Width and Height | 71 |
| A.7.7.2 | Face coverage | 71 |
| A.7.8 | Best Practices for Full Frontal 3D Image Types using the 3D Vertex Representation | 71 |
| A.7.8.1 | Face coverage | 71 |
| A.8 | Best Practices for Token Frontal 3D Images | 72 |
| A.8.1 | Best Practices for the 2D part of the Token Frontal 3D Image | 72 |
| A.8.2 | Compatibility considerations | 72 |
| A.8.3 | Pose of the 3D representation | 72 |
| A.8.4 | 3D to 2D Image Temporal Synchronicity | 72 |
| A.8.5 | 3D Acquisition Time | 72 |
| A.8.6 | Best Practices for Token Frontal 3D Image Types using the Range Image Representation | 72 |
| A.8.7 | Best Practices for Token Frontal 3D Image Types using the 3D Point Map Image Representation | 72 |
| A.8.8 | Best Practices for Token Frontal 3D Image Types using the Vertex Representation | 72 |
| A.9 | Summary of mandatory and best practices for the 3D Image Types | 72 |
| Annex B | | 75 |
| B.1 | Scope | 75 |
| B.2 | Photography recommendations | 75 |
| B.2.1 | General | 75 |
| B.2.2 | Recommendations for a photo studio or store | 75 |
| B.2.3 | Recommendations for photo booths | 79 |
| B.2.4 | Recommendations for a registration office environment | 83 |
| B.3 | Guidelines for printing | 84 |
| B.3.1 | General | 84 |
| B.3.2 | Spatial and tonal resolution trade-offs | 85 |
| B.3.3 | Recommended printing quality | 85 |
| B.3.4 | Use of a photo template | 86 |
| B.4 | Guidelines for scanning | 86 |
| B.4.1 | General | 86 |
| B.4.2 | Sampling frequency and quantization levels | 87 |
| B.4.3 | Spatial resolution | 87 |
| B.4.4 | Output colour space | 87 |
| B.4.5 | Saturation | 87 |
| B.4.6 | Image compression | 87 |
| B.5 | Face image quality assessment software | 87 |
| B.6 | Tables of the recommendations | 89 |
| B.6.1 | General | 89 |
| B.6.2 | Scene setting | 89 |
| B.6.3 | Photographing | 91 |
| B.6.4 | After photographing | 91 |
| B.6.5 | Photographic quality | 92 |
| B.7 | Experimental data | 93 |
| B.7.1 | Experimental results of face recognition in a photo studio and photo booth | 93 |
| B.8 | Photographic examples | 94 |
| B.8.1 | General | 94 |
| B.8.2 | Photographic examples at a photo studio | 94 |
| B.8.3 | Photographic examples at a photo booth | 99 |
| Annex C | | 104 |