ISO/IEC 15476-3:2006-01 (E)

Information technology - CDIF semantic metamodel - Part 3: Data definitions

Contents

Page

1 Scope 1

2 Conformance 2
2.1 General 2
2.2 Input conformance 2
2.3 Output conformance 2
2.4 Round-trip conformance 3

3 Normative references 3

4 Terms and definitions 4
4.1 From other International Standards 4
4.1.3 For this International Standard 4

5 Symbols (and abbreviated terms) 5
5.1 Naming, diagramming and definition conventions 5
5.2 Abbreviations 5

6 Data definition subject area overview 5
6.1 Introduction 5
6.2 Data Typing 5
6.3 The General Structuring Mechanism 5
6.3.1 Introduction 5
6.3.2 Meta-entities and Meta-relationships 5
6.3.3 DefinitionObject and ComponentObject 7
6.4 Alternate Decompositions 8
6.5 Pointers and Arrays 10
6.6 Data Types 10
6.7 Constraining Data Type and Attribute Values 11
6.8 Units for Numeric DataTypes 12
6.9 Void and Unknown Data Types 13
6.10 Computable Languages 13
6.11 Formats for Computable Values 13
6.12 Diagrams 16

7 Data definitions subject area summary 21
7.1 AttributableMetaObject classification hierarchy 21
7.2 MetaEntity summary 23
7.3 MetaRelationship summary 37

8 Data definitions subject area specification 39
8.1 Introduction 39
8.1.1 Subject area definition 39
8.2 Meta-entity definitions 39
8.2.1 AggregateDataType 39
8.2.2 ApproximateNumericType 40
8.2.3 ArrayQualifier 41
8.2.4 Attribute 42
8.2.5 BasicDataType 42
8.2.6 BinaryCodedDecimalType 43
8.2.7 BinaryType 43
8.2.8 BooleanType 44

8.2.9 BoundedArrayQualifier 44
8.2.10 CartesianComplexType 45
8.2.11 ComplexType 46
8.2.12 DataType 47
8.2.13 DateType 48
8.2.14 DayTimeIntervalType 49
8.2.15 DefinitionObject 49
8.2.16 EnumerationType 49
8.2.17 ExactNumericType 50
8.2.18 FixedDecimalType 51
8.2.19 FixedLengthBinaryType 52
8.2.20 FixedLengthStringType 54
8.2.21 IntegerType 55
8.2.22 MagnitudeType 55
8.2.23 MoneyType 56
8.2.24 NLFixedLengthStringType 57
8.2.25 NLVariableLengthStringType 58
8.2.26 NumericType 59
8.2.27 PackedDecimalType 59
8.2.28 PointerQualifier 60
8.2.29 PolarComplexType 60
8.2.30 QualifiedDataType 62
8.2.31 Qualifier 62
8.2.32 RefinedDataType 63
8.2.33 SerialType 63
8.2.34 StringType 65
8.2.35 TemporalType 66
8.2.36 TimeIntervalType 66
8.2.37 TimeStampType 67
8.2.38 TimeType 68
8.2.39 UnboundedArrayQualifier 69
8.2.40 Unit 70
8.2.41 ValueDomain 74
8.2.42 ValueDomainEnumeration 75
8.2.43 ValueDomainGroup 76
8.4.44 ValueDomainProcedure 77
8.2.45 ValueDomainRange 78
8.2.46 ValueDomainRule 80
8.2.47 VariableLengthBinaryType 81
8.2.48 VariableLengthStringType 82
8.2.49 VoidType 84
8.2.50 YearMonthIntervalType 84
8.3 Meta-relationship definitions 85

7.3.1 ArrayQualifier.HasType.DataType 85
7.3.2 DataType.TakesValueFrom.ValueDomain 85
7.3.3 NumericType.IsMeasuredIn.Unit 86

8.3.1 RootEntity.IsRelatedTo. RootEntity 86
8.3.2 QualifiedDataType.IsQualificationOf.DataType 86
8.3.3 QualifiedDataType.IsQualifiedBy.Qualifier 87
8.3.4 RefinedDataType.IsRefinementOf.DataType 87
8.3.5 ValueDomainGroup.Contains.ValueDomain 88

Table of Illustrations Figure 1 - CDIF family of International Standards 1

Figure 2 - Part of general Structuring Mechanism for data definitions subject area 6

Figure 3 - Meta-model fragment for simple attribution with defined DataTypes 6

Figure 4 - Instance Diagram showing simple attribution with defined DataTypes 7

Figure 5 - Instance diagram of attributes sharing the same structured definition 8

Figure 6 - Instance diagram of alternate Data Structures 9

Figure 7 - Concepts of shared attribute values and definitions 10

Figure 8 - Usage of ValueDomainGroup and ValueDomain 12

Figure 9 - Data Definition Subject Area - Main Diagram 16

Figure 10 17

Figure 11 - MagnitudeType Subtypes 18

Figure 12 - NumericType Subtypes 19

Figure 13 - Subtypes and meta-relationships for Qualifier 20

Figure 14 - ValueDomainGroup and related meta-entities 20

Table of Tables Table 1 - Formats for Computable Values 13

Table 2 - Notation Used for Computable Values 15

Table 3 - Function Values for Computable Values 15