

ISO/IEC 24730-1:2006-02 (E)

Information technology - Real-time locating systems (RTLS) - Part 1: Application program interface (API)

| Contents | | Page |
|---|---|-------------|
| Foreword | | iv |
| Introduction | | v |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Symbols and abbreviated terms | 3 |
| 5 | The service | 3 |
| 5.1 | Purpose | 3 |
| 5.2 | Specification summary | 3 |
| 5.3 | Security | 4 |
| 6 | The Application Program Interface (API) | 4 |
| 6.1 | Purpose | 4 |
| 6.2 | Language Independence | 4 |
| 6.3 | Architecture | 4 |
| 6.4 | Nomenclature and conventions | 5 |
| 7 | Subroutine calls | 5 |
| 7.1 | Overview of SOAP-RPC | 5 |
| 7.2 | Remote Procedure Call: Query | 5 |
| 7.3 | Remote Procedure Call: OpenSession | 10 |
| 7.4 | Remote Procedure Call: QuerySession | 12 |
| 7.5 | Remote Procedure Call: CloseSession | 14 |
| 8 | Data structures and data types | 17 |
| 8.1 | TagBlink structure | 17 |
| 8.2 | QueryResponse structure | 18 |
| 8.3 | SessionResponse structure | 19 |
| 8.4 | Fault structure | 19 |
| Annex A (normative) XML Schema for Remote Procedure Calls | | 22 |
| A.1 | RTLS API Schema | 22 |
| A.2 | SOAP Request Schema: Query | 22 |
| A.3 | SOAP Request Schema: OpenSession | 24 |
| A.4 | SOAP Request Schema: QuerySession | 24 |
| A.5 | SOAP Request Schema: CloseSession | 25 |
| A.6 | SOAP Response Schema: TagBlink Type | 25 |
| A.7 | SOAP Response Schema: QueryResponse | 27 |
| A.8 | SOAP Response Schema: SessionResponse | 28 |
| A.9 | SOAP Fault Schema: RTLSFaultDetail | 28 |