ISO/IEC 24723:2006-04 (E)

Information technology - Automatic identification and data capture techniques - EAN.UCC Composite bar code symbology spec ification

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 1

3 Terms, definitions, abbreviated terms and mathematical operators 2
3.1 Terms and definitions 2
3.2 Abbreviated terms 3
3.3 Mathematical operators and notational conventions 3

4 Symbol description 3
4.1 Basic characteristics 3
4.2 Summary of additional features 4
4.3 Symbol structure 5
4.4 Supported component combinations 6

5 Source data encodation into a binary string 6
5.1 Encodation Method field 7
5.1.1 Description of the data string 7
5.2 Compressed data field 7
5.2.1 Encodation Method field "10" -- date and lot number 7
5.2.2 Encodation Method field of "11" -- AI 90 8
5.2.3 Alpha encodation 10
5.3 General-purpose data compaction field 11
5.3.1 Numeric encodation 11
5.3.2 Alphanumeric encodation 12
5.3.4 Pad bits for the general-purpose data compaction field 14

6 Error correction 15

7 Linear component requirements 15
7.1 General 15
7.2 EAN/UPC linear components 15
7.3 RSS family linear components 16
7.4 UCC/EAN-128 components 18

8 CC-A component requirements 19
8.1 CC-A -- General 19
8.2 Overview of the CC-A component 19
8.3 CC-A component structure 20
8.3.1 Row and column combinations 20
8.3.2 Row parameters 21
8.3.3 Row Address Pattern assignments 22
8.3.4 Codeword sequence 22
8.3.5 High level data encodation 22
8.4 Symbol character structure 22
8.5 Base 928 compaction mode 24
8.6 Reference decode algorithm 25

8.6.1 Rejecting false 2D component candidates based on the linear component 25
8.6.2 Rejecting false 2D component candidates within the linear component 25
8.6.3 Aids to image-processing software 26

9 CC-B component requirements 26

10 CC-C component requirements 27

11 Symbol dimensions 28
11.1 Minimum width of a module (X) 28
11.2 Linear component height 28
11.3 2D component row height (Y) 28
11.4 Separator pattern and vertical separator bars 28
11.5 Quiet zones 29

12 Graphical requirements 29
12.1 General 29
12.2 Vertical alignment requirements 29
12.3 Horizontal alignment requirements 29
12.4 Human readable interpretation 30

13 Symbol quality 30
13.1 Linear component 30
13.2 2D component 30
13.3 Overall composite symbol grade 30
13.4 Additional pass/fail criteria 30

14 Transmitted data 30
14.1 General data transmission techniques 30
14.2 UCC/EAN-128 Composite symbols 31
14.3 RSS Composite symbols 31
14.3.1 RSS Expanded component 31
14.3.2 RSS-14 Family and RSS Limited components 31
14.4 EAN/UPC Composite symbols 31
14.4.1 EAN/UPC symbols in general 31
14.4.2 EAN/UPC Composite symbols with add-ons 32
14.5 Symbol separator character 32
14.6 2D component escape mechanism character 32
14.7 Linear-only transmission mode 32
14.8 UCC/EAN-128 emulation 32
14.9 Examples of transmitted data 33
14.9.1 RSS-14 Composite symbol 33
14.9.2 EAN/UPC Composite symbol 33
14.9.3 EAN.UCC Composite symbol with variable length AI field 33
14.9.4 EAN/UPC Composite symbol in UCC/EAN-128 emulation mode 33

15 Application-defined parameters 33

Annex A (normative) Symbology identifiers 34

Annex B (normative) Parsing AI element strings 36

Annex C (normative) 2D component escape mechanism 38

Annex D (informative) Printing considerations 39

Annex E (informative) Base 928 radix conversions 42

Bibliography 45