

ISO/IEC 9594-6:2005-12 (E)

Information technology - Open Systems Interconnection - The Directory: Selected attribute types

Contents

Page

Reference number INTERNATIONAL STANDARD 9594-6 Fifth edition 2005-12-15 Information technology -- Open Systems Interconnection -- The Directory: Selected attribute types
Technologies de l'information -- Interconnexion de systèmes ouverts (OSI) -- L'annuaire: Types d'attributs sélectionnés PDF disclaimer This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area. Adobe is a trademark of Adobe Systems Incorporated. Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below. electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester. ISO copyright office Case postale 56 · CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in ISO in 2006
Published in Switzerland CONTENTS 1 Scope 1

2	Normative references	1
2.1	Identical Recommendations	International Standards 1
2.2	Other references	2
3	Definitions	3
4	Conventions	3
5	Definition of selected attribute types	4
5.1	System attribute types	4
5.1.1	Knowledge Information	4
5.2	Labelling attribute types	4
5.2.1	Name	4
5.2.2	Common Name	4
Examples	4
5.2.3	Surname	5
5.2.4	Given Name	5
5.2.5	Initials	5
5.2.6	Generation Qualifier	5
5.2.7	Unique Identifier	5
5.2.8	DN Qualifier	6
5.2.9	Serial Number	6
5.2.10	Pseudonym	6
5.2.11	Universal Unique Identifier Pair	6
5.3	Geographical Attribute Types	6
5.3.1	Country Name	6
5.3.2	Locality Name	7
5.3.3	State or Province Name	7
5.3.4	Street Address	7
5.3.5	House Identifier	7

5.4	Organizational attribute types	8
5.4.1	Organization Name	8
5.4.2	Organizational Unit Name	8
5.4.3	Title	8
5.5	Explanatory attribute types	9
5.5.1	Description	9
5.5.2	Search Guide	9
Example	9
5.5.3	Enhanced Search Guide	10
5.5.4	Business Category	10
5.6	Postal Addressing attribute types	10
5.6.1	Postal Address	10
5.6.2	Postal Code	11
5.6.3	Post Office Box	11
5.6.4	Physical Delivery Office Name	11
5.7	Telecommunications Addressing attribute types	11
5.7.1	Telephone Number	12
5.7.2	Telex Number	12
5.7.3	Teletex Terminal Identifier	12
5.7.4	Facsimile Telephone Number	13
5.7.5	X.121 Address	13
5.7.6	International ISDN Number	13
5.7.7	Registered Address	13
5.7.8	Destination Indicator	14
5.7.9	Communications Service	14
5.7.10	Communications Network	14
5.8	Preferences attribute types	14
5.8.1	Preferred Delivery Method	14
5.9	OSI Application attribute types	15
5.9.1	Presentation Address	15
5.9.2	Supported Application Context	15
5.9.3	Protocol Information	15
5.10	Relational attribute types	15
5.10.1	Distinguished Name	16
5.10.2	Member	16
5.10.3	Unique Member	16
5.10.4	Owner	16
5.10.5	Role Occupant	16
5.10.6	See Also	16
5.11	Domain attribute types	16
5.11.1	DMD Name	16
5.12	Notification attributes	17
5.12.1	DSA Problem	17
5.12.2	Search Service Problem	17
5.12.3	Service-type	18
5.12.4	Attribute Type List	18
5.12.5	Matching Rule List	19
5.12.6	Filter Item	19
5.12.7	Attribute Combinations	19
5.12.8	Context Type List	19
5.12.9	Context List	19
5.12.10	Context Combinations	19
5.12.11	Hierarchy Select List	19
5.12.12	Search Control Options List	20
5.12.13	Service Control Options List	20
5.12.14	Multiple Matching Localities	20
5.12.15	Proposed Relaxation	20
5.12.16	Applied Relaxation	20
6	String preparation	21
6.1	Transcode	21

6.2	Map	21
6.3	Normalize	21
6.4	Prohibit	21
6.5	Check bidi	22
6.6	Insignificant Character Removal	22
6.6.1	Insignificant Space Removal	22
6.6.2	NumericString Insignificant Character Removal	22
6.6.3	TelephoneNumber Insignificant Character Removal	22
7	Definition of matching rules	22
7.1	String matching rules	22
7.1.1	Case Exact Match and Case Ignore Match	22
7.1.2	Case Exact Ordering Match and Case Ignore Ordering Match	23
7.1.3	Case Exact Substrings Match and Case Ignore Substrings Match	23
7.1.4	Numeric String Match	24
7.1.5	Numeric String Ordering Match	24
7.1.6	Numeric String Substrings Match	24
7.1.7	Case Ignore List Match	24
7.1.8	Case Ignore List Substrings Match	25
7.1.9	Stored Prefix Match	25
7.2	Syntax-based matching rules	25
7.2.1	Boolean Match	25
7.2.2	Integer Match	25
7.2.3	Integer Ordering Match	25
7.2.4	Bit String Match	25
7.2.5	Octet String Match	26
7.2.6	Octet String Ordering Match	26
7.2.7	Octet String Substrings Match	26
7.2.8	Telephone Number Match	26
7.2.9	Telephone Number Substrings Match	26
7.2.10	Presentation Address Match	27
7.2.11	Unique Member Match	27
7.2.12	Protocol Information Match	27
7.2.13	Facsimile Number Match	27
7.2.14	Facsimile Number Substrings Match	27
7.2.15	UUID Pair Match	27
7.2.16	Component Match	28
7.3	Time matching rules	28
7.3.1	UTC Time Match	28
7.3.2	UTC Time Ordering Match	28
7.3.3	Generalized Time Match	28
7.3.4	Generalized Time Ordering Match	28
7.3.5	System Proposed Match	29
7.4	First component matching rules	29
7.4.1	Integer First Component Match	29
7.4.2	Object Identifier First Component Match	29
7.4.3	Directory String First Component Match	29
7.5	Word matching rules	29
7.5.1	Word Match	29
7.5.2	Keyword Match	30
7.5.3	General Word Match	30
7.6	Approximate Matching Rules	32
7.6.1	Approximate String Match	32
7.7	Special Matching Rules	32
7.7.1	Ignore if Absent Match	32
7.7.2	Null Match	32
7.8	Zonal Match	32
8	Definition of Context Types	36
8.1	Language Context	36
8.2	Temporal Context	36

Examples	38
8.3 Locale Context	39
8.4 LDAP Attribute Option Context	39
Annex A - Selected attribute types in ASN.1	41
Annex B - Summary of attribute types	59
Annex C - Upper bounds	60
Annex D - Alphabetical index of attributes, matching rules and contexts	61
Annex E - Examples for zonal match matching rules	63
Annex F - Amendments and corrigenda	65