

ISO/IEC 9594-6:2005-12 (E)

Information technology - Open Systems Interconnection - The Directory: Selected attribute types

Contents

Page

Reference number INTERNATIONAL STANDARD 9594-6 Fifth edition 2005-12-15 Information technology -- Open Systems Interconnection -- The Directory: Selected attribute types
Technologies de l'information -- Interconnexion de systèmes ouverts (OSI) -- L'annuaire: Types d'attributs sélectionnés PDF disclaimer This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area. Adobe is a trademark of Adobe Systems Incorporated. Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below. electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester. ISO copyright office Case postale 56 · CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in ISO in 2006
Published in Switzerland CONTENTS 1 Scope 1

| | | |
|----------|--|---------------------------|
| 2 | Normative references | 1 |
| 2.1 | Identical Recommendations | International Standards 1 |
| 2.2 | Other references | 2 |
| 3 | Definitions | 3 |
| 4 | Conventions | 3 |
| 5 | Definition of selected attribute types | 4 |
| 5.1 | System attribute types | 4 |
| 5.1.1 | Knowledge Information | 4 |
| 5.2 | Labelling attribute types | 4 |
| 5.2.1 | Name | 4 |
| 5.2.2 | Common Name | 4 |
| Examples | | 4 |
| 5.2.3 | Surname | 5 |
| 5.2.4 | Given Name | 5 |
| 5.2.5 | Initials | 5 |
| 5.2.6 | Generation Qualifier | 5 |
| 5.2.7 | Unique Identifier | 5 |
| 5.2.8 | DN Qualifier | 6 |
| 5.2.9 | Serial Number | 6 |
| 5.2.10 | Pseudonym | 6 |
| 5.2.11 | Universal Unique Identifier Pair | 6 |
| 5.3 | Geographical Attribute Types | 6 |
| 5.3.1 | Country Name | 6 |
| 5.3.2 | Locality Name | 7 |
| 5.3.3 | State or Province Name | 7 |
| 5.3.4 | Street Address | 7 |
| 5.3.5 | House Identifier | 7 |

| | | |
|---------|---|----|
| 5.4 | Organizational attribute types | 8 |
| 5.4.1 | Organization Name | 8 |
| 5.4.2 | Organizational Unit Name | 8 |
| 5.4.3 | Title | 8 |
| 5.5 | Explanatory attribute types | 9 |
| 5.5.1 | Description | 9 |
| 5.5.2 | Search Guide | 9 |
| Example | | 9 |
| 5.5.3 | Enhanced Search Guide | 10 |
| 5.5.4 | Business Category | 10 |
| 5.6 | Postal Addressing attribute types | 10 |
| 5.6.1 | Postal Address | 10 |
| 5.6.2 | Postal Code | 11 |
| 5.6.3 | Post Office Box | 11 |
| 5.6.4 | Physical Delivery Office Name | 11 |
| 5.7 | Telecommunications Addressing attribute types | 11 |
| 5.7.1 | Telephone Number | 12 |
| 5.7.2 | Telex Number | 12 |
| 5.7.3 | Teletex Terminal Identifier | 12 |
| 5.7.4 | Facsimile Telephone Number | 13 |
| 5.7.5 | X.121 Address | 13 |
| 5.7.6 | International ISDN Number | 13 |
| 5.7.7 | Registered Address | 13 |
| 5.7.8 | Destination Indicator | 14 |
| 5.7.9 | Communications Service | 14 |
| 5.7.10 | Communications Network | 14 |
| 5.8 | Preferences attribute types | 14 |
| 5.8.1 | Preferred Delivery Method | 14 |
| 5.9 | OSI Application attribute types | 15 |
| 5.9.1 | Presentation Address | 15 |
| 5.9.2 | Supported Application Context | 15 |
| 5.9.3 | Protocol Information | 15 |
| 5.10 | Relational attribute types | 15 |
| 5.10.1 | Distinguished Name | 16 |
| 5.10.2 | Member | 16 |
| 5.10.3 | Unique Member | 16 |
| 5.10.4 | Owner | 16 |
| 5.10.5 | Role Occupant | 16 |
| 5.10.6 | See Also | 16 |
| 5.11 | Domain attribute types | 16 |
| 5.11.1 | DMD Name | 16 |
| 5.12 | Notification attributes | 17 |
| 5.12.1 | DSA Problem | 17 |
| 5.12.2 | Search Service Problem | 17 |
| 5.12.3 | Service-type | 18 |
| 5.12.4 | Attribute Type List | 18 |
| 5.12.5 | Matching Rule List | 19 |
| 5.12.6 | Filter Item | 19 |
| 5.12.7 | Attribute Combinations | 19 |
| 5.12.8 | Context Type List | 19 |
| 5.12.9 | Context List | 19 |
| 5.12.10 | Context Combinations | 19 |
| 5.12.11 | Hierarchy Select List | 19 |
| 5.12.12 | Search Control Options List | 20 |
| 5.12.13 | Service Control Options List | 20 |
| 5.12.14 | Multiple Matching Localities | 20 |
| 5.12.15 | Proposed Relaxation | 20 |
| 5.12.16 | Applied Relaxation | 20 |
| 6 | String preparation | 21 |
| 6.1 | Transcode | 21 |

| | | |
|--------|--|----|
| 6.2 | Map | 21 |
| 6.3 | Normalize | 21 |
| 6.4 | Prohibit | 21 |
| 6.5 | Check bidi | 22 |
| 6.6 | Insignificant Character Removal | 22 |
| 6.6.1 | Insignificant Space Removal | 22 |
| 6.6.2 | NumericString Insignificant Character Removal | 22 |
| 6.6.3 | TelephoneNumber Insignificant Character Removal | 22 |
| 7 | Definition of matching rules | 22 |
| 7.1 | String matching rules | 22 |
| 7.1.1 | Case Exact Match and Case Ignore Match | 22 |
| 7.1.2 | Case Exact Ordering Match and Case Ignore Ordering Match | 23 |
| 7.1.3 | Case Exact Substrings Match and Case Ignore Substrings Match | 23 |
| 7.1.4 | Numeric String Match | 24 |
| 7.1.5 | Numeric String Ordering Match | 24 |
| 7.1.6 | Numeric String Substrings Match | 24 |
| 7.1.7 | Case Ignore List Match | 24 |
| 7.1.8 | Case Ignore List Substrings Match | 25 |
| 7.1.9 | Stored Prefix Match | 25 |
| 7.2 | Syntax-based matching rules | 25 |
| 7.2.1 | Boolean Match | 25 |
| 7.2.2 | Integer Match | 25 |
| 7.2.3 | Integer Ordering Match | 25 |
| 7.2.4 | Bit String Match | 25 |
| 7.2.5 | Octet String Match | 26 |
| 7.2.6 | Octet String Ordering Match | 26 |
| 7.2.7 | Octet String Substrings Match | 26 |
| 7.2.8 | Telephone Number Match | 26 |
| 7.2.9 | Telephone Number Substrings Match | 26 |
| 7.2.10 | Presentation Address Match | 27 |
| 7.2.11 | Unique Member Match | 27 |
| 7.2.12 | Protocol Information Match | 27 |
| 7.2.13 | Facsimile Number Match | 27 |
| 7.2.14 | Facsimile Number Substrings Match | 27 |
| 7.2.15 | UUID Pair Match | 27 |
| 7.2.16 | Component Match | 28 |
| 7.3 | Time matching rules | 28 |
| 7.3.1 | UTC Time Match | 28 |
| 7.3.2 | UTC Time Ordering Match | 28 |
| 7.3.3 | Generalized Time Match | 28 |
| 7.3.4 | Generalized Time Ordering Match | 28 |
| 7.3.5 | System Proposed Match | 29 |
| 7.4 | First component matching rules | 29 |
| 7.4.1 | Integer First Component Match | 29 |
| 7.4.2 | Object Identifier First Component Match | 29 |
| 7.4.3 | Directory String First Component Match | 29 |
| 7.5 | Word matching rules | 29 |
| 7.5.1 | Word Match | 29 |
| 7.5.2 | Keyword Match | 30 |
| 7.5.3 | General Word Match | 30 |
| 7.6 | Approximate Matching Rules | 32 |
| 7.6.1 | Approximate String Match | 32 |
| 7.7 | Special Matching Rules | 32 |
| 7.7.1 | Ignore if Absent Match | 32 |
| 7.7.2 | Null Match | 32 |
| 7.8 | Zonal Match | 32 |
| 8 | Definition of Context Types | 36 |
| 8.1 | Language Context | 36 |
| 8.2 | Temporal Context | 36 |

| | |
|--|-----------|
| Examples | 38 |
| 8.3 Locale Context | 39 |
| 8.4 LDAP Attribute Option Context | 39 |
| Annex A - Selected attribute types in ASN.1 | 41 |
| Annex B - Summary of attribute types | 59 |
| Annex C - Upper bounds | 60 |
| Annex D - Alphabetical index of attributes, matching rules and contexts | 61 |
| Annex E - Examples for zonal match matching rules | 63 |
| Annex F - Amendments and corrigenda | 65 |