

ISO/IEC 24824-1:2007-05 (E)

Information technology - Generic applications of ASN.1: Fast infoset

CONTENTS

| | <i>Page</i> |
|---|-------------|
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 2.1 Identical Recommendations International Standards | 2 |
| 2.2 Additional references | 2 |
| 3 Definitions | 3 |
| 3.1 ASN.1 terms | 3 |
| 3.2 ECN terms | 3 |
| 3.3 ISO/IEC 10646 terms | 3 |
| 3.4 Additional definitions | 3 |
| 4 Abbreviations | 4 |
| 5 Notation | 4 |
| 6 Principles of vocabulary table construction and use | 5 |
| 7 ASN.1 type definitions | 6 |
| 7.1 General | 6 |
| 7.2 The Document type | 6 |
| 7.3 The Element type | 11 |
| 7.4 The Attribute type | 12 |
| 7.5 The ProcessingInstruction type | 12 |
| 7.6 The UnexpandedEntityReference type | 13 |
| 7.7 The CharacterChunk type | 13 |
| 7.8 The Comment type | 14 |
| 7.9 The DocumentTypeDeclaration type | 14 |
| 7.10 The UnparsedEntity type | 15 |
| 7.11 The Notation type | 15 |
| 7.12 The NamespaceAttribute type | 16 |
| 7.13 The IdentifyingStringOrIndex type | 16 |
| 7.14 The NonIdentifyingStringOrIndex type | 17 |
| 7.15 The NameSurrogate type | 18 |
| 7.16 The QualifiedNameOrIndex type | 19 |
| 7.17 The EncodedCharacterString type | 20 |
| 8 Construction and processing of a fast infoset document | 21 |
| 8.1 Conceptual ordering of components of an abstract value of the Document type | 22 |
| 8.2 The restricted alphabet table | 22 |
| 8.3 The encoding algorithm table | 22 |
| 8.4 The dynamic string tables | 23 |
| 8.5 The dynamic name tables and name surrogates | 23 |
| 9 Built-in restricted alphabets | 24 |
| 9.1 The "numeric" restricted alphabet | 24 |
| 9.2 The "date and time" restricted alphabet | 24 |
| 10 Built-in encoding algorithms | 24 |
| 10.1 General | 24 |
| 10.2 The "hexadecimal" encoding algorithm | 25 |
| 10.3 The "base64" encoding algorithm | 25 |
| 10.4 The "short" encoding algorithm | 25 |
| 10.5 The "int" encoding algorithm | 26 |
| 10.6 The "long" encoding algorithm | 26 |
| 10.7 The "boolean" encoding algorithm | 26 |
| 10.8 The "float" encoding algorithm | 27 |
| 10.9 The "double" encoding algorithm | 27 |
| 10.10 The "uuid" encoding algorithm | 27 |

| | <i>Page</i> |
|--|-------------|
| 10.11 The "cdata" encoding algorithm | 28 |
| 11 Restrictions on the supported XML infosets and other simplifications | 28 |
| 12 Bit-level encoding of the Document type | 29 |
| Annex A – ASN.1 module and ECN modules for fast infoset documents | 31 |
| A.1 ASN.1 module definition | 31 |
| A.2 ECN module definitions | 33 |
| Annex B – The MIME media type for fast infoset documents | 53 |
| Annex C – Description of the encoding of a fast infoset document | 55 |
| C.1 Fast infoset document | 55 |
| C.2 Encoding of the Document type | 55 |
| C.3 Encoding of the Element type | 57 |
| C.4 Encoding of the Attribute type | 58 |
| C.5 Encoding of the ProcessingInstruction type | 58 |
| C.6 Encoding of the UnexpandedEntityReference type | 59 |
| C.7 Encoding of the CharacterChunk type | 59 |
| C.8 Encoding of the Comment type | 59 |
| C.9 Encoding of the DocumentTypeDeclaration type | 59 |
| C.10 Encoding of the UnparsedEntity type | 60 |
| C.11 Encoding of the Notation type | 60 |
| C.12 Encoding of the NamespaceAttribute type | 61 |
| C.13 Encoding of the IdentifyingStringOrIndex type | 61 |
| C.14 Encoding of the NonIdentifyingStringOrIndex type starting on the first bit of an octet | 61 |
| C.15 Encoding of the NonIdentifyingStringOrIndex type starting on the third bit of an octet | 62 |
| C.16 Encoding of the NameSurrogate type | 62 |
| C.17 Encoding of the QualifiedNameOrIndex type starting on the second bit of an octet | 62 |
| C.18 Encoding of the QualifiedNameOrIndex type starting on the third bit of an octet | 63 |
| C.19 Encoding of the EncodedCharacterString type starting on the third bit of an octet | 63 |
| C.20 Encoding of the EncodedCharacterString type starting on the fifth bit of an octet | 64 |
| C.21 Encoding of the length of a sequence-of type | 64 |
| C.22 Encoding of the NonEmptyOctetString type starting on the second bit of an octet | 64 |
| C.23 Encoding of the NonEmptyOctetString starting on the fifth bit of an octet | 65 |
| C.24 Encoding of the NonEmptyOctetString type starting on the seventh bit of an octet | 65 |
| C.25 Encoding of integers in the range 1 to 2 ²⁰ starting on the second bit of an octet | 65 |
| C.26 Encoding of integers in the range 0 to 2 ²⁰ starting on the second bit of an octet | 66 |
| C.27 Encoding of integers in the range 1 to 2 ²⁰ starting on the third bit of an octet | 66 |
| C.28 Encoding of integers in the range 1 to 2 ²⁰ starting on the fourth bit of an octet | 66 |
| C.29 Encoding of integers in the range 1 to 256 | 67 |
| Annex D – Examples of encoding XML infosets as fast infoset documents | 68 |
| D.1 Introduction of examples | 68 |
| D.2 Size of example documents (including redundancy-based compression) | 68 |
| D.3 UBL order example | 69 |
| D.4 UBL Order fast infoset document with an external vocabulary | 71 |
| D.5 UBL order fast infoset document without an initial vocabulary | 79 |
| Annex E – Assignment of object identifier values | 90 |
| BIBLIOGRAPHY | 91 |