

ISO 8126:2019 (E)

Micrographics — Duplicating film, silver, diazo and vesicular — Specifications and measurement for visual density

Contents

| | |
|---------|---|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Measurement of density |
| 4.1 | Method of measurement of silver-gelatin and diazo duplicates |
| 4.2 | Method of measurement of vesicular duplicates |
| 4.3 | Measurement areas |
| 4.3.1 | Sampling aperture |
| 4.3.2 | Use of density patches |
| 5 | Visual diffuse transmission density of duplicate microforms from source documents and COM |
| 5.1 | Silver-gelatin duplicates |
| 5.1.1 | Positive-appearing duplicates |
| 5.1.2 | Negative-appearing duplicates |
| 5.1.3 | Direct positive duplicates |
| 5.1.3.1 | Direct positive distribution copies |
| 5.1.3.2 | Direct positive intermediates |
| 5.2 | Diazo duplicates |
| 6 | Projection density of vesicular duplicates |
| 6.1 | Vesicular duplicates of source document microforms |
| 6.1.1 | Positive-appearing vesicular duplicates of source document microforms |
| 6.1.2 | Negative-appearing vesicular duplicates of source document microforms |
| 6.2 | Vesicular duplicates of COM microforms |

Page count: 3