

ISO 16684-1:2019 (E)

Graphic technology — Extensible metadata platform (XMP) — Part 1: Data model, serialization and core properties

Contents

| | |
|---------|--|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Notations |
| 5 | Conformance |
| 5.1 | General |
| 5.2 | Conforming readers |
| 5.3 | Conforming writers |
| 5.4 | Conforming products |
| 6 | Data model |
| 6.1 | XMP packets |
| 6.2 | XMP names |
| 6.3 | XMP value forms |
| 6.3.1 | General |
| 6.3.2 | Simple values |
| 6.3.3 | Structure values |
| 6.3.4 | Array values |
| 6.4 | Qualifiers |
| 7 | Serialization |
| 7.1 | General |
| 7.2 | Equivalent RDF and XML |
| 7.3 | Optional outer XML |
| 7.3.1 | General |
| 7.3.2 | XMP packet wrapper |
| 7.3.3 | x:xmpmeta element |
| 7.4 | rdf:RDF and rdf:Description elements |
| 7.5 | Simple valued XMP properties |
| 7.6 | Structure valued XMP properties |
| 7.7 | Array valued XMP properties |
| 7.8 | Qualifiers |
| 7.9 | Equivalent forms of RDF |
| 7.9.1 | General |
| 7.9.2 | Allowed equivalent RDF |
| 7.9.2.1 | Summary |
| 7.9.2.2 | rdf:Description with property attributes |
| 7.9.2.3 | rdf:parseType="Resource" attribute |
| 7.9.2.4 | Structure element with field attributes |
| 7.9.2.5 | RDF Typed Nodes |
| 7.9.3 | Prohibited equivalent RDF |
| 7.9.3.1 | Summary |
| 7.9.3.2 | Arrays not using Typed Node form |
| 7.9.3.3 | rdf:_n elements and attributes |

- 8** **Core properties**
- 8.1 **Overview**
- 8.2 **Core value types**
- 8.2.1 **Basic value types**
- 8.2.1.1 **Boolean**
- 8.2.1.2 **Date**
- 8.2.1.3 **Integer**
- 8.2.1.4 **Real**
- 8.2.1.5 **Text**
- 8.2.2 **Derived value types**
- 8.2.2.1 **AgentName**
- 8.2.2.2 **Choice**
- 8.2.2.3 **GUID**
- 8.2.2.4 **Language alternative**
- 8.2.2.5 **Locale**
- 8.2.2.6 **MIMEType**
- 8.2.2.7 **Rational**
- 8.2.2.8 **RenditionClass**
- 8.2.2.9 **ResourceRef**
- 8.2.2.10 **URI**
- 8.2.2.11 **URL**
- 8.3 **Dublin Core namespace**
- 8.4 **XMP namespace**
- 8.5 **XMP Rights Management namespace**
- 8.6 **XMP Media Management namespace**
- 8.7 **xmpidq namespace**

Annex A (informative) Document and instance IDs

Annex B (informative) Implementation guidance

- B.1 **General**
- B.2 **Escaping XML markup in values**
- B.3 **Namespace URI termination**
- B.4 **Case-neutral xml:lang values**

Annex C (informative) RDF parsing information

- C.1 **General**
- C.2 **Top-down parsing of RDF**
- C.2.1 **Overview**
- C.2.2 **Outermost element, rdf:RDF**
- C.2.3 **Top-level and inner nodeElements**
- C.2.4 **Attributes of a nodeElement**
- C.2.5 **Content of a nodeElement**
- C.2.6 **The resourcePropertyElt**
- C.2.7 **The literalPropertyElt**
- C.2.8 **The parseTypeLiteralPropertyElt**
- C.2.9 **The parseTypeResourcePropertyElt**
- C.2.10 **The parseTypeCollectionPropertyElt**
- C.2.11 **The parseTypeOtherPropertyElt**
- C.2.12 **The emptyPropertyElt**