

ISO/TS 28560-4:2023-07 (E)

Information and documentation - RFID in libraries - Part 4: Encoding of data elements based on rules from ISO/IEC 15962 in an RFID tag with partitioned memory

| Contents | | Page |
|--------------|--|------|
| Foreword | | v |
| Introduction | | vi |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Applicability and relationship with other systems | 4 |
| 4.1 | General | 4 |
| 4.2 | Independent standards-based components | 4 |
| 4.3 | Integrated encoding/decoding software | 6 |
| 4.4 | Legacy-based architecture | 6 |
| 5 | Requirements | 7 |
| 5.1 | Data elements | 7 |
| 5.2 | RFID air interface: ISO/IEC 18000-63 for UHF | 7 |
| 5.2.1 | General | 7 |
| 5.2.2 | Air interface conformance | 8 |
| 5.2.3 | Tag performance | 8 |
| 5.2.4 | Interrogator performance | 8 |
| 5.2.5 | System performance | 8 |
| 5.3 | RFID air interface: Other air interface protocols | 8 |
| 5.4 | Data protocol | 8 |
| 5.5 | RFID interrogators (RFID readers) | 9 |
| 6 | Data elements | 9 |
| 6.1 | General | 9 |
| 6.2 | Unique item identifier (UII) | 11 |
| 6.2.1 | UII comprising of only the primary item identifier | 11 |
| 6.2.2 | UII comprising owner institution + primary item identifier | 12 |
| 6.2.3 | Encoding set information | 12 |
| 6.2.4 | Unambiguous UII structure | 13 |
| 6.3 | Primary item identifier | 13 |
| 6.4 | Content parameter | 13 |
| 6.5 | Owner institution (ISIL) | 14 |
| 6.6 | Set information | 14 |
| 6.7 | Type of usage | 15 |
| 6.8 | Shelf location | 15 |
| 6.9 | ONIX media format | 15 |
| 6.10 | MARC media format | 15 |
| 6.11 | Supplier identifier | 15 |
| 6.12 | Order number | 15 |
| 6.13 | ILL borrowing institute | 15 |
| 6.14 | ILL transaction number | 16 |
| 6.15 | GS1 product identifier | 16 |
| 6.16 | Alternative unique item identifier | 16 |
| 6.17 | Local data | 16 |
| 6.18 | Title | 17 |

| | | |
|--------|---|----|
| 6.19 | Product identifier (local) | 17 |
| 6.20 | Media format (other) | 17 |
| 6.21 | Supply chain stage | 17 |
| 6.22 | Supplier invoice number | 18 |
| 6.23 | Alternative item number | 18 |
| 6.24 | Alternative owner institution | 18 |
| 6.25 | Subsidiary of an owner library | 18 |
| 6.26 | Alternative ILL borrowing institution | 18 |
| 6.27 | Other reserved data elements | 18 |
| 7 | Data encoding | 19 |
| 7.1 | Data protocol overview | 19 |
| 7.1.1 | General | 19 |
| 7.1.2 | Data constructs | 19 |
| 7.1.3 | AFI | 19 |
| 7.1.4 | Data format | 19 |
| 7.1.5 | Object identifier for library applications | 20 |
| 7.1.6 | Object identifier for the Ull and its interpretation | 20 |
| 7.1.7 | DSFID | 20 |
| 7.2 | ISO/IEC 15961-1 commands and responses | 20 |
| 7.3 | ISO/IEC 15962 encoding rules for this document | 21 |
| 7.3.1 | General | 21 |
| 7.3.2 | Structure of MB 00 | 23 |
| 7.3.3 | Encoding and use of MB 00 | 23 |
| 7.3.4 | Structure of MB 01 | 23 |
| 7.3.5 | Encoding in MB 01 | 24 |
| 7.3.6 | Relative-OID for the Ull | 26 |
| 7.3.7 | Decoding and processing the Monomorphic-Ull | 26 |
| 7.3.8 | Use of GS1 EPC codes in MB 01 | 26 |
| 7.3.9 | Structure and use of MB 10 | 27 |
| 7.3.10 | Structure of MB 11 | 27 |
| 7.3.11 | Encoding in MB 11 | 28 |
| 8 | RFID tag requirements | 32 |
| 8.1 | Air interface protocol | 32 |
| 8.1.1 | General | 32 |
| 8.1.2 | Memory parameters | 32 |
| 8.1.3 | Declaring memory parameters | 32 |
| 8.2 | Required air interface commands | 33 |
| 8.3 | Air interface conformance | 34 |
| 8.4 | Performance | 34 |
| 9 | Data integrity, security, and privacy issues | 34 |
| 9.1 | Data integrity | 34 |
| 9.2 | Item security | 34 |
| 9.2.1 | General | 34 |
| 9.2.2 | Use of the Ull | 35 |
| 9.2.3 | Using passwords in MB 00 | 35 |
| 9.2.4 | Use of the unique tag ID | 37 |
| 9.2.5 | Use of the AFI | 37 |
| 9.2.6 | Use of the EAS features | 38 |
| 9.3 | Privacy issues | 38 |
| 10 | Implementation and migration | 38 |
| 11 | Miscellaneous | 38 |
| | Annex A (informative) Information about ISO 28560 RFID in libraries | 39 |
| | Annex B (informative) Relevant ISO/IEC 15961-1 application commands | 40 |

| | |
|---|-----------|
| Annex C (informative) Locking procedure for MB 01 with encoding in MB 11 | 43 |
| Annex D (informative) Monomorphic-UJI and URN Code 40 encoding | 44 |
| Annex E (informative) Encoding examples | 48 |
| Annex F (informative) Implementation and migration | 52 |
| Bibliography | 54 |