

DIN EN 1501-5:2011-11 (E)

Refuse collection vehicles - General requirements and safety requirements - Part 5: Lifting devices for refuse collection vehicles

| Contents | | Page |
|------------------------|---|-------------|
| Foreword | | 6 |
| Introduction | | 7 |
| 1 | Scope | 8 |
| 2 | Normative references | 8 |
| 3 | Terms and definitions | 11 |
| 4 | List of significant hazards | 17 |
| 5 | Safety requirements and/or protective measures | 21 |
| 5.1 | General | 21 |
| 5.2 | Requirements for lifting the designated waste containers | 24 |
| 5.3 | Specific requirements for waste container lifting devices mounted on rear loaded RCVs | 29 |
| 5.4 | Specific requirements for waste container lifting devices mounted on side and front loaded RCVs | 31 |
| 5.5 | Hydraulic system | 32 |
| 5.6 | Pneumatic system | 32 |
| 5.7 | Electrical powered system | 32 |
| 5.8 | Operating symbols | 32 |
| 5.9 | Control systems | 35 |
| 5.10 | Visual control | 36 |
| 5.11 | Electrical components | 37 |
| 5.12 | Working light(s) | 38 |
| 5.13 | Electromagnetic compatibility (EMC) | 38 |
| 5.14 | Noise | 38 |
| 5.15 | Maintenance | 38 |
| 5.16 | Lifting points | 39 |
| 5.17 | Signals and warning devices | 39 |
| 6 | Verification | 39 |
| 7 | Information for use | 39 |
| 7.1 | Signals and warning devices | 39 |
| 7.2 | Operation manual | 39 |
| 7.3 | Maintenance | 41 |
| 7.4 | Data sheet | 41 |
| 7.5 | Marking | 4 |
| Annex A (normative) | Functional spaces, dimensions and connections | 43 |
| Annex B (informative) | Types of special containers and their pick-up systems | 75 |
| Annex C (normative) | Requirements for pin connections and data sheets | 81 |
| Annex ZA (informative) | Relationship between this Standard and the Essential Requirements of EU Directive 2006/42/EC | 86 |
| Bibliography | | 87 |

| | | |
|--|----|--|
| Figures Page | | |
| Figure A.1-1 -- Rear mounted waste container lifting device | 43 | |
| Figure A.1-2 -- Side mounted waste container lifting device | 44 | |
| Figure A.1-3 -- Front mounted waste container lifting device | 45 | |
| Figure A.1-4 -- Rear loaded RCV with winch and skip container | 46 | |
| Figure A.1-5 -- RCV with loader crane and top lifted and bottom emptied container | 47 | |
| Figure A.1 -- Types of RCVs, working stations, functional and visible spaces | 47 | |
| Figure A.2-1 -- Standard comb and guide system for waste containers according to EN 840-1 to -3 . | 48 | |
| Figure A.2-2 -- Standard comb and guide system for waste containers according to EN 840-1 to -3, when identification systems according to EN 14803 are used | 49 | |
| Figure A.2-3 -- Standard wide comb and guide system for containers according to EN 840-4 | 50 | |
| Figure A.2-4 -- Standard comb and guide system for containers according to EN 840-4, when identification systems according to EN 14803 are used | 51 | |
| Figure A.2-5a -- Locking system for EN 840 forms A and B | 52 | |
| Figure A.2-5b -- Locking system for EN 840 form C | 52 | |
| Figure A.2-5 -- Locking system for comb pick-up system | 52 | |
| Figure A.2 -- Standard combs and guide systems | 53 | |
| Figure A.3-1 -- Pushing pad for containers according to EN 840-1, EN 840-2 and EN 840-3 | 54 | |
| Figure A.3-2 -- Pushing pad for containers according to EN 840-4 | 55 | |
| Figure A.3 -- Pushing pads for comb pick-up system | 55 | |
| Figure A.4-1 -- Trunnion pick-up system for containers according to EN 840-2 and EN 840-3 | 56 | |
| Figure A.4-2 -- Trunnion pick-up system for containers according to EN 840-4 | 57 | |
| Figure A.4-3 -- Trunnion pick-up system for container according to EN 12574-1 with dome lid | 58 | |
| Figure A.4-4 -- Double trunnion lifting system for containers according to EN 12574-1 | 59 | |
| Figure A.4 -- Trunnion pick-up system | 59 | |
| Figure A.5.1a -- All views of single version | 60 | |
| Figure A.5.1b -- Rear view of double version | 60 | |
| Figure A.5-1 -- Diamond pick-up system | 60 | |
| Figure A.5-2 -- Diamond pick-up system locking device | 61 | |
| Figure A.5 -- Diamond pick-up system | 61 | |
| Figure A.6 -- BG pick-up system for containers according to EN 840-4 | 62 | |
| Figure A.7-1 -- Pocket pick-up system and lid opener | 63 | |
| Figure A.7-2 -- Pocket pick-up system and lid opener for EN 12574-1 pocket containers (Type 3) | 64 | |

| | |
|--|----|
| Figure A.7 -- Pocket pick-up systems | 64 |
| Figure A.8 -- Limit of the functional space of the interchangeable waste container lifting device in rear loaded RCV's tailgate for lifting EN 840-1, EN 840-2, EN 840-3 or diamond containers | 65 |
| Figure A.9 -- Entrance protection in automatic mode | 66 |
| Figure A.10-1 -- Opening of single-chamber rear loaded RCV for interchangeable waste container lifting device | 67 |
| Figure A.10-2 -- Opening of multi-chamber rear loaded RCV for interchangeable waste container lifting device | 68 |
| Figure A.10 -- Openings of rear loaded RCVs for interchangeable waste container lifting device | 68 |
| Figure A.11-1 -- Mounting frame of interchangeable waste container lifting device for single-chamber rear loaded RCV | 69 |
| Figure A.11-2 -- Mounting frames of interchangeable waste container lifting devices for multi-chamber rear loaded RCV | 70 |
| Figure A.11 -- Mounting frame of interchangeable waste container lifting devices for rear loaded RCV | 70 |
| Figure A.12 -- Positions of hydraulic and electric connectors for interchangeable waste container lifting device | 71 |
| Figure A.13-1 -- 16-pole floating plug (location 2 on Figure A.12) | 72 |
| Figure A.13-2 -- 16-pole socket (location 2 on Figure A.12) | 73 |
| Figure A.13 -- Electric 16-pole connectors for interchangeable waste container lifting device | 73 |
| Figure A.14 -- Pin connections between interchangeable waste container lifting device and RCV -- Emergency and CleAN OPEN loops | 74 |
| Figure B.1-1 -- Paladin container | 75 |
| Figure B.1-2 -- Diamond containers | 76 |
| Figure B.1 -- Non European standardized containers | 76 |
| Figure B.2 -- Example of catch for skip container lifted by a winch or a two chains skip pick-up system | 77 |
| Figure B.3-1 -- Two chains skip container pick-up system | 78 |
| Figure B.3-2 -- Four chains skip container pick-up system | 78 |
| Figure B.3 -- Chains skip container pick-up system | 78 |
| Figure B.4-1 -- Detail tooth 4.1 (universal teeth) see also Figures A.2-1 to -4 | 79 |
| Figure B.4-2 -- Detail tooth 4.2 (specific teeth for container EN 840-2 and -3) see also Figures A.2-1 to -4 | 79 |
| Figure B.4-3 -- Perspective with rounded borders and corners | 79 |
| Figure B.4 -- Profiles of comb teeth | 79 |

| | |
|--|----|
| Figure B.5-1 -- Warning label: Do not reach into moving parts | 80 |
| Figure B.5-2 -- Warning label: Do not stand under any moving part | 80 |
| Figure B.5 -- Safety labels | 80 |
| Figure B.6 -- Warning sign: Falling container or object | 80 |
| Tables Page Table 1 -- List of significant hazards | 18 |
| Table 2 -- Graphical symbols | 33 |
| Table Figure A.2 | 53 |
| Table Figure A.3-1 | 54 |
| Table Figure A.3-2 | 55 |
| Table Figure A.4-1 | 56 |
| Table Figure A.4-2 | 57 |
| Table Figure A.4-3 | 58 |
| Table Figure A.4-4 | 59 |
| Table Figure A.5-1 | 60 |
| Table Figure A.5-2 | 61 |
| Table Figure A.6 | 62 |
| Table Figure A.7-1 | 63 |
| Table Figure A.7-2 | 64 |
| Table Figure A.8 | 65 |
| Table Figure A.10-1 | 67 |
| Table Figure A.10-2 | 68 |
| Table Figure A.11-1 | 69 |
| Table Figure A.11-2 | 70 |
| Table Figure B.1-1 | 75 |
| Table Figure B.2 | 77 |
| Table Figure B.4 | 79 |
| Tables C.1 -- Pin connection for the connectors defined in A.13 | 81 |
| Table C.1 a -- List of signals from RCV: 16-pin socket (fixed on RCV) | 81 |
| Table C.1 b -- List of signals from waste container lifting device: 16-pin plug (with cable from lifting device) | 82 |
| Table C.1 c -- List of signals from waste container lifting device: 16-pin socket (fixed on lifting device) | 83 |

Table C.1 d -- List of signals from RCV: 16-pin plug (with cable from RCV)84

Table C.2 -- Signal processing chronogram footstep(s). Pins 13,16, 3 and 4 of Tables C.1c and C.1d.85

Table C.3 -- Data sheet: Lifting device data85