

E DIN EN 4906:2022-10 (E)

Erscheinungsdatum: 2022-09-23

Aerospace series - Embedded tags - Choice of fixation for installation, removal and replacement of embedded tags; English version prEN 4906:2022

Contents

Page

European foreword	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	7
4 List of acronyms	8
5 General remarks	8
5.1 General.....	8
5.2 Choosing the tag	10
5.3 Shape of the support.....	10
5.4 Size of the support.....	10
5.5 Orientation	10
5.6 Temperature.....	10
5.7 Integrity of the tags	11
5.8 Non-reuse of tags	11
5.9 Resistance to cleaning and maintenance operations	11
5.10 Risk of projection.....	11
5.11 Flammability.....	11
5.12 Degassing/toxicity.....	11
6 Types/methods of fixation	12
6.1 Introduction.....	12
6.2 Bonding	12
6.2.1 Types of bonding.....	12
6.2.2 The advantages of bonding	13
6.2.3 The disadvantages of bonding.....	13
6.2.4 Remarks	13
6.3 Mechanical fixation	14
6.3.1 General.....	14
6.3.2 Screwing.....	14
6.3.3 Riveting.....	15
6.3.4 Stapling.....	16
6.3.5 Crimping.....	16
6.3.6 Pinching.....	16
6.3.7 Fixation using plastic collars	16
6.4 Fixation to textiles	17
6.5 Fixation in pouches	19
6.6 Welding.....	20
6.7 Incorporated in the container	21
6.8 Fixation by magnets	21
6.9 Fixation by clips.....	22
7 Selection method.....	22
8 Bonding	23
8.1 Location of the tag on the airborne vehicle.....	23
8.2 Nature of the surface	24

8.3	Temperature	24
8.4	Vibrations/shocks/constant acceleration.....	24
8.5	Sensitivity to fluids, fungus, salt spray, humidity, immersion, icing, sand and dust.....	24
8.6	Tearing-off (aerodynamic air flows, maintenance operations, etc.)	25
8.7	UV/Light.....	25
8.8	Lifespan	25
8.9	Replacement.....	26
9	Screwing, riveting and nailing	26
9.1	Location of the tag	26
9.2	Nature of the surface	26
9.3	Temperature	26
9.4	Vibrations/shocks/constant acceleration.....	26
9.5	Sensitivity to fluids, fungus, salt spray, humidity, icing, sand and dust.....	26
9.6	Tearing-off (aerodynamic air flows, handling, etc.).....	26
9.7	UV/Light.....	26
9.8	Lifespan	26
9.9	Replacement.....	26
10	Crimping/Pinching.....	27
10.1	Location of the tag	27
10.2	Nature of the surface	27
10.3	Temperature	27
10.4	Vibrations/shocks/constant acceleration.....	27
10.5	Sensitivity to fluids, fungus, salt spray, humidity, icing, sand and dust.....	27
10.6	Tearing-off (aerodynamic air flows, handling, etc.).....	27
10.7	UV/Light.....	27
10.8	Lifespan	27
10.9	Replacement.....	27
11	Wrapping and fixation with collars.....	28
11.1	Location of the tag on the airborne vehicle.....	28
11.2	Nature of the surface	28
11.3	Temperature	28
11.4	Vibrations/shocks/constant acceleration.....	28
11.5	Sensitivity to fluids, fungus, salt spray, humidity, icing, sand and dust.....	28
11.6	Tearing-off (aerodynamic air flows, handling, etc.).....	28
11.7	UV/Light.....	28
11.8	Lifespan	28
11.9	Replacement.....	28
12	Braiding/weaving.....	28
12.1	Location of the tag on the airborne vehicle.....	28
12.2	Nature of the surface	28
12.3	Temperature	28
12.4	Vibrations/shocks/constant acceleration.....	29
12.5	Sensitivity to fluids, fungus, salt spray, humidity, icing, sand and dust.....	29
12.6	Tearing-off (aerodynamic air flows, handling, etc.).....	29
12.7	UV/Light.....	29
12.8	Lifespan	29
12.9	Replacement.....	29
13	Welding	29
13.1	Location of the tag on the airborne vehicle.....	29
13.2	Nature of the surface	29
13.3	Temperature	29

13.4	Vibrations/shocks/constant acceleration.....	29
13.5	Sensitivity to fluids, fungus, salt spray, humidity, icing, sand and dust.....	29
13.6	Tearing-off (aerodynamic air flows, handling, etc.).....	29
13.7	UV/Light.....	29
13.8	Lifespan	29
13.9	Replacement.....	30
14	Coated bonding.....	30
14.1	Location of the tag on the airborne vehicle.....	30
14.2	Nature of the surface	30
14.3	Temperature.....	30
14.4	Vibrations/shocks/constant acceleration.....	30
14.5	Sensitivity to fluids, fungus, salt spray, humidity, icing, sand and dust.....	30
14.6	Tearing-off (aerodynamic air flows, handling, etc.).....	30
14.7	UV/Light.....	30
14.8	Lifespan	30
14.9	Replacement	30
	Bibliography	31