

# ISO 17854:2013-06 (E)

## Space data and information transfer systems - Flexible advanced coding and modulation scheme for high rate telemetry applications

---

Contents	Page
<b>1 INTRODUCTION.....</b>	<b>1-1</b>
1.1 PURPOSE.....	1-1
1.2 SCOPE.....	1-1
1.3 APPLICABILITY.....	1-2
1.4 DOCUMENT STRUCTURE .....	1-2
1.5 CONVENTIONS AND DEFINITIONS.....	1-3
1.6 PATENTED TECHNOLOGIES .....	1-4
1.7 REFERENCES .....	1-5
<b>2 OVERVIEW.....</b>	<b>2-1</b>
2.1 ARCHITECTURE .....	2-1
2.2 SUMMARY OF FUNCTIONS .....	2-1
2.3 INTERNAL ORGANIZATION .....	2-3
<b>3 MODE ADAPTATION .....</b>	<b>3-1</b>
3.1 OVERVIEW .....	3-1
3.2 SCCC SYSTEM INPUT AND INITIAL OPERATIONS.....	3-1
<b>4 SCCC ENCODING.....</b>	<b>4-1</b>
4.1 GENERAL.....	4-1
4.2 CONVOLUTIONAL ENCODING .....	4-2
4.3 INTERLEAVER.....	4-3
4.4 CODING RATE ADJUSTMENT .....	4-4
4.5 ROW-COLUMN INTERLEAVER .....	4-8
<b>5 PHYSICAL LAYER FRAMING .....</b>	<b>5-1</b>
5.1 GENERAL.....	5-1
5.2 CONSTELLATION MAPPING.....	5-1
5.3 PL SIGNALLING INSERTION .....	5-6
5.4 FRAME HEADER MODULATION .....	5-10
5.5 PHYSICAL LAYER I/Q PSEUDO-RANDOMIZATION .....	5-11
<b>6 BASEBAND FILTERING .....</b>	<b>6-1</b>

<b>7 FRAME SYNCHRONIZATION.....</b>	<b>7-1</b>
7.1 OVERVIEW .....	7-1
7.2 THE ATTACHED SYNC MARKER .....	7-1
7.3 ASM BIT PATTERNS .....	7-1
7.4 LOCATION OF ASM .....	7-1
7.5 ASM FOR EMBEDDED DATA STREAM.....	7-2
<b>8 PSEUDO-RANDOMIZER.....</b>	<b>8-1</b>
8.1 OVERVIEW .....	8-1
8.2 PSEUDO-RANDOMIZER DESCRIPTION .....	8-1
8.3 SYNCHRONIZATION AND APPLICATION OF PSEUDO-RANDOMIZER...	8-1
8.4 SEQUENCE SPECIFICATION .....	8-2
8.5 LOGIC DIAGRAM .....	8-2
<b>9 MANAGED PARAMETERS .....</b>	<b>9-1</b>
9.1 OVERVIEW .....	9-1
9.2 PERMANENT MANAGED PARAMETERS .....	9-1
9.3 VARIABLE MANAGED PARAMETERS .....	9-2
<b>ANNEX A SERVICE (NORMATIVE).....</b>	<b>A-1</b>
<b>ANNEX B PARALLELIZED INTERLEAVER (NORMATIVE).....</b>	<b>B-1</b>
<b>ANNEX C PHYSICAL LAYER PSEUDO-RANDOMIZATION (NORMATIVE)..</b>	<b>C-1</b>
<b>ANNEX D SECURITY, SANA, AND PATENT CONSIDERATIONS (INFORMATIVE) .....</b>	<b>D-1</b>
<b>ANNEX E ACRONYMS AND TERMS (INFORMATIVE) .....</b>	<b>E-1</b>
<b>ANNEX F INFORMATIVE REFERENCES (INFORMATIVE) .....</b>	<b>F-1</b>

## Figure

1-1 Bit Numbering Convention.....	1-3
2-1 Relationship with OSI Layers.....	2-1
2-2 Functional Diagrams at Sending End .....	2-3
2-3 Stream Format at Different Stages of Processing .....	2-4
4-1 Block Diagram of the SCC Turbo Coding Scheme .....	4-2
4-2 The Convolutional Encoder Block Diagram for CC1 and CC2 .....	4-3
4-3 Outer Code Puncturing Scheme.....	4-3
4-4 Row-Column Bit-Interleaving Scheme .....	4-9

<u>Figure</u>	<u>Page</u>
5-1 Bit Mapping into Constellations .....	5-4
5-2 Physical Layer Frame Structure .....	5-6
5-3 Frame Marker Sequence Generator .....	5-7
5-4 Frame Descriptor Code Structure .....	5-8
5-5 Generator Matrix for (32,6) Code.....	5-9
5-6 Distributed Pilot Pattern .....	5-10
7-1 Embedded ASM Bit Pattern .....	7-2
8-1 Pseudo-Randomizer Configuration .....	8-1
8-2 Pseudo-Randomizer Logic Diagram.....	8-3
B-1 Interpretation of Interleaver Algorithm .....	B-1
C-1 Possible Block Diagram for Pseudo-Randomization Sequence Generation .....	C-2

## Table

3-1 Information Block Sizes for Different ACM Formats.....	3-2
4-1 Interleaver Sizes for Different ACM Formats .....	4-4
4-2 Best Incremental Puncturing Positions .....	4-6
4-3 Main Encoder Parameters for 27 Selected ACM Formats .....	4-8
5-1 Constellation Radius Ratios for 16APSK and 32APSK .....	5-3
5-2 ACM Formats of the SCCC Encoder .....	5-5
5-3 Frame Descriptor Input Bits Content.....	5-8
5-4 Frame Parameters Related to Pilot Distribution .....	5-10
7-1 ASM Bit Patterns .....	7-1
9-1 Managed Parameters for Frame Synchronization.....	9-1
9-2 Managed Parameters for Coding and Modulation.....	9-2
9-3 Managed Parameters for Supported ACM Formats .....	9-2
9-4 Managed Parameters for ACM Format .....	9-3
9-5 Variable Managed Parameters for 27 Selected ACM Formats .....	9-3
B-1 Interleaver Parameters (1-10) .....	B-2
B-2 Interleaver Parameters (11 to 19) .....	B-7
C-1 Scrambling Sequences .....	C-2