ISO 17810:2014-07 (E)

Space data and information transfer systems - Data transmission and pseu do-random noise (PN) ranging for 2 GHz code division multiple access (CDMA) link via data relay satellite

CONTENTS

Section Page

1 INTRODUCTION 1-1

1.1 PURPOSE 1-1
1.2 SCOPE 1-1
1.3 APPLICABILITY 1-2
1.4 RATIONALE 1-2
1.5 DOCUMENT STRUCTURE 1-3
1.6 NOMENCLATURE AND CONVENTIONS 1-3
1.7 REFERENCES 1-4

2 OVERVIEW 2-1

2.1 ARCHITECTURE 2-1
2.2 SUMMARY OF FUNCTIONS 2-3
2.3 PN CODE TYPES 2-6

3 SERVICE AVAILABILITY OF PN SPREAD LINKS FOR A COMMUNICATION SYSTEM 3-1

3.1 CCSDS PN CODE ASSIGNMENT 3-1
3.2 FORWARD AND RETURN DATA SERVICES 3-1
3.3 COHERENT RETURN 3-1
3.4 VEHICLE TRACKING 3-1
3.5 INTEROPERABILITY 3-1
3.6 FORWARD 3-1
3.7 RETURN 3-1
3.8 TIME TRANSFER 3-2

4 FORWARD SERVICE MODE PN SPREAD SIGNAL FORMAT 4-1

4.1 GENERAL 4-1
4.2 COMMAND CHANNEL (I) 4-1
4.3 COMMAND LINK SIGNAL PARAMETERS 4-1
4.4 COMMAND LINK PN CODE PROPERTIES 4-3
4.5 RANGE CHANNEL (Q) 4-3
4.6 RANGE LINK SIGNAL PARAMETERS 4-4
4.7 RANGE LINK PN CODE PROPERTIES 4-4

Section Page

5 RETURN SERVICE MODE PN SPREAD SIGNAL FORMAT 5-1

5.1 GENERAL 5-1
5.2 COHERENT MODES 5-1
5.3 NON-COHERENT MODE 5-4

6 NETWORK ELEMENT REQUIREMENTS 6-1

6.1 OVERVIEW 6-1
6.2 TRANSMIT REQUIREMENTS 6-1
6.3 RECEIVE REQUIREMENTS 6-1
6.4 PN RANGING CALIBRATION 6-1
6.5 PN TIME TRANSFER 6-2

7 USER ELEMENT REQUIREMENTS FOR PN SPREADING 7-1

7.1 OVERVIEW 7-1
7.2 GENERAL 7-1
7.3 RECEIVE REQUIREMENTS 7-1
7.4 PERFORMANCE REQUIREMENTS 7-2
7.5 TRANSMIT REQUIREMENTS 7-2
7.6 RANGING PERFORMANCE 7-3
7.7 TIME TRANSFER REQUIREMENTS 7-4
7.8 PN CODE PERFORMANCE 7-5

ANNEX A SECURITY (INFORMATIVE) A-1
ANNEX B GLOSSARY (INFORMATIVE) B-1
ANNEX C INFORMATIVE REFERENCES (INFORMATIVE) C-1

Figure

1-1 Shift Register with Corresponding Characteristic Polynomial 1-4
2-1 DSSS System Network Element Architecture 2-1
2-2 DSSS System User Element Architecture 2-2
4-1 CCSDS Command Link Gold Code Generator 4-3
4-2 CCSDS Range Channel Code Generator 4-4
5-1 Coherent Return Modes PN Code Generator 5-3
5-2 Non-coherent Return Mode CCSDS PN Gold Code Generator 5-6
7-1 Time Transfer Interface Timing Diagram 7-4

Table Page

4-1 Forward I Channel Service Signal Parameters 4-2
4-2 Salient Characteristics of PN Codes for Forward Services 4-2
4-3 Forward Q Channel PSK Service Signal Parameters 4-4
5-1 Coherent Return Service Signal Parameters 5-2
5-2 Non-coherent Return Service Signal Parameters 5-5