

DIN EN 16603-50-52:2014-12 (E)

Space engineering - SpaceWire - Remote memory access protocol; English version
EN 16603-50-52:2014

Contents	Page
Foreword	7
1 Scope	8
2 Normative references	9
3 Terms, definitions and abbreviated terms	10
3.1 Terms defined in other standards	10
3.2 Terms specific to the present standard	10
3.3 Abbreviated terms.....	10
3.4 Conventions.....	11
4 Principles	12
4.1 Remote Memory Access Protocol (RMAP) purpose.....	12
4.2 Guide to clause 5.....	12
4.3 RMAP operations.....	13
4.3.1 Introduction	13
4.3.2 Write commands	13
4.3.3 Read commands.....	14
4.3.4 Read-modify-write	14
5 Requirements	15
5.1 RMAP command and reply fields.....	15
5.1.1 Target SpaceWire Address field.....	15
5.1.2 Target Logical Address field.....	15
5.1.3 Protocol Identifier field.....	15
5.1.4 Instruction field.....	16
5.1.5 Key field	17
5.1.6 Reply Address field	17
5.1.7 Initiator Logical Address field	19
5.1.8 Transaction Identifier field	19
5.1.9 Extended Address field	19
5.1.10 Address field	19
5.1.11 Data Length field.....	20

5.1.12	Header CRC field.....	20
5.1.13	Data field.....	20
5.1.14	Mask field.....	20
5.1.15	Data CRC field.....	20
5.1.16	Reply SpaceWire Address field.....	20
5.1.17	Status field.....	20
5.2	Cyclic Redundancy Code.....	21
5.3	Write Command.....	23
5.3.1	Write command format.....	23
5.3.2	Write reply format.....	26
5.3.3	Write action.....	28
5.4	Read Command.....	39
5.4.1	Read command format.....	39
5.4.2	Read reply format.....	41
5.4.3	Read action.....	43
5.5	Read-Modify-Write Command.....	52
5.5.1	Read-modify-write command format.....	52
5.5.2	Read-modify-write reply format.....	56
5.5.3	Read-modify-write action.....	59
5.6	Error and status codes.....	70
5.6.1	Error and status codes.....	70
5.7	Partial Implementations of RMAP.....	72
5.7.1	Limited functionality nodes.....	72
5.7.2	Partial implementations.....	72
5.8	RMAP conformance.....	73
5.8.1	Overview.....	73
5.8.2	RMAP partial implementations.....	73
Annex A (informative) Example of RMAP CRC implementation.....		77
A.1	Overview.....	77
A.2	VHDL implementation of RMAP CRC.....	77
A.3	C-code implementation of RMAP CRC.....	79
A.4	RMAP CRC test patterns.....	81
Annex B (informative) Example Service Interface specification.....		88
B.1	Overview.....	88
B.2	Write Service.....	89
B.2.1	Initiator.....	89
B.2.2	WRITE.request.....	89

B.2.3	WRITE.confirmation	89
B.2.4	Target	90
B.2.5	WRITE.authorisation.indication	90
B.2.6	WRITE.authorisation.response	91
B.2.7	WRITE.data.indication	91
B.2.8	WRITE.data.response	92
B.2.9	WRITE.indication	92
B.3	Read Service	93
B.3.1	Initiator	93
B.3.2	READ.request	93
B.3.3	READ.confirmation.....	93
B.3.4	Target	94
B.3.5	READ.authorisation.indication.....	94
B.3.6	READ.authorisation.response	95
B.3.7	READ.data.indication	95
B.3.8	READ.data.response	96
B.3.9	READ.indication	96
B.4	Read-Modify-Write Service	97
B.4.1	Initiator	97
B.4.2	RMW.request	97
B.4.3	RMW.confirmation.....	97
B.4.4	Target	98
B.4.5	RMW.authorisation.indication.....	98
B.4.6	RMW.authorisation.response	99
B.4.7	RMW.read.data.indication	99
B.4.8	RMW.read.data.response	100
B.4.9	RMW.write.data.indication.....	100
B.4.10	RMW.write.data.response	101
B.4.11	RMW.indication.....	102

Annex C (informative) Mapping to CCSDS SOIS Remote memory access service	103
---	------------

Bibliography.....	108
--------------------------	------------

Figures

Figure 5-1: Write Command format	23
Figure 5-2: Write Reply format.....	26
Figure 5-3: Write Command/Reply sequence	28

Figure 5-4: Write Command Header Error	30
Figure 5-5: Write Data Authorisation Rejection	32
Figure 5-6: Write Command Data Error	35
Figure 5-7: Write Reply Error	38
Figure 5-8: Read Command format	39
Figure 5-9: Read Reply format	41
Figure 5-10: Read Command/Reply sequence	44
Figure 5-11: Read Command Header Error	46
Figure 5-12: Read Authorisation Rejection	49
Figure 5-13: Read Reply Header Error	51
Figure 5-14: Read Reply Data Error	52
Figure 5-15: Read-Modify-Write Command format	53
Figure 5-16: Example Operation of Read-Modify-Write Command	56
Figure 5-17: Read-Modify-Write Reply format	57
Figure 5-18: Read-Modify-Write Command/Reply sequence	59
Figure 5-19: Read-Modify-Write Command Header Error	61
Figure 5-20: Read-Modify-Write Command Data Error	64
Figure 5-21: Read-Modify-Write Authorisation Rejection	66
Figure 5-22: Read-Modify-Write Reply Error	68
Figure 5-23: RMW Reply Data Error	69
Figure B-1 : SOIS communication architecture	88
Figure C-1 : RMAP model	103
Figure C-2 : SOIS model	104

Tables

Table 5-1: RMAP Command Codes	16
Table 5-2: Reply Address field size	18
Table 5-3: Example Reply Address field to Reply SpaceWire Address mappings	18
Table 5-4: Error and Status codes	71
Table 5-5: SpaceWire RMAP write command	74
Table 5-6: Example of Write Command Product Characteristics	74
Table 5-7: SpaceWire RMAP Read Command	75
Table 5-8: Example Read Command Product Characteristics	75
Table 5-9: SpaceWire RMAP Read-Modify-Write Command	76
Table 5-10: Example Read-Modify-Write Command Product Characteristics	76

Table C-1 : Comparison of RMAP and Remote Memory Access primitives	105
Table C-2 : WRITE.request parameters	106
Table C-3 : WRITE.confirmation parameters	106
Table C-4 : READ.request parameters	106
Table C-5 : READ.confirmation parameters.....	106
Table C-6 : RMW.request parameters	107
Table C-7 : RMW.confirmation parameters.....	107