

# DIN EN 16603-50-01:2014-12 (E)

Space engineering - Space data links - Telemetry synchronization and channel coding; English version EN 16603-50-01:2014

---

<b>Contents</b>	<b>Page</b>
<b>Foreword</b> .....	<b>6</b>
<b>1 Scope</b> .....	<b>7</b>
<b>2 Normative references</b> .....	<b>8</b>
<b>3 Terms, definitions and abbreviated terms</b> .....	<b>9</b>
3.1 Terms from other standards.....	9
3.2 Terms specific to the present standard .....	9
3.3 Abbreviations .....	9
3.4 Conventions.....	10
<b>4 Overview</b> .....	<b>11</b>
4.1 Introduction.....	11
4.2 Coding .....	11
4.2.1 Channel codes .....	11
4.2.2 Connection vectors .....	12
4.3 Convolutional codes .....	12
4.4 Reed-Solomon codes .....	12
4.5 Concatenated codes.....	13
4.6 Turbo codes.....	13
4.7 Synchronization and pseudo-randomization .....	13
<b>5 Convolutional coding</b> .....	<b>16</b>
5.1 Properties .....	16
5.2 General.....	16
5.3 Basic convolutional code .....	17
5.4 Punctured convolutional code.....	18
<b>6 Reed-Solomon coding</b> .....	<b>20</b>
6.1 Properties .....	20
6.2 General.....	20
6.3 Specification .....	21
6.3.1 Parameters and general characteristics .....	21
6.3.2 Generator polynomials .....	21

6.3.3	Symbol interleaving depth .....	22
6.3.4	Symbol interleaving mechanism.....	22
6.3.5	Reed-Solomon codeblock partitioning .....	23
6.3.6	Shortened codeblock length.....	24
6.3.7	Dual basis symbol representation and ordering.....	25
6.3.8	Synchronization .....	26
6.3.9	Ambiguity resolution.....	26
6.4	Reed-Solomon with $E=8$ .....	26
6.4.1	Introduction .....	26
6.4.2	General.....	27
<b>7</b>	<b>Turbo coding.....</b>	<b>28</b>
7.1	Properties .....	28
7.2	General.....	28
7.3	Specification .....	29
7.3.1	General.....	29
7.3.2	Parameters and general characteristics .....	29
7.3.3	Turbo code permutation .....	30
7.3.4	Backward and forward connection vectors .....	32
7.3.5	Turbo encoder block .....	33
7.3.6	Turbo codeblock specification .....	33
7.3.7	Turbo codeblock synchronization.....	34
<b>8</b>	<b>Frame synchronization .....</b>	<b>35</b>
8.1	Introduction.....	35
8.2	The attached sync marker (ASM) .....	35
8.2.1	Overview.....	35
8.2.2	Encoder side.....	36
8.2.3	Decoder side.....	36
8.3	ASM bit patterns .....	36
8.4	Location of ASM .....	37
8.5	Relationship of ASM to Reed-Solomon and turbo codeblocks .....	37
8.6	ASM for embedded data stream .....	38
8.6.1	Overview.....	38
8.6.2	Embedded ASM.....	38
<b>9</b>	<b>Pseudo-randomizer .....</b>	<b>39</b>
9.1	General.....	39
9.1.1	Overview.....	39

9.1.2	Application .....	39
9.2	Pseudo-randomizer description .....	39
9.3	Synchronization and application of pseudo-randomizer .....	40
9.3.1	Overview .....	40
9.3.2	Application .....	40
9.4	Sequence specification .....	41
<b>Annex A (informative) Transformation between Berlekamp and conventional representations .....</b>		<b>43</b>
<b>Annex B (informative) Expansion of Reed-Solomon coefficients .....</b>		<b>50</b>
<b>Annex C (informative) Compatible frame lengths .....</b>		<b>52</b>
<b>Annex D (informative) Application profiles .....</b>		<b>54</b>
<b>Annex E (informative) Changes from ESA-PSS-04-103.....</b>		<b>60</b>
<b>Annex F (informative) Differences from CCSDS recommendations .....</b>		<b>61</b>
<b>Annex G (informative) Mission configuration parameters.....</b>		<b>62</b>
<b>Annex H (informative) Turbo code patent rights .....</b>		<b>66</b>
<b>Bibliography.....</b>		<b>67</b>
<b>Figures</b>		
Figure 3-1:	Bit numbering convention .....	10
Figure 4-1:	Coding, randomization and synchronization (1).....	14
Figure 4-2:	Coding, randomization and synchronization (2).....	15
Figure 5-1:	Convolutional encoder block diagram.....	18
Figure 5-2:	Punctured encoder block diagram .....	19
Figure 6-1:	Functional representation of R-S interleaving .....	23
Figure 6-2:	Reed-Solomon codeblock partitioning .....	24
Figure 7-1:	Interpretation of permutation .....	31
Figure 7-2:	Turbo encoder block diagram.....	32
Figure 7-3:	Turbo codeblocks for code rates 1/2 and 1/4.....	34
Figure 7-4:	Turbo codeblock with attached sync marker.....	34
Figure 8-1:	Format of channel access data unit (CADU).....	35
Figure 8-2:	ASM bit pattern for non-turbo-coded data.....	36
Figure 8-3:	ASM bit pattern for rate 1/2 turbo-coded data.....	36
Figure 8-4:	ASM bit pattern for rate 1/4 turbo-coded data.....	37
Figure 8-5:	Embedded ASM bit pattern .....	38

Figure 9-1: Pseudo-randomizer configuration.....	40
Figure 9-2: Pseudo-randomizer logic diagram .....	42
Figure A-1 : Transformational equivalence .....	44

## Tables

Table 5-1: Basic convolutional code characteristics.....	17
Table 5-2: Punctured convolutional code characteristics .....	19
Table 5-3: Puncture code patterns for convolutional codes .....	19
Table 7-1: Specified information block lengths .....	30
Table 7-2: Codeblock lengths (measured in bits).....	30
Table 7-3: Parameters $k_1$ and $k_2$ for specified information block lengths.....	31
Table 7-4: Forward connection vectors.....	32
Table 8-1: ASM bit patterns in hexadecimal notation.....	37
Table A-1 : Equivalence of representations (Part 1 of 4).....	46
Table B-1 : Expansion for $E=16$ .....	50
Table B-2 : Expansion for $E=8$ .....	51
Table C-1 : Maximum frame lengths for $E=16$ .....	53
Table C-2 : Maximum frame lengths for $E=8$ .....	53
Table D-1 : Preferred coding schemes .....	56
Table D-2 : Coding gains and bandwidth expansions .....	58
Table D-3 : Coding gains for R-S(255, 239) and 4D-8PSK-TCM .....	59