

DIN EN 16602-70-26:2015-06 (E)

Space product assurance - Crimping of high-reliability electrical connections;
English version EN 16602-70-26:2014

Content	page
Foreword	5
1 Scope	6
2 Normative references	8
3 Terms, definitions and abbreviated terms	9
3.1 Terms defined in other standards	9
3.2 Terms specific to the present standard	9
3.3 Abbreviated terms	10
4 Principles	11
5 Requirements	12
5.1 Preparatory conditions	12
5.1.1 Facilities	12
5.1.2 Tools and equipment	13
5.2 Crimping operations for specific interconnections	14
5.2.1 General	14
5.2.2 Material selection	15
5.2.3 Process review and documentation	15
5.2.4 Connector barrel and single wire crimping	16
5.2.5 Connector barrel and multiple wire crimping	16
5.2.6 Ferrule shield crimping	17
5.2.7 Lug and splice wire crimping	18
5.3 Requirements for new crimp configurations	19
5.3.1 General	19
5.3.2 Test procedure	19
5.3.3 Sealing and marking	20
5.4 Test methods	21
5.4.1 General	21
5.4.2 Voltage drop	21

5.4.3	Tensile strength	23
5.4.4	Metallography	26
5.5	Quality assurance	26
5.5.1	General	26
5.5.2	Personnel training and certification.....	27
5.5.3	Workmanship.....	29
5.5.4	Visual inspection.....	30
5.5.5	Shift performance inspection and test	31
5.5.6	Calibration of crimping tools	31
5.5.7	Records	32
5.5.8	Nonconformance	33
5.6	Document requirements	33
Annex A (informative) Crimp configurations and tools		34
Bibliography.....		40

Figures

Figure 1-1: Specific interconnections in this Standard	7
Figure 5-1: Example of a typical connector barrel and single wire crimping	16
Figure 5-2: Example of a typical connector barrel and multi-wire crimping	17
Figure 5-3: Example of a typical ferrule shield crimping	18
Figure 5-4: Examples of typical lug and splice wire crimping	19
Figure 5-5: Typical plots showing variation in crimp termination characteristics with increasing indentation depth	21
Figure 5-6: Measurement of voltage drop across a crimped termination	22
Figure 5-7: Quality control during crimping operation.....	28
Figure 5-8: Visible workmanship standards.....	29
Figure 5-9: Workmanship examples and crimp micro-sections	29
Figure A-1 : Confined irregular-octagon crimp (compactive).....	35
Figure A-2 : Dimpled confined octagon crimp (compactive).....	35
Figure A-3 : Regular-hexagon crimp (compactive).....	35
Figure A-4 : Semicircular one- or two-indent crimp (dispersive).....	35
Figure A-5 : Four-indent crimp (dispersive).....	35
Figure A-6 : Typical test fixture for testing lug and splice crimps	39

Tables

Table 5-1: Equipment for verification process	14
Table 5-2: Voltage drop test requirements	23
Table 5-3: Required ultimate axial strength for compactive and dispersive crimped joints 25	
Table A-1 : Guideline for selector setting - Four-indent crimp (dispersive) Single wire (Crimping tool 22520/2-01).....	37
Table A-2 : Guideline for selector setting - Four-indent crimp (dispersive) -Two wires (Crimping tool 22520/2-01).....	38
Table A-3 : Guideline for die selection (ferrule coaxial shield crimping).....	38