

# DIN EN 16602-70-30:2015-07 (E)

Space product assurance - Wire wrapping of high-reliability electrical connections;  
English version EN 16602-70-30:2014

---

| Inhalt   | Seite     |
|--|-----------|
| <b>Foreword</b> .....                                      | <b>5</b>  |
| <b>1 Scope</b> .....                                       | <b>6</b>  |
| <b>2 Normative references</b> .....                        | <b>8</b>  |
| <b>3 Terms, definitions and abbreviated terms</b> .....    | <b>9</b>  |
| 3.1 Terms defined in other standards .....                 | 9         |
| 3.2 Terms specific to the present standard .....           | 9         |
| 3.3 Abbreviated terms .....                                | 10        |
| <b>4 Principles</b> .....                                  | <b>11</b> |
| <b>5 Requirements</b> .....                                | <b>12</b> |
| 5.1 Preparatory conditions .....                           | 12        |
| 5.1.1 Hazards, health and safety precautions .....         | 12        |
| 5.1.2 Facilities .....                                     | 12        |
| 5.1.3 Tools and equipment .....                            | 13        |
| 5.1.4 Configuration of process and workpiece .....         | 15        |
| 5.1.5 Wire-wrap process certification .....                | 16        |
| 5.1.6 Requirements for new combinations of wire-wrap ..... | 16        |
| 5.2 Material selection .....                               | 17        |
| 5.2.1 Wire .....   | 17        |
| 5.2.2 Terminal post .....                                  | 19        |
| 5.3 Wire-wrap operation .....                              | 22        |
| 5.3.1 Preparation for wire-wrapping .....                  | 22        |
| 5.3.2 Process and criteria .....                           | 22        |
| 5.3.3 Number of turns on terminal post .....               | 24        |
| 5.3.4 Wire routing .....                                   | 25        |
| 5.3.5 Rework .....   | 25        |
| 5.4 Test methods .....                                     | 26        |
| 5.4.1 General .....  | 26        |
| 5.4.2 Stripping force .....                                | 26        |
| 5.4.3 Unwrapping test .....                                | 27        |

|  |  |           |
|--|--|-----------|
| 5.4.4  | Connection resistance .....                            | 27        |
| 5.4.5  | Gas-tightness test.....                                | 28        |
| 5.4.6  | Metallography .....                                    | 28        |
| 5.4.7  | Records of tests.....                                  | 29        |
| 5.5  | Workmanship and acceptance criteria .....              | 29        |
| 5.5.1  | Visual inspection.....                                 | 29        |
| 5.5.2  | Replacement and rework.....                            | 30        |
| 5.5.3  | Performance tests .....                                | 31        |
| 5.6  | Quality assurance.....                                 | 32        |
| 5.6.1  | General.....   | 32        |
| 5.6.2  | Traceability .....                                     | 32        |
| 5.6.3  | Data .....   | 33        |
| 5.6.4  | Nonconformance .....                                   | 33        |
| 5.6.5  | Calibration .....                                      | 35        |
| 5.6.6  | Workmanship standards.....                             | 35        |
| 5.6.7  | Operator and inspector training and certification..... | 35        |
| 5.6.8  | Inspections .....                                      | 36        |
| 5.7  | Document requirements .....                            | 37        |
| <b>Annex A (informative) Procedure for wire-rapping.....</b> |  | <b>38</b> |
| <b>Bibliography.....</b>                                     |  | <b>46</b> |

## Figures

|  |    |
|--|----|
| Figure 1-1: Single wire-wrapped connection to square terminal and reference corner ..... | 7  |
| Figure 5-1: Minimum wrapping length on terminal post for each wire gauge .....           | 21 |
| Figure 5-2: Terminal post dimensions over minimum wrapping length for each terminal size | 21 |
| Figure 5-3: Position and regularity of wrap connection .....                             | 24 |
| Figure 5-4: Wire-wrap rejection criteria which require reworking of the connection ..... | 31 |
| Figure 5-5: Guide to quality assurance during wire wrapping .....                        | 34 |
| Figure 5-6: Guide to quality assurance during wire wrapping                              | 34 |
| Figure A-1 : Examples of approved wire-wrapping tools.....                               | 39 |
| Figure A-2 : Wire-wrap connection process .....  | 40 |
| Figure A-3 : Hand unwrapping tools.....  | 41 |
| Figure A-4 : Example of a daily process control sheet for test samples.....              | 43 |
| Figure A-5 : Stripping force test fixture .....  | 44 |
| Figure A-6 : Connection resistance test .....  | 44 |
| Figure A-7 : Typical cross-section of wire-wrap (×64).....                               | 45 |

Figure A-8 : Gas-tightness test result..... 45

**Tables**

Table 5-1: Wire size to terminal post combinations..... 22  
Table 5-2: Minimum number of wire turns on terminal post ..... 25  
Table 5-3: Minimum stripping force ..... 27  
Table 5-4: Test current for connection resistance ..... 28