ISO 22663:2015-08 (E)

Space data and information transfer systems - Proximity-1 space link protocol - Data link layer

Contents

Page

1 INTRODUCTION 1-1

1.1 PURPOSE 1-1
1.2 SCOPE 1-1
1.3 APPLICABILITY 1-1
1.4 RATIONALE 1-2
1.5 CONVENTIONS AND DEFINITIONS 1-2
1.6 REFERENCES 1-7

2 OVERVIEW 2-1

2.1 CONCEPT OF PROXIMITY-1 2-1
2.2 OVERVIEW OF SERVICES 2-6

3 PROTOCOL DATA UNITS 3-1

3.1 OVERVIEW—CONTEXT OF THE VERSION-3 TRANSFER FRAME 3-1
3.2 VERSION-3 TRANSFER FRAME 3-1

4 DATA LINK LAYER 4-1

4.1 FRAME SUBLAYER 4-1
4.2 MEDIUM ACCESS CONTROL SUBLAYER 4-2
4.3 DATA SERVICES SUBLAYER 4-5
4.4 INPUT/OUTPUT SUBLAYER 4-7

5 PROXIMITY-1 TIMING SERVICES 5-1

5.1 OVERVIEW 5-1
5.2 TIME TAG RECORDING 5-1
5.3 TIME CORRELATION PROCESS 5-2
5.4 TRANSFERRING TIME TO A REMOTE ASSET 5-3

6 DATA SERVICES OPERATIONS 6-1

6.1 OVERVIEW 6-1
6.2 PROXIMITY-1 STATE TABLES 6-1
6.3 ELEMENTS AND EVENTS THAT AFFECT STATE STATUS 6-14
6.4 STATE TRANSITION TABLES AND DIAGRAMS 6-19
6.5 INTERFACES WITH THE PHYSICAL LAYER (VIA CODING AND SYNCHRONIZATION SUBLAYER) 6-31

Section Page

6.6 SENDING OPERATIONS 6-32
6.7 RECEIVING OPERATIONS 6-34

7 COMMUNICATION OPERATIONS PROCEDURE FOR PROXIMITY LINKS 7-1

7.1 OVERVIEW 7-1
7.2 SENDING PROCEDURES (FOP-P) 7-1
7.3 RECEIVING PROCEDURES (FARM-P) 7-7

8 INPUT/OUTPUT SUBLAYER OPERATIONS 8-1

8.1 OVERVIEW 8-1
8.2 SENDING OPERATIONS 8-1
8.3 RECEIVING OPERATIONS 8-2

ANNEX A PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT (PICS) PROFORMA (NORMATIVE) A-1
ANNEX B VARIABLE-LENGTH SUPERVISORY PROTOCOL DATA FIELD FORMATS (NORMATIVE) B-1
ANNEX C MANAGEMENT INFORMATION BASE PARAMETERS (NORMATIVE) C-1
ANNEX D NOTIFICATIONS TO VEHICLE CONTROLLER (NORMATIVE) ... D-1
ANNEX E SECURITY, SANA, AND PATENT CONSIDERATIONS (INFORMATIVE) E-1
ANNEX F NASA MARS SURVEYOR PROJECT 2001 ODYSSEY ORBITER PROXIMITY SPACE LINK CAPABILITIES (INFORMATIVE) F-1
ANNEX G NASA MARS RECONNAISSANCE ORBITER 2005 PROXIMITY SPACE LINK CAPABILITIES (INFORMATIVE) G-1
ANNEX H INFORMATIVE REFERENCES (INFORMATIVE) H-1
ANNEX I ABBREVIATIONS AND ACRONYMS (INFORMATIVE) I-1
ANNEX J PROXIMITY-1 DATA FORMAT HIERARCHY (INFORMATIVE) J-1

Figure

1-1 Bit Numbering Convention 1-6
1-2 Proximity-1 Rate Terminology 1-7
2-1 Proximity-1 Layered Protocol Model 2-2
3-1 Proximity-1 Protocol Data Unit Context Diagram 3-1
3-2 Version-3 Transfer Frame 3-2

Figure Page

3-3 Transfer Frame Header 3-3
3-4 Proximity-1 Transfer Frame Data Field Contents of a U-Frame 3-9
3-5 Proximity Link Control Word Fields 3-13
4-1 COP-P Process 4-6
5-1 Proximity Time Tag Recording 5-2
5-2 Transferring Time to a Remote Asset 5-5
6-1 Full Duplex State Transition Diagram 6-20
6-2 Half Duplex State Transition Diagram 6-25
6-3 Simplex Operations 6-31
B-1 Type 1 SPDU Data Field Contents B-2
B-2 SET TRANSMITTER PARAMETERS Directive B-3
B-3 SET CONTROL PARAMETERS Directive B-6
B-4 SET RECEIVER PARAMETERS Directive B-9
B-5 SET V(R) Directive B-12
B-6 Report Request B-13
B-7 SET PL EXTENSIONS B-15
B-8 Report Source Spacecraft ID B-19
B-9 Type 2 SPDU Data Field Contents B-21
F-1 NASA Mars Surveyor Project 2001 Odyssey SET TRANSMITTER PARAMETERS Directive F-2
F-2 NASA Mars Surveyor Project 2001 Odyssey SET RECEIVER PARAMETERS Directive F-4
F-3 Proximity Link Control Word Fields F-7

Table

3-1 U-Frame Data Field Construction Rules 3-4
3-2 Setting the SCID Field and Source-or-Destination Identifier When the Frame Is Created 3-6
3-3 SCID Field and Source-or-Destination Identifier When the Frame Is Received 3-7
3-4 Segment Header Sequence Flags 3-10
3-5 Fixed-Length Supervisory Protocol Data Unit 3-12
3-6 Variable-Length Supervisory Protocol Data Unit 3-15
6-1 Proximity-1 Data Services Operations Roadmap 6-1
6-2 States Independent of the DUPLEX Variable 6-2
6-3 States When DUPLEX = Full 6-3
6-4 States When DUPLEX = Half 6-4
6-5 States When DUPLEX = Simplex (Receive or Transmit) 6-6
6-6 Proximity-1 Control Variable Initialization Table 6-16

Table Page

6-7 Full Duplex Session Establishment/Data Services State Transition Table 6-21
6-8 Full Duplex Communication Change State Table 6-23
6-9 Full Duplex Session Termination State Table 6-24
6-10 Half Duplex Session Establishment and Data Services 6-26
6-11 Half Duplex Communication Change State Table 6-29
6-12 Half Duplex Session Termination State Table 6-29
6-13 Simplex State Transition Table 6-31
6-14 Data Source Selection for Output Coded Symbol Stream with TRANSMIT = *on* and MODULATION = *on* 6-33