ISO 21460:2015-08 (E)

Space data and information transfer systems - Proximity-1 space link protocol - Physical layer

Contents

Page

1 INTRODUCTION 1-1

1.1 PURPOSE 1-1
1.2 SCOPE 1-1
1.3 APPLICABILITY 1-1
1.4 RATIONALE 1-2
1.5 CONVENTIONS AND DEFINITIONS 1-2
1.6 REFERENCES 1-5

2 OVERVIEW 2-1

2.1 PHYSICAL LAYER OVERVIEW 2-1
2.2 DATA LINK LAYER OVERVIEW 2-1

3 GENERAL REQUIREMENTS FOR THE PHYSICAL LAYER 3-1

3.1 RADIO EQUIPMENT 3-1
3.2 PHYSICAL LAYER FUNCTIONS 3-1
3.3 CONTROLLED COMMUNICATIONS CHANNEL PROPERTIES 3-5
3.4 PERFORMANCE REQUIREMENTS 3-9

ANNEX A PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT PROFORMA (NORMATIVE) A-1
ANNEX B SECURITY, SANA, AND PATENT CONSIDERATIONS (INFORMATIVE) B-1
ANNEX C INFORMATIVE REFERENCES (INFORMATIVE) C-1
ANNEX D ABBREVIATIONS AND ACRONYMS (INFORMATIVE) D-1

Figure

1-1 Proximity-1 Rate Terminology 1-5
2-1 Simplified Overview of Proximity-1 Layers 2-2
3-1 Control Variables, Signals, and Data Transfers 3-2
3-2 Oscillator Phase Noise 3-10
3-3 Discrete Lines Template for the Transmitter (Normalized Power in dBc vs. Normalized Frequency: $(f-f_c)/A$) 3-10

Table Page

3-1 CATEGORIES OF RADIO EQUIPMENT CONTAINED ON PROXIMITY-1 LINK ELEMENTS 3-1
3-2 CONTROL VARIABLES FOR TRANSMITTER 3-3
3-3 CONTROL VARIABLES FOR RECEIVER 3-4
3-4 PROXIMITY-1 CHANNEL ASSIGNMENTS 0 THROUGH 7 (FREQUENCIES IN MHZ) 3-7
A-1 MAJOR CAPABILITIES A-4